



PRIORSAFE LLC
www.priorsafellc.com

PRODUCT CATALOGUE

Find the Best Choice for Your Needs at One Place





ABOUT US

PriorSafe LLC is an authorized distributor in the UAE for leading global brands and a manufacturer of safety products under our own name.

We distribute for:

- DeNeers Tools
- Rider Safety Shoes
- SafeEss Safety Apparel
- Mahadev Wire Ropes

We Manufacture:

- Safety Helmets and Harness
- Lifting Accessories
- Fall Arrestors

RIDER[®]

SAFETY SHOES

PRODUCT DATA SHEET

01. Model No - 2205

LOW ANKLE LEATHER SAFETY SHOE,
REGULAR S1P SOLE, GREY NYLON
MESH LINING, SRC, PUNCTURE RESISTANT, ANTI-SLIP,
PU SINGLE DENSITY SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	GENUINE LEATHER BUFF FULL GRAIN BARTAN PRINT UPPER WITH PADDED COLLAR
INNER LINING	MATERIAL	CUSHION LAMINATED FABRIC LINING
INSOLE	MATERIAL	EVA LAMINATED IN SOCKS
TOE	MATERIAL	EXTRA WIDE STEEL TOE (100J) WITH EN ISO 20346
MIDSOLE	MATERIAL	0.3 MM SPRING STEEL MID-PLATE
EYELETS	MATERIAL	GOOD QUALITY METEL EYELETS
LACE	MATERIAL	NYLON ROUND LACE
OUTSOLE	MATERIAL & SOLING PROCESS	SINGLE DENSITY PU WITH OIL, ACID, PETROL ANTI-SLIP AND HEAT RESISTANCE PROPERTIES UP TO 120 °C
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON

PRODUCT DATA SHEET

02. Model No - 2206

HIGH ANKLE LEATHER SAFETY SHOE,
REGULAR S1P SOLE, GREY NYLON
MESH LINING, SRC, PUNCTURE RESISTANT, ANTI-SLIP,
PU SINGLE DENSITY SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	GENUINE LEATHER BUFF FULL GRAIN BARTAN PRINT UPPER WITH PADDED COLLAR
INNER LINING	MATERIAL	CUSHION LAMINATED FABRIC LINING
IN SOCKS	MATERIAL	EVA LAMINATED IN SOCKS
TOE	MATERIAL	EXTRA WIDE STEEL TOE (100J) WITH EN ISO 20346
MIDSOLE	MATERIAL	0.3 MM SPRING STEEL MID-PLATE
EYELETS	MATERIAL	MD-RINGS
LACE	MATERIAL	NYLON ROUND LACE
OUTSOLE	MATERIAL & SOLING PROCESS	SINGLE DENSITY PU WITH OIL, ACID, PETROL ANTI-SLIP AND HEAT RESISTANCE PROPERTIES UP TO 120 °C
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON

PRODUCT DATA SHEET

03. Model No - 2213

HIGH ANKLE LEATHER SAFETY SHOE
SHOE, S3 SOLE, BEIGE NYLON
MESH LINING, SRC, PUNCTURE RESISTANT, ANTI-SLIP,
NITRILE RUBBER SINGLE DENSITY SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	GENUINE LEATHER BUFF FULL GRAIN BARTAN PRINT UPPER WITH PADDED COLLAR
INNER LINING	MATERIAL	CUSHION LAMINATED AIR MESH FABRIC LINING
IN SOCKS	MATERIAL	BREATHABLE CUSHION IN SOCKS
TOE	MATERIAL	EXTRA WIDE STEEL TOE (200J) WITH EN ISO 20345
MIDSOLE	MATERIAL	1100 N STEEL MID-PLATE AS PER EN ISO 20345
EYELETS	MATERIAL	METAL D-RINGS D-RINGS
LACE	MATERIAL	NYLON ROUND LACE
OUTSOLE	MATERIAL & SOLING PROCESS	SINGLE DENSITY PU WITH OIL, ACID, PETROL ANTI-SLIP AND HEAT RESISTANCE PROPERTIES UP TO 120 °C
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON

PRODUCT DATA SHEET

04. Model No - 3302

HIGH ANKLE LEATHER SAFETY SHOE
SHOE, S3, BEIGE NYLON
MESH LINING, SRC, PUNCTURE RESISTANT, ANTI-SLIP,
PU DOUBLE DENSITY SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	GENUINE LEATHER BUFF FULL GRAIN BARTAN PRINT UPPER WITH PADDED COLLAR
INNER LINING	MATERIAL	CUSHION LAMINATED AIR MESH FABRIC LINING
IN SOCKS	MATERIAL	BREATHABLE CUSHION IN SOCKS
TOE	MATERIAL	EXTRA WIDE STEEL TOE (200J) WITH EN ISO 20345
MIDSOLE	MATERIAL	1100 N STEEL MID-PLATE AS PER EN ISO 20345
EYELETS	MATERIAL	METAL D-RINGS D-RINGS
LACE	MATERIAL	NYLON ROUND LACE
OUTSOLE	MATERIAL & SOLING PROCESS	DOUBLE DENSITY PU WITH OIL, ACID, PETROL ANTI-SLIP AND HEAT RESISTANCE PROPERTIES UP TO 120 °C
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON

PRODUCT DATA SHEET

05. Model No - 3303

LOW ANKLE LEATHER SAFETY SHOE
SHOE, S3, BEIGE NYLON
MESH LINING, SRC, PUNCTURE RESISTANT, ANTI-SLIP,
PU DOUBLE DENSITY SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	GENUINE LEATHER BUFF FULL GRAIN BARTAN PRINT UPPER WITH PADDED COLLAR
INNER LINING	MATERIAL	CUSHION LAMINATED AIR MESH FABRIC LINING
IN SOCKS	MATERIAL	BREATHABLE CUSHION IN SOCKS
TOE	MATERIAL	EXTRA WIDE STEEL TOE (200J) WITH EN ISO 20345
MIDSOLE	MATERIAL	1100 N STEEL MID-PLATE AS PER EN ISO 20345
EYELETS	MATERIAL	METAL D-RINGS
LACE	MATERIAL	NYLON ROUND LACE
OUTSOLE	MATERIAL & SOLING PROCESS	DOUBLE DENSITY PU WITH OIL, ACID, PETROL ANTI-SLIP AND HEAT RESISTANCE PROPERTIES UP TO 120 °C
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON

PRODUCT DATA SHEET

06. Model No - 1105 CRUZ

LOW / HIGH ANKLE LEATHER SAFETY SHOE
SHOE, S3, BROWN NYLON MESH LINING,
PUNCTURE RESISTANT, ANTI-SLIP,
PU/PR DOUBLE DENSITY SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	LEATHER BUFF BROWN SUEDE UPPER WITH CORDURA FABRIC AND PU FOAM PADDED COLLAR
INNER LINING	MATERIAL	CUSHION LAMINATED AIR MESH FABRIC LINING
IN SOCKS	MATERIAL	CUSHION IN SOCKS FOR BETTER COMFORT
TOE	MATERIAL	EXTRA WIDE STEEL TOE (200J) WITH EN ISO 20345
MIDSOLE	MATERIAL	1100 N STEEL MID-PLATE AS PER EN ISO 20345
EYELETS	MATERIAL	OXIDIZED EYELETS HEXAGON SHAPE
INSOLE	MATERIAL	NON-WOVEN ANTISTATIC
OUTSOLE	MATERIAL & SOLING PROCESS	DOUBLE DENSITY PU ANTISTATIC BROWN/BLACK, WITH OIL, ACID, PETROL ANTI-SLIP
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON

PRODUCT DATA SHEET

07. Model No - RUNNER

LOW ANKLE LEATHER SAFETY SHOE
SHOE, S3, BLACK NYLON MESH LINING,
HRO, SRC ANTISTATIC, PUNCTURE RESISTANT,
ANTI SLIP
PHYLON/RUBBER NITRILE SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	LEATHER BUFF SUEDE UPPER WITH CORDURA FABRIC PADDED COLLAR AND TOE GUARD
INNER LINING	MATERIAL	CUSHION LAMINATED AIR MESH FABRIC LINING
IN SOCKS	MATERIAL	PU IN SOCKS FOR BETTER COMFORT
TOE	MATERIAL	EXTRA WIDE STEEL TOE (200J) WITH EN ISO 20345
EYELETS	MATERIAL	NON-METALLIC
INSOLE	MATERIAL	1100 N KEVLAR (NON-METALLIC ANTI-PERFORATION)
OUTSOLE	MATERIAL & SOLING PROCESS	SOLE MADE UP OF MIDSOLE EVA WITH NITRILE RUBBER OUTSOLE WITH ANTI STATIC, OIL,ACID & PETROL ANTI-SLIP AND HEAT RESISTANCE PROPERTIES
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON

PRODUCT DATA SHEET

08. Model No - JUMPER

LOW ANKLE LEATHER SAFETY SHOE
SHOE, S3, BLACK NYLON MESH LINING,
HRO, SRC ANTISTATIC, PUNCTURE RESISTANT,
ANTI SLIP PHYLON/RUBBER NITRILE SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	GENUINE LEATHER BUFF UPPER WITH CORDURA FABRIC PADDED COLLAR AND TOE GUARD
INNER LINING	MATERIAL	CUSHION LAMINATED AIR MESH FABRIC LINING
IN SOCKS	MATERIAL	PU IN SOCKS FOR BETTER COMFORT
TOE	MATERIAL	EXTRA WIDE STEEL TOE (200J) WITH EN ISO 20345
EYELETS	MATERIAL	METALLIC D-RINGS AND EYELETS
LACE	MATERIAL	NYLON ROUND LACE
INSOLE	MATERIAL	1100 N KEVLAR (NON-METALLIC ANTI-PERFORATION)
OUTSOLE	MATERIAL & SOLING PROCESS	SOLE MADE UP OF MIDSOLE EVA WITH NITRILE RUBBER OUTSOLE WITH ANTI STATIC, OIL,ACID & PETROL ANTI-SLIP AND HEAT RESISTANCE PROPERTIES
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON

PRODUCT DATA SHEET

09. Model No - JOGGER

LOW ANKLE LEATHER SAFETY SHOE
SHOE, HRO S3 SRC, CUSHION LAMINATED AIR
MESH FABRIC LINING, SRC ANTISTATIC,
PUNCTURE RESISTANT, ANTI SLIP
PHYLON/RUBBER NITRILE SOLE



TECHNICAL SPECIFICATION		
UPPER	MATERIAL	NON LEATHER MICRO FIBER S2 GRADE
INNER LINING	MATERIAL	CUSHION LAMINATED AIR MESH FABRIC LINING
IN SOCKS	MATERIAL	PU IN SOCKS FOR BETTER COMFORT
TOE	MATERIAL	EXTRA WIDE STEEL TOE (200J) WITH EN ISO 20345
LACE	MATERIAL	NYLON ROUND LACE
INSOLE	MATERIAL	1100 N KEVLAR (NON-METALLIC ANTI-PERFORATION)
OUTSOLE	MATERIAL & SOLING PROCESS	SOLE MADE UP OF MIDSOLE EVA WITH NITRILE RUBBER OUTSOLE WITH ANTI STATIC, OIL,ACID & PETROL ANTI-SLIP AND HEAT RESISTANCE PROPERTIES UPTO 300 DEGREES
SIZE	EU	37-46
PACKING	STANDARD	10 BOX PER CARTON