

WIDEST RANGE OF HAND TOOLS IN UAE

DE NEERS®

Revolution in Hand Tools



**HAND TOOLS : NON SPARKING TOOLS :
INSULATED STEEL TOOLS :
INSULATED NON SPARKING TOOLS :
STAINLESS STEEL TOOLS : TOOL KITS :
TOOL TROLLEYS : TOOL CABINETS**

www.deneerstools.com

**ISO CERTIFIED
COMPANY**

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

f i t /DeNeersTools

Price List No.786 / 01

30-08-2024



Revolution in Hand Tools
A Heritage Of Breakthrough Innovation

DE NEERS TOOLS is an ISO 9001:2015 Certified and ISO 14001:2015 accredited Company. Today, we are the fourth-generation serving the Hand Tools Industry since 1951. Generation on generations, we have adopted new and improved modern systems and the best practices to satisfy our customers' needs to the fullest.

DE NEERS is one of the leading hand tools manufacturers in India. Our well-acclaimed Managing Director, **MR. NEERAJ KUMAR AGGARWAL**, with his committed and diligent workforce, has a focused and target-oriented approach towards meeting the customer requirements and ensuring the quality of their products. DE NEERS Tools, being the best hand tool manufacturers, endeavor to offer the best quality products at the most competitive prices. We aim to provide hand tools of the utmost quality that are worth our customers' money. We continuously work on innovation and research to develop products that can bring a kind of revolution in the hand tool industry.

DE NEERS is known as one of the reputed hand tools suppliers that provides the broadest range of hand tools in India. Our extensive range of products includes Spanners, Wrenches, Pliers, Cutters, Allen keys, Hammers, Socketry, Screw Drivers, Tool Kits, Tool Cabinets, Trolleys, etc. We are also specialized in providing Safety Tools like Non-Sparking Tools, Insulated Steel Tools, Non-Sparking Insulated Tools, Stainless Steel Anti-magnetic Tools, and Titanium Tools, with our range of hand tools.

We are counted among the leading hand tool distributors & hand tool exporters due to our consistent hard work to deliver quality products. We aim to provide professional hand tools of the utmost quality, made from German technology with the essence of "Make in India." Our R&D department has experienced and dedicated personnel that keeps a regular check on the latest trends and opportunities in the market and focuses on improving the design and structure of the products. Our focus is on producing tools that can stand up to the demands of the professionals who use them every day. DE NEERS is famous for providing the broadest range of products to its customers in India, making us the best hand tool manufacturers.

When it comes to increasing workplace safety in different industrial environments, our tools act as support. These tools find their applications in Aerospace, Marine, Petrochemical, Medical, Defence, and Nuclear industries where anti-magnetic, anti-corrosive tools are mandatory for ensuring users' safety.

Our DE NEERS team welcomes you all with keen interest for a long-lasting association.

SERVING THE HAND TOOLS INDUSTRY SINCE 1951


WE PROMOTE





Revolution in Hand Tools

Our Presence



MORE THAN

1M+



HAPPY CUSTOMERS



MORE THAN

260+

HAPPY DEALERS



MORE THAN

300+

AUTO WORKSHOPS



MORE THAN

200+

COMMITTED WORKFORCE
TO SERVE YOU BETTER

OUR ESTEEMED CUSTOMERS

» ACE DESIGNERS LIMITED	» LARSEN & TOUBRO HYDROCARBON ENGINEERING
» ANDHRA ORGANICS LIMITED	» LOHIA CORPORATION LIMITED
» APOLLO PIPES LIMITED	» MAHANADI COALFIELDS LIMITED
» ASSAM PETRO-CHEMICALS LIMITED	» MAHINDRA & MAHINDRA LIMITED
» BHARAT PETROLEUM CORPORATION LIMITED	» MICROTEK INTERNATIONAL PRIVATE LIMITED
» BRAHMAPUTRA CRACKER AND POLYMER LIMITED	» MITSUBISHI HEAVY INDUSTRY VST DIESEL ENGINES (P) LTD
» BRIDGE AND ROOF CO.(I) LIMITED	» NATIONAL THERMAL POWER CORPORATION LIMITED
» CENTRAL RAILWAY	» NIMBOL CEMENT PLANT
» CHITTARANJAN LOCOMOTIVE WORKS	» NORTHERN CENTRAL RAILWAY
» DELTON CABLES LIMITED	» NUBERG ENGINEERING LIMITED.
» DIESEL LOCO MODERNISATION WORKS	» NUCLEAR POWER CORPORATION OF INDIA LTD.
» EASTERN RAILWAY	» OIL AND NATURAL GAS CORPORATION
» GAIL (INDIA) LTD.	» ORIENT ELECTRIC LIMITED
» HARYANA POWER GENERATION CORP LIMITED.	» POLYCAB INDIA LIMITED
» HAVELLS INDIA LIMITED.	» RAIL COACH FACTORY
» HINDALCO INDUSTRIES LIMITED	» RAJASTHAN STATE MINES & MINERALS LIMITED
» HINDUSTAN PETROLEUM CORPORATION LIMITED	» SAFE EXPRESS PVT. LTD.
» HONDA MOTORCYCLE AND SCOOTER INDIA PVT. LTD.	» SOUTH EASTERN RAILWAY (WORKSHOP CARRIAGE)
» INDIAN COMPRESSORS LIMITED	» SOUTHERN RAILWAY
» INDIAN OIL ADANI GAS PRIVATE LIMITED	» SRB INTERNATIONAL PVT. LTD.
» INDIAN OIL CORPORATION LIMITED	» TATA PROJECT LIMITED
» KANODIA CEMENT PLANT	» TATA STEEL LIMITED
» LALITPUR POWER GENERATION COMPANY LIMITED. (BAJAJ ENERGY)	» TORRENT POWER LIMITED



What We Do?

We are Amazon of

HAND TOOLS

NON SPARKING TOOLS

TOOL KITS

INSULATED NON SPARKING TOOLS

TOOL TROLLEYS

INSULATED STEEL TOOLS

TOOL CABINETS

STAINLESS STEEL TOOLS

Serving All Industries



Automotive



Textile



Mining



Healthcare
& Pharma



Steel Industries



Infrastructure



Electronics



Engineering



Petro Chemical
/ Oil & Gas



Cement



Agriculture



Power Sector

OUR CREDENTIALS

WE PROMOTE





सीएचआईआर-केन्द्रीय खनन एवं ईंधन अनुसंधान संस्थान
CSIR-Central Institute of Mining and Fuel Research
 (विज्ञानिक तथा औद्योगिक अनुसंधान संस्थान)
 (Consultative Scientific & Industrial Research)
 बल्लभ रोड, बल्लभ नगर, कोयंबूर, महाराष्ट्र
 Ballabh Road, (Pharwad) - 431001, Maharashtra
आवकता एवं सुरक्षा प्रमाण पत्र (PLANT/INSTRUMENT SAFETY)

परीक्षण प्रमाण पत्र / TEST CERTIFICATE
 (PLANT/INSTRUMENT SAFETY)
 (Occupational & Equipment Safety)

मूल्य प्राप्त
ORIGINAL COPY

No. **INSTRUMENT/TESTED BY** 11780

Equipment **(E-NO)** 08131

Your Ref. No. **Nil**

आवकता Info. **100% HAZARD** Type **Isolated**
Nil (If Potentially) **Isolated Area**
0/0/0/0

सुरक्षाकर्ता Name **as above**

ड्राफ्ट्समैन (Ref) **08131/01**

Date: **11/11/2001**

Order No. **705/4321/20**

(Detail of)

Specimen of the Sample & Composition Details Ref. No. 705/4321/20
 Two Sparking samples made of **Ball Blt Copper Alloy** (one for **High Distance** Stone
 and one for **Low Distance** Stone). The chemical composition declared by **Manufacturer A** is as follows:

Sl. No.	Chemical (in %)	0.1 (in %)	0.1 (in %)	0.1 (in %)	0.1 (in %)	0.1 (in %)	0.1 (in %)
Ball Blt Copper	Copper 92.2	-	15.7	0.2	16.1	0.01	0.01

Equipment Used: A 1000 watt ball mill used for testing purposes.

Tested on (date)	Condition of Testing (at Ball Blt in Stone)	Remarks
Class A, 1000 watt 4321/20	The equipment used is the Lowest possible Stone and the sample was containing 30% copper (estimated value of 0.1).	Two Sparking test COMPLETED

Conclusion: Two Sparking sample made of **Ball Blt Copper Alloy** as declared by the manufacturer were the test requirements of Class A 1000 watt 4321/20 and equipment used tested can be used in "non-sparking" material.

Signed by

(J. K. SHARMA)
 Technical Officer
 Date: **23/11/2001**
 (Instrument & Equipment Safety)
 CSIR-Central Institute of Mining & Fuel Research
 Ballabh Road, (Pharwad) - 431001,
 Maharashtra, INDIA.

Checked & Approved by

(J. K. SHARMA)
 Chief Scientist & Manager
 (Instrument & Equipment Safety)

[illegible][illegible]

Ministry of Electronics and Information Technology
Government of India

NDTV
Be Vocal About Local

Be Vocal About Local Certificate

This is to certify that

THE AMBIE'S TOOLIE LURENDS

has taken the 'Be Vocal About Local' and committed himself/herself to
cooperatively support and promote products that are made in India.

878986620

August 19 2021

THE VOCAL ABOUT LOCAL

OUR CREDENTIALS





DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DOUBLE END SPANNERS ELLIPTICAL

RING SPANNERS ELLIPTICAL

DE NEERS®
Revolution in Hand Tools



www.deneerstools.com

DE NEERS[®]
Revolution in Hand Tools



www.deneerstools.com

COMBINATION SPANNERS ELLIPTICAL

DE NEERS[®]

Revolution in Hand Tools



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DE NEERS[®]

Revolution in Hand Tools



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DE NEERS[®]

Revolution in Hand Tools



www.deneerstools.com

www.deneerstools.com



DE NEERS®
Revolution in Hand Tools



NON SPARKING TOOLS (BE-CU)

www.deneerstoools.com

INSULATED STEEL TOOLS

DE NEERS[®]
Revolution in Hand Tools



www.deneerstools.com

DE NEERS®
Revolution in Hand Tools



STAINLESS STEEL TOOLS

www.deneerstoools.com

INDEX

SPANNERS - PAGES- 29 to 66



PLIERS - PAGES- 67 to 72



WRENCHES - PAGES- 73 to 79



INDEX

CUTTERS - PAGES- 80 to 87



HAMMERS - PAGES 88 to 98



SCREW DRIVERS - PAGES 99 to 111



SOCKETERY CHROME - PAGES 112 to 124



INDEX

SOCKETERY IMPACT - PAGES- 125 to 147



SOCKET SETS - PAGES 148 to 165



ALLEN KEY - PAGES 166 to 178



MISCELLANEOUS - PAGES 179 to 192



INDEX


MISCELLANEOUS - PAGES 193 to 197



TOOL BOXES & KITS - PAGES 198 to 202



NON SPARKING TOOLS - PAGES 203 to 250



INDEX

NON SPARKING INSULATED - PAGES 251 to 263



STAINLESS STEEL TOOLS - PAGES 264 to 289



INSULATED STEEL TOOLS - PAGES 290 to 323



DOUBLE OPEN END SPANNERS (POLISHED HEAD)



HIGH GRADE
Cr-V
CHROME VANADIUM STEEL



Code	Size (mm)	AED	(US\$)
DE6x7HP	6x7	2.45	0.67
DE8x9HP	8x9	2.73	0.74
DE10x11HP	10x11	2.94	0.80
DE12x13HP	12x13	3.50	0.95
DE14x15HP	14x15	3.85	1.05
DE16x17HP	16x17	4.62	1.25
DE18x19HP	18x19	6.16	1.67
DE20x22HP	20x22	7.35	2.00
DE21x23HP	21x23	9.66	2.62
DE24x27HP	24x27	11.55	3.14
DE25x28HP	25x28	13.86	3.76
DE30x32HP	30x32	16.17	4.39

Code	Pcs. Per Set	SETS	AED	(US\$)
		Sizes		
12-8MHP	8 Pcs	6x7-20x22mm (Head Polished) IN POUCH PACK ONLY	36.61	9.94
12-12MHP	12 Pcs	6x7-30x32mm (Head Polished) IN POUCH PACK ONLY	91.63	24.87

DOUBLE OPEN END SPANNERS



DIN 3110

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Code	Size	AED	(US\$)
	Metric (mm)		
DE5x5.5	5x5.5	4.20	1.14
DE5.5 x7	5.5 x7	4.20	1.14
DE6x7	6x7	1.96	0.53
DE6x8	6x8	2.80	0.76
DE7x8	7x8	2.80	0.76
DE8x9	8x9	2.10	0.57
DE8x10	8x10	2.80	0.76
DE9x10	9x10	2.80	0.76
DE9x11	9x11	2.80	0.76
DE10x11	10x11	2.24	0.61
DE10x12	10x12	2.80	0.76
DE10x13	10x13	3.85	1.05
DE11x12	11x12	3.85	1.05
DE11x13	11x13	3.85	1.05
DE12x13	12x13	2.60	0.70
DE12x14	12x14	3.85	1.05
DE13x14	13x14	3.85	1.05
DE13x15	13x15	4.27	1.16
DE14x15	14x15	2.94	0.80
DE13x16	13x16	4.62	1.25
DE13x17	13x17	4.62	1.25
DE14x17	14x17	4.27	1.16
DE16x17	16x17	3.64	0.99
DE16x18	16x18	5.60	1.52
DE17x19	17x19	4.90	1.33
DE18x19	18x19	4.69	1.27
DE17x22	17x22	7.70	2.09
DE18x21	18x21	8.47	2.30
DE19x22	19x22	5.53	1.50
DE19x21	19x21	8.47	2.30
DE19x24	19x24	9.24	2.51
DE20x22	20x22	5.53	1.50
DE21x23	21x23	7.35	2.00
DE22x24	22x24	9.24	2.51
DE24x26	24x26	8.89	2.41
DE24x27	24x27	8.89	2.41
DE25x28	25x28	10.71	2.91
DE22x27	22x27	17.36	4.71
DE24x30	24x30	23.10	6.27
DE27x30	27x30	23.10	6.27
DE27x32	27x32	13.86	3.76
DE30x32	30x32	12.32	3.34

Code	Whitworth Sizes	(AED)	(US\$)
DE1/8x3/16W	1/8x3/16 WW	2.24	0.61
DE3/16x1/4W	3/16x1/4 WW	2.59	0.70
DE1/4x5/16W	1/4x5/16 WW	2.94	0.80
DE5/16x3/8W	5/16x3/8 WW	3.64	0.99
DE5/16x7/16W	5/16x7/16 WW	5.11	1.39
DE3/8x7/16W	3/8x7/16 WW	5.53	1.50
DE7/16x1/2W	7/16x1/2 WW	5.53	1.50
DE7/16x9/16W	7/16x9/16 WW	7.63	2.07
DE1/2x9/16W	1/2x9/16 WW	8.89	2.41
DE9/16x5/8W	9/16x5/8 WW	10.71	2.91
DE11/16x3/4W	11/16x3/4 WW	13.86	3.76
DE9/16x11/16W	9/16x11/16 WW	12.32	3.35
DE5/8x3/4W	5/8x3/4 WW	13.86	3.76

DOUBLE OPEN END SPANNERS-SETS



» Each Head Set at 15°Angle, Ground precisely to exact nominal size which ensures secure bolt fitting and long life of both Bolt & Spanner.

Code	Pcs. Per Set	SETS	(AED)	(US\$)
		Sizes		
12-6M	6 Pcs	6x7-16x17mm	17.36	4.71
12-8M	8 Pcs	6x7-20x22mm	25.27	6.86
12-10M	10 Pcs	6x7-24x27mm	44.66	12.12
12-100M	10 Pcs	6x7-30x32mm	50.05	13.59
12-12M	12 Pcs	6x7-30x32mm	63.14	17.14
12-6W	6 Pcs	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2ww	26.95	7.32
12-9W	9 Pcs	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4ww	60.06	16.30

DOUBLE OPEN END SPANNERS



HIGH GRADE
Cr-V

DIN 3110

CHROME VANADIUM STEEL

Code	Size AMERICAN (SAE)	AED	(US\$)
DE1/4x5/16A	1/4x5/16 SAE	2.52	0.68
DE5/16x3/8A	5/16x3/8 SAE	3.15	0.86
DE3/8x7/16A	3/8x7/16 SAE	3.36	0.91
DE7/16x1/2A	7/16x1/2 SAE	3.78	1.03
DE1/2x9/16A	1/2x9/16 SAE	3.78	1.03
DE9/16x5/8A	9/16x5/8 SAE	5.04	1.37
DE19/32x11/16A	19/32x11/16 SAE	6.30	1.71
DE5/8x11/16A	5/8x11/16 SAE	6.30	1.71
DE5/8x3/4A	5/8x3/4 SAE	6.30	1.71
DE3/4x7/8A	3/4x7/8 SAE	8.19	2.22
DE25/32x7/8A	25/32x7/8 SAE	9.24	2.51
DE13/16x7/8A	13/16x7/8 SAE	9.24	2.51
DE15/16x1A	15/16x1 SAE	13.44	3.65
DE1x1.1/8A	1x1.1/8 SAE	16.38	4.45
DE1.1/16x1.1/8A	1.1/16x1.1/8 SAE	18.48	5.02
DE1.1/16x1.1/4A	1.1/16x1.1/4 SAE	18.48	5.02
DE1.1/8x1.1/4A	1.1/8x1.1/4 SAE	18.48	5.02

DOUBLE OPEN END SPANNERS SETS



Set No.	Pcs. Per Set	SETS	(AED)	(US\$)
		Sizes		
12-8 SAE	8 Pcs	1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 & 25/32x7/8 SAE	37.80	10.26
12-12 SAE	12 Pcs	1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4, 25/32x7/8, 3/4x7/8, 15/16x1, 1.1/16x1.1/8, 1.1/8x1.1/4 SAE	94.50	25.65

DOUBLE OPEN END SPANNERS (HEAVY DUTY)



HIGH GRADE
Cr-V

DIN 895

CHROME VANADIUM STEEL

Code	Size Metric (mm)	AED	(US\$)
DE32x36	32x36	17.50	4.75
DE33x34	33x34	29.40	7.98
DE33x37	33x37	29.40	7.98
DE33x38	33x38	29.40	7.98
DE34x36	34x36	22.40	6.08
DE34x37	34x37	33.60	9.12
DE34x38	34x38	24.50	6.65
DE35x37	35x37	33.60	9.12
DE35x38	35x38	33.60	9.12
DE36x38	36x38	29.40	7.98
DE36x41	36x41	22.40	6.08
DE37x42	37x42	37.80	10.26
DE37x43	37x43	37.80	10.26
DE38x43	38x43	37.80	10.26
DE41x46	41x46	29.40	7.98
DE42x47	42x47	52.50	14.25
DE42x48	42x48	52.50	14.25
DE43x46	43x46	52.50	14.25
DE43x48	43x48	52.50	14.25
DE46x50	46x50	42.00	11.40
DE46x51	46x51	58.80	15.96
DE47x50	47x50	67.20	18.24
DE47x51	47x51	67.20	18.24
DE47x56	47x56	113.40	30.78
DE47x52	47x52	67.20	18.24
DE48x50	48x50	67.20	18.24
DE48x52	48x52	67.20	18.24
DE50x55	50x55	80.50	21.85
DE51x56	51x56	113.40	30.78
DE51x57	51x57	113.40	30.78
DE52x57	52x57	113.40	30.78
DE55x60	55x60	105.00	28.50
DE56x61	56x61	142.80	38.76
DE56x62	56x62	142.80	38.76
DE57x61	57x61	142.80	38.76
DE57x62	57x62	142.80	38.76

DOUBLE OPEN END SPANNERS (HEAVY DUTY)



HIGH GRADE
Cr-V

CHROME VANADIUM STEEL



Code	Size Metric (mm)	AED	(US\$)
DE60x65	60x65	420.00	114.00
DE65x70	65x70	455.00	123.50
DE70x75	70x75	595.00	161.50
DE75x80	75x80	621.60	168.72
DE80x85	80x85	1764.00	478.80
DE85x90	85x90	1839.60	499.32
DE90x95	90x95	2016.00	547.20
DE95x100	95x100	3024.00	820.80

Code	Whitworth Sizes	AED	(US\$)
DE3/4x7/8W	3/4x7/8 WW	17.50	4.75
DE7/8x1W	7/8x1 WW	22.40	6.08
DE1x1.1/8W	1x1.1/8 WW	29.40	7.98
DE7/8x1.1/8W	7/8x1.1/8 WW	29.40	7.98
DE1.1/8x1.1/4W	1.1/8x1.1/4 WW	45.50	12.35
DE1.1/8x1.3/8W	1.1/8x1.3/8 WW	73.50	19.95

DOUBLE END VALVE WHEEL WRENCH



Code	Size (mm)	AED	(US\$)
DEVW8	200	315.00	85.50
DEVW10	250	420.00	114.00
DEVW18	450	1015.00	275.50

ALUMINUM VALVE WRENCH



Code	Length	Opening	AED	(US\$)
AVW13	13-5/8	1.3/8	910.00	247.00
AVW17	17-5/8	1.3/4	1050.00	285.00
AVW25	25-1/2	2.1/2	1820.00	494.00

DE NEERS®

Revolution in Hand Tools

DOUBLE OPEN END SPANNERS ELLIPTICAL MIRROR FINISH

DN®

DIN 3110

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL



DOUBLE OPEN END SPANNERS ELLIPTICAL MIRROR FINISH



DIN 3110

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Code	Size (mm)	(AED)	(US\$)
DE6x7E	6x7	3.01	0.82
DE8x9E	8x9	3.36	0.91
DE10x11E	10x11	3.85	1.05
DE11x13E	11x13	4.62	1.25
DE12x13E	12x13	4.62	1.25
DE14x15E	14x15	5.53	1.50
DE16x17E	16x17	6.44	1.75
DE18x19E	18x19	8.68	2.36
DE19x22E	19x22	14.00	3.80
DE20x22E	20x22	11.13	3.02
DE21x23E	21x23	13.02	3.53
DE22x24E	22x24	21.00	5.70
DE24x26E	24x26	15.54	4.22
DE24x27E	24x27	15.54	4.22
DE25x28E	25x28	18.13	4.92
DE27x30E	27x30	28.00	7.60
DE30x32E	30x32	22.75	6.18

DOUBLE OPEN END SPANNERS ELLIPTICAL MIRROR FINISH SETS



Set No.	Pcs. Per Set	SETS	(AED)	(US\$)
		Sizes		
12ELP-8M	8 Pcs	6x7-20x22mm (in Pouch Packing)	52.15	14.16
12ELP-12M	12 Pcs	6x7-30x32mm (in Pouch Packing)	125.72	34.12

GEAR WRENCH - STRAIGHT (ELLIPTICAL / SATIN FINISH)



HIGH GRADE
Cr-V

Open end with high torque and ring end manufactured with 72/90 teeth ratcheting mechanism, especially suited for confined areas.

CHROME VANADIUM STEEL

Code	Sizes (mm)	AED	(US\$)
GW6	6	21.00	5.70
GW7	7	21.00	5.70
GW8	8	21.00	5.70
GW9	9	21.00	5.70
GW10	10	15.40	4.18
GW11	11	15.40	4.18
GW12	12	17.50	4.75
GW13	13	17.50	4.75
GW14	14	17.50	4.75
GW15	15	19.60	5.32
GW16	16	24.50	6.65
GW17	17	25.20	6.84
GW18	18	39.90	10.83
GW19	19	37.80	10.26
GW20	20	46.20	12.54
GW21	21	46.20	12.54
GW22	22	50.40	13.68
GW23	23	67.20	18.24
GW24	24	75.60	20.52
GW25	25	84.00	22.80
GW26	26	105.00	28.50
GW27	27	96.60	26.22
GW28	28	105.00	28.50
GW29	29	126.00	34.20
GW30	30	105.00	28.50
GW32	32	105.00	28.50
GW34	34	406.00	110.20
GW36	36	420.00	114.00
GW38	38	343.00	93.10
GW41	41	476.00	129.20
GW46	46	700.00	190.00
GW50	50	910.00	247.00
GW55	55	1330.00	361.00
GW60	60	1680.00	456.00
GW65	65	2170.00	589.00
GW70	70	2730.00	741.00

Code	Sizes (SAE)	AED	(US\$)
GW5/16A	5/16 A	28.00	7.60
GW3/8A	3/8 A	28.00	7.60
GW7/16A	7/16 A	31.50	8.55
GW1/2A	1/2 A	33.60	9.12
GW9/16A	9/16 A	33.60	9.12
GW5/8A	5/8 A	42.00	11.40
GW11/16A	11/16 A	56.00	15.20
GW3/4A	3/4 A	56.00	15.20



GEAR WRENCH SETS

Set No.	Pcs. Per Set	SETS	(AED)	(US\$)
		Sizes		
GW-12M	12	6 - 21mm or 6 - 22mm (in Pouch Packing)	350.00	95.00
GW-16M	16	6 - 32mm (in Pouch Packing)	735.00	199.50

FLARE NUT RATCHET WRENCH



Code	Size (mm)	AED	(US\$)
FNRW 8x9	8x9	72.80	19.76
FNRW 8x10	8x10	72.80	19.76
FNRW 9x11	9x11	79.45	21.57
FNRW 10x11	10x11	79.45	21.57
FNRW 10x12	10x12	79.45	21.57
FNRW 11x12	11x12	79.45	21.57
FNRW 11x13	11x13	84.00	22.80
FNRW 12x13	12x13	84.00	22.80
FNRW 12x14	12x14	95.90	26.03
FNRW 13x14	13x14	95.90	26.03
FNRW 14x17	14x17	119.00	32.30
FNRW 15x17	15x17	119.00	32.30
FNRW 16x17	16x17	119.00	32.30
FNRW 17x19	17x19	129.50	35.15
FNRW 19x21	19x21	136.85	37.15
FNRW 19x22	19x22	136.85	37.15
FNRW 22x24	22x24	177.10	48.07
FNRW 24x32	24x32	280.00	76.00
FNRW 27x30	27x30	331.45	89.97

STUBBY RATCHET WRENCH



Code	Size (mm)	AED	(US\$)
SRW8	8	26.25	7.13
SRW9	9	26.60	7.22
SRW10	10	27.30	7.41
SRW11	11	28.35	7.70
SRW12	12	29.75	8.08
SRW13	13	33.60	9.12
SRW14	14	36.40	9.88
SRW15	15	37.80	10.26
SRW16	16	41.30	11.21
SRW17	17	44.45	12.07
SRW18	18	46.55	12.64
SRW19	19	49.70	13.49

FLEXIBLE STUBBY RATCHET WRENCH



Code	Size (mm)	AED	(US\$)
FSRW 8	8	32.55	8.84
FSRW 9	9	33.25	9.03
FSRW 10	10	33.25	9.22
FSRW 11	11	35.70	9.69
FSRW 12	12	37.10	10.07
FSRW 13	13	42.00	11.40
FSRW 14	14	45.15	12.26
FSRW 15	15	47.60	12.92
FSRW 16	16	51.80	14.06
FSRW 17	17	55.65	15.11
FSRW 18	18	58.10	15.77
FSRW 19	19	61.95	16.82

ONE SIDE RATCHET SOCKET WRENCH



Code	Size (mm)	AED	(US\$)
OSRSW 10x12	10x12	116.55	31.64
OSRSW 11x13	11x13	116.55	31.64
OSRSW 12x14	12x14	120.40	32.68
OSRSW 13x17	13x17	128.80	34.96
OSRSW 14x17	14x17	128.80	34.96
OSRSW 16x18	16x18	143.50	38.95
OSRSW 17x21	17x21	143.50	38.95
OSRSW 17x19	17x19	143.50	38.95
OSRSW 19x21	19x21	143.50	38.95
OSRSW 19x22	19x22	143.50	38.95
OSRSW 21x23	21x23	236.95	64.32
OSRSW 21x24	21x24	236.95	64.32
OSRSW 19x24	19x24	236.95	64.32
OSRSW 21x26	21x26	236.95	64.32
OSRSW 22x24	22x24	266.35	72.30
OSRSW 24x27	24x27	339.15	92.06
OSRSW 27x30	27x30	353.85	96.05
OSRSW 30x32	30x32	320.95	87.12

ER-UM TYPE WRENCH SPANNER (CNC MACHINE SPANNER)



Suitable for ER Nut Collect Chuck Holder of CNC Milling Lathe Tool.

Code	Sizes	AED	(US\$)
ER-25 UM	25	27.30	7.41
ER-32 UM	32	29.40	7.98
ER-40 UM	40	33.60	9.12
ER-50 UM	50	39.90	10.83

C SHAPE REVERSIBLE DOUBLE RING RATCHET WRENCH

Code	Size (mm)	AED	(US\$)
CSRRW8x9	8x9	95.55	25.94
CSRRW10x11	10x11	101.50	27.55
CSRRW12x13	12x13	106.40	28.88
CSRRW14x15	14x15	121.45	32.97
CSRRW16x17	16x17	131.60	35.72
CSRRW18x19	18x19	142.80	38.76
CSRRW20x22	20x22	157.15	42.66
CSRRW22x24	22x24	202.65	55.01
CSRRW23x24	23x24	202.65	55.01



DOUBLE END TORX RING RATCHET WRENCH

Code	Size (mm)	AED	(US\$)
DTRW6x8	E6 x E8	64.05	17.39
DTRW10x12	E10 x E12	80.50	21.85
DTRW14x18	E14 x E18	102.20	27.74
DTRW20x24	E20 x E24	132.30	35.91



S SHAPE REVERSIBLE RATCHET DOUBLE RING

Code	Size (mm)	AED	(US\$)
SRDR8x9	8x9	191.10	51.87
SRDR10x11	10x11	203.00	55.10
SRDR12x13	12x13	212.80	57.76
SRDR14x15	14x15	242.90	65.93
SRDR16x17	16x17	263.20	71.44
SRDR17x19	17x19	285.60	77.52
SRDR18x19	18x19	285.60	77.52
SRDR20x22	20x22	314.30	85.31
SRDR22x24	22x24	405.30	110.01
SRDR23x24	23x24	405.30	110.01



DOUBLE RATCHET OFFSET SPANNER

Code	Size (mm)	AED	(US\$)
DROS6x7	6x7	42.00	11.40
DROS6x8	6x8	50.40	13.68
DROS8x9	8x9	42.00	11.40
DROS8x10	8x10	50.40	13.68
DROS10x11	10x11	50.40	13.68
DROS10x12	10x12	50.40	13.68
DROS11x13	11x13	50.40	13.68
DROS12x13	12x13	56.00	15.20
DROS14x15	14x15	56.00	15.20
DROS14x17	14x17	70.00	19.00
DROS19x21	19x21	98.00	26.60
DROS20x22	20x22	112.00	30.40



DE NEERS®

Revolution in Hand Tools

FLARE NUT SPANNER ELLIPTICAL MIRROR FINISH



DN®

DIN 3118


HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Code	Sizes	AED	(US\$)
FNS6x8	6x8	10.50	2.85
FNS7x11	7x11	10.50	2.85
FNS8x9	8x9	10.50	2.85
FNS8x10	8x10	8.89	2.41
FNS9x10	9x10	8.89	2.41
FNS9x11	9x11	9.80	2.66
FNS10x11	10x11	8.89	2.41
FNS9x12	9x12	9.80	2.66
FNS10x12	10x12	9.80	2.66
FNS10x13	10x13	12.60	3.42
FNS11x12	11x12	12.60	3.42
FNS11x13	11x13	10.22	2.77
FNS12x13	12x13	11.34	3.08
FNS12x14	12x14	10.22	2.77
FNS13x14	13x14	14.70	3.99
FNS13x15	13x15	14.70	3.99
FNS13x16	13x16	15.96	4.33
FNS13x17	13x17	16.80	4.56
FNS14x15	14x15	15.12	4.10
FNS14x16	14x16	18.20	4.94
FNS14x17	14x17	18.20	4.94
FNS14x19	14x19	21.00	5.70

Code	Sizes	AED	(US\$)
FNS15x16	15x16	18.90	5.13
FNS15x17	15x17	18.90	5.13
FNS16x17	16x17	18.90	5.13
FNS16x18	16x18	21.00	5.70
FNS17x19	17x19	21.00	5.70
FNS18x19	18x19	29.40	7.98
FNS19x21	19x21	29.40	7.98
FNS19x22	19x22	29.40	7.98
FNS21x22	21x22	38.50	10.45
FNS21x23	21x23	38.50	10.45
FNS22x24	22x24	38.50	10.45
FNS24x27	24x27	42.00	11.40
FNS25x32	25x32	49.00	13.30
FNS30x32	30x32	49.00	13.30
FNS3/8x7/16A	3/8x7/16A	12.60	3.42
FNS5/16x3/8A	5/16x3/8A	14.00	3.80
FNS1/2x9/16A	1/2x9/16A	14.00	3.80
FNS5/8x11/16A	5/8x11/16A	21.00	5.70
FNS5/8x3/4A	5/8x3/4A	29.40	7.98
FNS11/16x3/4A	11/16x3/4A	31.50	8.55
FNS3/4x13/16A	3/4x13/16A	29.40	7.98
FNS7/16x1/2A	7/16x1/2A	18.90	5.13

S-SHAPE SPANNER ELLIPTICAL MIRROR / MATT FINISH



HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Code	Sizes	AED	(US\$)
SS8x10	8x10	21.00	5.70
SS10x11	10x11	21.00	5.70
SS11x13	11x13	24.50	6.65
SS12x13	12x13	22.40	6.08
SS14x15	14x15	23.80	6.46
SS16x17	16x17	25.20	6.84
SS17x19	17x19	35.00	9.50
SS18x19	18x19	29.40	7.98
SS20x22	20x22	29.40	7.98
SS5/16x3/8A	5/16x3/8 SAE	24.50	6.65
SS3/8x13/32A	3/8x13/32 SAE	21.00	5.70
SS3/8x7/16A	3/8x7/16 SAE	21.00	5.70
SS7/16x1/2A	7/16x1/2 SAE	21.00	5.70
SS9/16x19/32A	9/16x19/32 SAE	21.00	5.70
SS5/8x11/16A	5/8x11/16 SAE	25.20	6.84
SS3/4x11/16A	3/4x11/16 SAE	29.40	7.98

**BI-HEXAGON RING SPANNERS-
SHALLOW OFFSET**

Head
Polished

**BI-HEXAGON RING SPANNERS-
SHALLOW OFFSET**

WW
SIZES



DIN 838

Code	Size	(AED)	(US\$)
	Metric (mm)		
RS6x7	6x7	3.29	0.89
RS6x8	6x8	6.44	1.75
RS7x8	7x8	6.44	1.75
RS7x9	7x9	6.44	1.75
RS8x9	8x9	4.76	1.29
RS8x10	8x10	6.93	1.88
RS9x10	9x10	7.42	2.01
RS10x11	10x11	4.90	1.33
RS10x12	10x12	7.42	2.01
RS10x13	10x13	8.33	2.26
RS11x13	11x13	8.33	2.26
RS12x13	12x13	5.18	1.41
RS12x14	12x14	8.33	2.26
RS14x15	14x15	5.60	1.52
RS13x14	13x14	10.15	2.76
RS13x15	13x15	10.15	2.76
RS13x17	13x17	9.24	2.51
RS14x17	14x17	7.77	2.11
RS16x17	16x17	7.42	2.01
RS17x19	17x19	9.24	2.51
RS17x22	17x22	15.40	4.18
RS18x19	18x19	8.47	2.30
RS18x21	18x21	13.86	3.76
RS19x21	19x21	15.40	4.18
RS19x22	19x22	11.55	3.14
RS20x22	20x22	10.71	2.91
RS21x22	21x22	16.17	4.39
RS21x23	21x23	12.74	3.46
RS19x24	19x24	18.48	5.02
RS22x24	22x24	16.66	4.52
RS22x27	22x27	23.10	6.27
RS24x26	24x26	13.86	3.76
RS24x27	24x27	13.86	3.76
RS25x28	25x28	18.41	5.00
RS24x30	24x30	32.34	8.78
RS24x32	24x32	32.34	8.78
RS27x30	27x30	32.34	8.78
RS27x32	27x32	26.81	7.28
RS30x32	30x32	23.73	6.44
RS32x33	32x33	36.96	10.03



HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Code	Whitworth Sizes	(AED)	(US\$)
RS1/8x3/16W	1/8x3/16 WW	4.90	1.33
RS3/16x1/4W	3/16x1/4 WW	5.18	1.41
RS1/4x5/16W	1/4x5/16 WW	5.60	1.52
RS5/16x3/8W	5/16x3/8 WW	7.77	2.11
RS5/16x7/16W	5/16x7/16 WW	10.22	2.77
RS3/8x7/16W	3/8x7/16 WW	11.55	3.14
RS7/16x1/2W	7/16x1/2 WW	10.71	2.91
RS7/16x9/16W	7/16x9/16 WW	13.86	3.76
RS1/2x9/16W	1/2x9/16 WW	13.86	3.76
RS9/16x5/8W	9/16x5/8 WW	18.41	5.00
RS11/16x3/4W	11/16x3/4 WW	25.27	6.86
RS9/16x11/16W	9/16x11/16 WW	23.73	6.44
RS5/8x3/4W	5/8x3/4 WW	26.81	7.28

RING SPANNER SETS



**Hardened & Tempered, Chrome Plated
Shallow Offset, Strong & Thin Walls**

Head
Polished

Set No.	Pcs. Per Set	SETS	(AED)	(US\$)
		Sizes		
13-6M	6 Pcs	6x7 - 16x17mm	35.42	9.61
13-8M	8 Pcs	6x7 - 20x22mm	49.77	13.51
13-10M	10 Pcs	6x7 - 24x27mm	82.67	22.44
13-100M	10 Pcs	6x7 - 30x32mm	92.40	25.08
13-12M	12 Pcs	6x7 - 30x32mm	115.50	31.35
13-6W	6 Pcs	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2 WW	52.01	14.12
13-9W	9 Pcs	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 WW	115.50	31.35

RING SPANNERS

**SAE
SIZES**



Forged from Chrome Vanadium Steel
Hardened & Tempered, Chrome Plated
Shallow Offset, Strong & Thin Walls

**Head
Polished**

Code	Size AMERICAN (SAE)	AED	(US\$)
RS1/4x5/16A	1/4x5/16 SAE	6.72	1.82
RS5/16x3/8A	5/16x3/8 SAE	7.56	2.05
RS3/8x7/16A	3/8x7/16 SAE	8.19	2.22
RS7/16x1/2A	7/16x1/2 SAE	8.40	2.28
RS1/2x9/16A	1/2x9/16 SAE	8.40	2.28
RS9/16x5/8A	9/16x5/8 SAE	12.60	3.42
RS19/32x11/16A	19/32x11/16 SAE	12.60	3.42
RS5/8x11/16A	5/8x11/16 SAE	12.60	3.42
RS5/8x3/4A	5/8x3/4 SAE	13.65	3.71
RS3/4x7/8A	3/4x7/8 SAE	16.80	4.56
RS25/32x7/8A	25/32x7/8 SAE	18.90	5.13
RS13/16x7/8A	13/16x7/8 SAE	18.90	5.13
RS15/16x1A	15/16x1 SAE	25.20	6.84
RS1x1.1/8A	1x1.1/8 SAE	27.30	7.41
RS1.1/16x1.1/8A	1.1/16x1.1/8 SAE	37.80	10.26
RS1.1/16x1.1/4A	1.1/16x1.1/4 SAE	39.90	10.83
RS1.1/8x1.1/4A	1.1/8x1.1/4 SAE	39.90	10.83

RING SPANNERS SETS



Set No.	Pcs. Per Set	SETS	AED	(US\$)
		Sizes		
13-8 SAE	8 Pcs	1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 & 25/32x7/8 SAE	79.80	21.66
13-12 SAE	12 Pcs	1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4, 25/32x7/8, 3/4x7/8, 15/16x1, 1.1/16x1.1/8, 1.1/8x1.1/4 SAE	176.40	47.88

RING SPANNER - HEAVY DUTY



Forged from Chrome Vanadium / Alloy Steel
Hardened & Tempered, Chrome Plated

**Head
Polished**

Code	Size Metric (mm)	AED	(US\$)
RS32x36	32x36	37.80	10.26
RS33x34	33x34	57.40	15.58
RS33x37	33x37	57.40	15.58
RS33x38	33x38	58.80	15.96
RS34x36	34x36	46.20	12.54
RS34x37	34x37	58.80	15.96
RS34x38	34x38	50.40	13.68
RS35x37	35x37	75.60	20.52
RS35x38	35x38	84.00	22.80
RS36x38	36x38	63.00	17.10
RS36x41	36x41	47.60	12.92
RS37x42	37x42	84.00	22.80
RS37x43	37x43	84.00	22.80
RS38x43	38x43	84.00	22.80
RS41x46	41x46	108.50	29.45
RS42x47	42x47	168.00	45.60
RS42x48	42x48	168.00	45.60
RS43x46	43x46	168.00	45.60
RS43x48	43x48	168.00	45.60
RS46x50	46x50	133.00	36.10
RS47x50	47x50	189.00	51.30
RS47x51	47x51	189.00	51.30
RS47x52	47x52	189.00	51.30
RS47x56	47x56	189.00	51.30
RS48x50	48x50	189.00	51.30
RS48x52	48x52	168.00	45.60
RS48x56	48x56	294.00	79.80
RS50x55	50x55	210.00	57.00
RS51x56	51x56	294.00	79.80
RS51x57	51x57	294.00	79.80
RS52x57	52x57	294.00	79.80
RS55x60	55x60	238.00	64.60
RS56x61	56x61	294.00	79.80
RS56x62	56x62	294.00	79.80
RS57x61	57x61	294.00	79.80
RS57x62	57x62	294.00	79.80
RS60x65	60x65	700.00	190.00
RS65x70	65x70	770.00	209.00

RING SPANNER - HEAVY DUTY



DIN 838

Code	Size (mm)	AED	(US\$)
RS70x75	70x75	1190.00	323.00
RS75x80	75x80	1330.00	361.00
RS80x85	80x85	1764.00	478.80
RS85x90	85x90	2318.40	629.28
RS90x95	90x95	2822.40	766.08
RS95x100	95x100	3124.80	848.16



HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Code	Whitworth Sizes	AED	(US\$)
RS3/4x7/8W	3/4x7/8 WW	37.80	10.26
RS7/8x1W	7/8x1 WW	47.60	12.92
RS1x1.1/8W	1x1.1/8 WW	108.50	29.45
RS7/8x1.1/8W	7/8x1.1/8 WW	117.60	31.92
RS1.1/8x1.1/4W	1.1/8x1.1/4 WW	133.00	36.10
RS1.1/8x1.3/8W	1.1/8x1.3/8 WW	168.00	45.60

N-in-1 Universal Spanner



Code	Thickness x Length	Length	AED	(US\$)
US6-11	6mm x 145mm	6-11mm	14.00	3.80
US6-15	6mm x 180mm	6-15mm	17.64	4.79
US10-19	6mm x 240mm	10-19mm	28.00	7.60
US16-27	8mm x 290mm	16-27mm	43.68	11.86
US17-32	8mm x 340mm	17-32mm	57.68	15.66

Combination Self-Tightening Spanner



Code	Thickness x Length	Length	AED	(US\$)
CSTS6x250	6mm x 250mm	8-25mm	21.35	5.80
CSTS8x270	8mm x 270mm	14-25mm	26.95	7.32

Double Ring Self-Tightening Spanner



Code	Thickness x Length	Length	AED	(US\$)
DRST5x150	5mm x 150mm	3-17mm	9.80	2.66
DRST4.5x160	4.5mm x 160mm	8-22mm	14.28	3.88
DRST6x230	6mm x 230mm	8-22mm	19.32	5.24
DRST6x270	6mm x 270mm	8-22mm	20.72	5.62
DRST8x270	8mm x 270mm	8-22mm	23.24	6.31
DRST6x270(24)	6mm x 270mm	8-24mm	21.00	5.70
DRST8x270(24)	8mm x 270mm	8-24mm	23.80	6.46

Double Open Self-Tightening Spanner



Code	Thickness x Length	Length	AED	(US\$)
DSTS6x230	6mm x 230mm	6-25mm	20.72	5.62
DSTS6x270	6mm x 270mm	6-25mm	22.12	6.00
DSTS8x270	8mm x 270mm	6-25mm	26.04	7.07

DE NEERS®

Revolution in Hand Tools

**RING SPANNERS ELLIPTICAL / DEEP OFFSET
MIRROR FINISH**

DN®

DIN 838

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL



RING SPANNERS ELLIPTICAL / DEEP OFFSET MIRROR FINISH



HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Code	Size (mm)	AED	(US\$)
RSE6x7	6x7	5.46	1.48
RSE8x9	8x9	5.88	1.60
RSE10x11	10x11	6.37	1.73
RSE11x13	11x13	6.93	1.88
RSE12x13	12x13	6.93	1.88
RSE14x15	14x15	8.75	2.38
RSE16x17	16x17	10.36	2.81
RSE18x19	18x19	11.41	3.10
RSE19x22	19x22	14.00	3.80
RSE20x22	20x22	16.31	4.43
RSE21x23	21x23	17.36	4.71
RSE24x26	24x26	22.96	6.23
RSE24x27	24x27	22.96	6.23
RSE25x28	25x28	26.46	7.18
RSE30x32	30x32	32.13	8.72

RING SPANNERS ELLIPTICAL / DEEP OFFSET - SET



Set No.	Pcs. Per Set	SETS	(AED)	(US\$)
		Sizes		
13ELP-8M	8 Pcs	6x7-20x22mm (in Pouch Packing)	79.80	21.66
13ELP-12M	12 Pcs	6x7-30x32mm (in Pouch Packing)	183.26	49.74

TUBULAR BOX SPANNERS SEAMLESS HEAVY DUTY PIPE



Made out of Selected Tubing.
Using High grade Carbon Steel.

Zinc plated for corrosion protection with tommy bar.

Code	Size (mm)	AED	(US\$)
TBS6x7	6x7	3.15	0.86
TBS6x8	6x8	3.36	0.91
TBS8x9	8x9	3.36	0.91
TBS10x11	10x11	3.85	1.05
TBS10x12	10x12	4.62	1.25
TBS12x13	12x13	4.62	1.25
TBS12x14	12x14	5.25	1.43
TBS14x15	14x15	5.25	1.43
TBS14x17	14x17	5.88	1.60
TBS16x17	16x17	5.88	1.60
TBS17x19	17x19	6.86	1.86
TBS18x19	18x19	6.86	1.86
TBS19x22	19x22	11.55	3.14
TBS20x22	20x22	8.61	2.34
TBS21x23	21x23	9.31	2.53
TBS22x24	22x24	14.00	3.80

Code	Size (mm)	AED	(US\$)
TBS24x26	24x26	14.00	3.80
TBS24x27	24x27	14.00	3.80
TBS25x28	25x28	15.47	4.20
TBS27x32	27x32	23.10	6.27
TBS30x32	30x32	18.97	5.15
TBS32x36	32x36	36.96	10.03
TBS36x41	36x41	41.58	11.29
TBS41x46	41x46	46.20	12.54
TBS46x50	46x50	73.92	20.06
TBS50x52	50x52	87.78	23.83
TBS50x55	50x55	101.64	27.59
TBS55x60	55x60	115.50	31.35
TBS65x70	65x70	138.60	37.62
TBS70x75	70x75	166.32	45.14
TBS75x80	75x80	198.73	53.94

TOMMY BAR FOR TUBULAR

Code	Item	AED	(US\$)
TBS	Tommy Bar (Small)	11.55	3.14
TBB	Tommy Bar (Big)	20.79	5.64

TUBULAR BOX SPANNERS SETS

Code	Size (mm)	AED	(US\$)
TBSS8	6x7-20x22 with Tommy Bar	58.52	15.88
TBSS12	6x7-30x32 with Tommy Bar	124.74	33.86

FOUR WAY WHEEL SPANNERS HEAVY DUTY

All ends Induction Hardened.

Fully Hardened & tempered.

Using High grade Carbon Steel.

Nickel-Chrome plated for corrosion protection.



Size (mm)	Item Code	Wt in Gms	AED	(US\$)
10,11,13,14 in $\varnothing$ = 12mm Rod Length 260mm	CW0314	550	19.60	5.32
17,18,19,21 in $\varnothing$ = 16mm Rod Length 400mm	CW7981	1400	32.20	8.74



L - SPANNERS (FOR WHEELS)



Extra Long Only
Fully Hardened

Code	Size (mm)	Length (mm)	(AED)	(US\$)
L-17 (1534)	17mm	135x300	16.17	4.39
L-18 (1535)	18mm	135x300	16.17	4.39
L-19 (1536)	19mm	135x300	16.45	4.47
L-19 (1536H)	19mm with hole	135x310	17.50	4.75
L-21(1537)	20.8mm (13/16)	140x310	18.48	5.02
L-21(1537H)	21mm with hole	140x320	20.79	5.64

TWO WAY WHEEL SPANNERS



Fully Hardened
Manufactured from Selected Steel.
Supplied in Individual Box Packing.

Code	Size (mm)	Length (mm)	(AED)	(US\$)
WS 2426	24x26	400	54.74	14.86
WS 2427	24x27	400	54.74	14.86
WS 2627	26x27	400	62.79	17.04
WS 2727	27x27	400	54.74	14.86
WS 2728	27x28	400	62.79	17.04
WS 2730	27x30	400	54.74	14.86
WS 2732	27x32	400	54.74	14.86
WS 2733	27x33	400	54.74	14.86
WS 2830	28x30	400	62.79	17.04
WS 2832	28x32	400	62.79	17.04
WS 3030	30x30	400	54.74	14.86
WS 3032	30x32	400	54.74	14.86
WS 3033	30x33	400	56.35	15.30

Code	Size (mm)	Length (mm)	(AED)	(US\$)
WS 3232	32x32	400	54.74	14.86
WS 3232L	32x32 (LONG)	550	96.60	26.22
WS 3233	32x33	400	56.35	15.30
WS 3333	33x33	400	56.35	15.30
WS 3333L	33x33 (LONG)	550	96.60	26.22
WS 3236	32x36	400	67.62	18.35
WS 3238	32x38	400	86.94	23.60
WS 2136	21x36	400	86.94	23.60
WS 2138	21x38	400	86.94	23.60
WS 3841	38x41	400	86.94	23.60
WS 2141	21x41	400	86.94	23.60
TB 1750	Tommy Bar	750	72.45	19.67
TB 1760	Tommy Bar	1100	154.00	41.80

COMBINATION RING & OPEN END SPANNERS



HIGH GRADE
CrV

CHROME VANADIUM STEEL

Head
Polished



Forged from Chrome Vanadium / Alloy Steel
Long Profile Handle for extra leverage

Item Code	Size	AED	(US\$)
	Metric (mm)		
CS5.5	5.5	4.62	1.25
CS6	6	2.31	0.63
CS7	7	2.45	0.67
CS8	8	2.45	0.67
CS9	9	2.45	0.67
CS10	10	2.45	0.67
CS11	11	2.73	0.74
CS12	12	2.87	0.78
CS13	13	2.94	0.80
CS14	14	4.27	1.16
CS15	15	4.48	1.22
CS16	16	4.83	1.31
CS17	17	4.55	1.24
CS18	18	6.16	1.67

Item Code	Size	AED	(US\$)
	Metric (mm)		
CS19	19	6.09	1.65
CS20	20	7.98	2.17
CS21	21	7.98	2.17
CS22	22	9.31	2.53
CS23	23	10.29	2.79
CS24	24	11.41	3.10
CS25	25	13.37	3.63
CS26	26	14.35	3.90
CS27	27	16.94	4.60
CS28	28	17.64	4.79
CS29	29	23.87	6.48
CS30	30	23.87	6.48
CS31	31	34.65	9.41
CS32	32	26.95	7.32

COMBINATION RING & OPEN END SPANNERS SETS

SETS			(AED)	(US\$)
Set No.	Pcs. Per Set	Sizes		
14-6M	6 Pcs	8,10,12,13,14,17mm	21.98	5.97
14-8M	8 Pcs	8,9,10,11,13,14,17,19	31.57	8.57
14-12M	12 Pcs	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22mm	42.35	11.50
14-22M	22 Pcs	6-32mm (W/o Pouch Packing)	184.80	50.16
14-22MP	22 Pcs	6-32mm (Pouch Packing)	217.00	58.90
14-25M	25 Pcs	6-32mm (W/o Pouch Packing)	213.29	57.89
14-25MP	25 Pcs	6-32mm (Pouch Packing)	255.50	69.35
14-14 SAE	14 Pcs	1/4 - 11/4 SAE	210.00	57.00



COMBINATION RING & OPEN END SPANNERS ELLIPTICAL MIRROR FINISH



HIGH GRADE
CrV

Mirror Finish
Fully Hardened and Tempered
Long Profile Handle for extra leverage

CHROME VANADIUM STEEL

Item Code	Size Metric (mm)	AED	(US\$)
CSE6	6	3.22	0.87
CSE7	7	3.57	0.97
CSE8	8	3.71	1.01
CSE9	9	3.92	1.06
CSE10	10	4.06	1.10
CSE11	11	4.34	1.18
CSE12	12	4.90	1.33
CSE13	13	5.32	1.44
CSE14	14	5.88	1.60
CSE15	15	7.14	1.94
CSE16	16	7.84	2.13
CSE17	17	8.54	2.32
CSE18	18	9.24	2.51

Item Code	Size Metric (mm)	AED	(US\$)
CSE19	19	10.01	2.72
CSE20	20	11.83	3.21
CSE21	21	12.39	3.36
CSE22	22	12.95	3.52
CSE23	23	16.45	4.47
CSE24	24	18.90	5.13
CSE25	25	19.95	5.42
CSE26	26	21.84	5.93
CSE27	27	24.57	6.67
CSE28	28	27.09	7.35
CSE29	29	32.41	8.80
CSE30	30	32.41	8.80
CSE32	32	36.47	9.90

COMBINATION SPANNER SETS ELLIPTICAL MIRROR FINISH



SETS				
Set No.	Pcs. Per Set	Sizes	AED	(US\$)
CS8ME	8 Pcs	8-19mm	45.85	12.45
CS12ME	12 Pcs	6 -22mm	70.42	19.11
CS25ME	25 Pcs	6 -32mm	316.33	85.86

COMBINATION RING & OPEN END SPANNERS ELLIPTICAL MIRROR

SAE
SIZES



Mirror Finish
Fully Hardened and Tempered
Long Profile Handle for extra leverage

HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size American (SAE)	AED	(US\$)
CS1/4 A	1/4 SAE	3.85	1.05
CS5/16 A	5/16 SAE	4.20	1.14
CS3/8 A	3/8 SAE	4.55	1.24
CS7/16 A	7/16 SAE	4.90	1.33
CS1/2 A	1/2 SAE	5.25	1.43
CS9/16 A	9/16 SAE	5.95	1.62
CS5/8 A	5/8 SAE	6.65	1.81
CS11/16 A	11/16 SAE	7.70	2.09
CS3/4 A	3/4 SAE	8.40	2.28
CS13/16 A	13/16 SAE	10.50	2.85
CS7/8 A	7/8 SAE	11.90	3.23
CS15/16 A	15/16 SAE	14.70	3.99
CS1 A	1 SAE	17.50	4.75
CS1-1/16 A	1-1/16 SAE	21.70	5.89
CS1-1/8 A	1-1/8 SAE	24.50	6.65
CS1-1/4 A	1-1/4 SAE	32.20	8.74
CS1.5/16 A	1.5/16 SAE	98.00	26.60
CS1.3/8 A	1.3/8 SAE	105.00	28.50
CS1.7/16 A	1.7/16 SAE	119.00	32.30
CS1.1/2 A	1.1/2 SAE	119.00	32.30
CS1.5/8 A	1.5/8 SAE	133.00	36.10
CS1.11/16 A	1.11/16 SAE	189.00	51.30
CS1.3/4 A	1.3/4 SAE	203.00	55.10

Code	Size American (SAE)	AED	(US\$)
CS1.13/16 A	1.13/16 SAE	210.00	57.00
CS1.7/8 A	1.7/8 SAE	210.00	57.00
CS2 A	2 SAE	231.00	62.70
CS2.1/16 A	2.1/16 SAE	252.00	68.40
CS2.1/8 A	2.1/8 SAE	294.00	79.80
CS2.3/16 A	2.3/16 SAE	322.00	87.40
CS2.1/4 A	2.1/4 SAE	378.00	102.60
CS2.5/16 A	2.5/16 SAE	462.00	125.40
CS2.3/8 A	2.3/8 SAE	462.00	125.40
CS2.7/16 A	2.7/16 SAE	504.00	136.80
CS2.1/2 A	2.1/2 SAE	539.00	146.30
CS2.9/16 A	2.9/16 SAE	560.00	152.00
CS2.5/8 A	2.5/8 SAE	609.00	165.30
CS2.11/16 A	2.11/16 SAE	630.00	171.00
CS2.3/4 A	2.3/4 SAE	665.00	180.50
CS2.13/16 A	2.13/16 SAE	672.00	182.40
CS2.15/16 A	2.15/16 SAE	700.00	190.00
CS2.7/8 A	2.7/8 SAE	705.60	191.52
CS3 A	3 SAE	856.80	232.56
CS3.1/8 A	3.1/8 SAE	1108.80	300.96
CS3.1/4 A	3.1/4 SAE	1411.20	383.04
CS3.3/8 A	3.3/8 SAE	1512.00	410.40
CS3.1/2 A	3.1/2 SAE	1764.00	478.80

STUBBY COMBINATION SPANNERS ELLIPTICAL MIRROR FINISH

Mirror Finish
Fully Hardened and Tempered
Stubby configuration gives improved
access in confined spaces.



ASME B107.66

HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size Metric (mm)	AED	(US\$)
CSS10	10 STUBBY	9.10	2.47
CSS11	11 STUBBY	9.10	2.47
CSS12	12 STUBBY	9.80	2.66
CSS13	13 STUBBY	9.80	2.66
CSS14	14 STUBBY	11.90	3.23
CSS15	15 STUBBY	11.90	3.23
CSS16	16 STUBBY	13.30	3.61
CSS18	18 STUBBY	16.10	4.37
CSS19	19 STUBBY	16.10	4.37

JUMBO COMBINATION SPANNER (RING & OPEN END) HEAVY DUTY



Mirror Finish / Black Finish

Fully Hardened and Tempered

Ring end with AS Drive profile which bring precision & uncomparable quality.

DN®
DIN 3113 A

HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size Metric (mm)	AED	(US\$)
CS33	33	57.40	15.58
CS34	34	57.40	15.58
CS35	35	64.19	17.42
CS36	36	77.35	21.00
CS37	37	115.50	31.35
CS38	38	79.45	21.57
CS39	39	115.50	31.35
CS40	40	110.25	29.93
CS41	41	97.30	26.41
CS42	42	130.55	35.44
CS43	43	168.00	45.60
CS44	44	140.70	38.19
CS45	45	182.00	49.40
CS46	46	130.55	35.44
CS47	47	203.00	55.10
CS48	48	150.50	40.85
CS49	49	245.00	66.50
CS50	50	150.50	40.85
CS51	51	231.00	62.70
CS52	52	273.00	74.10
CS54	54	315.00	85.50
CS55	55	336.00	91.20
CS56	56	385.00	104.50
CS58	58	420.00	114.00
CS59	59	462.00	125.40
CS60	60	420.00	114.00

Code	Size Metric (mm)	AED	(US\$)
CS62	62	420.00	114.00
CS63	63	525.00	142.50
CS65	65	490.00	133.00
CS66	66	602.00	163.40
CS67	67	602.00	163.40
CS68	68	630.00	171.00
CS70	70	560.00	152.00
CS71	71	700.00	190.00
CS73	73	700.00	190.00
CS75	75	630.00	171.00
CS76	76	840.00	228.00
CS79	79	980.00	266.00
CS80	80	1176.00	319.20
CS82	82	1411.20	383.04
CS83	83	1461.60	396.72
CS85	85	1666.00	452.20
CS86	86	1512.00	410.40
CS89	89	1764.00	478.80
CS90	90	1862.00	505.40
CS95	95	2156.00	585.20
CS100	100	2450.00	665.00
CS105	105	2660.00	722.00
CS110	110	3080.00	836.00
CS115	115	3500.00	950.00
CS120	120	3850.00	1045.00
CS125	125	4060.00	1102.00

OPENING INSERT HEAD



HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size (mm)	Square (mm)	Dia (mm)	AED	(US\$)
OIH9124	4	9x12	22	115.50	31.35
OIH9125	5	9x12	22	115.50	31.35
OIH9125.5	5.5	9x12	22	115.50	31.35
OIH9126	6	9x12	22	126.00	34.20
OIH9127	7	9x12	22	126.00	34.20
OIH9128	8	9x12	22	136.50	37.05
OIH9129	9	9x12	25	136.50	37.05
OIH91210	10	9x12	25	136.50	37.05
OIH91211	11	9x12	25	136.50	37.05
OIH91212	12	9x12	29	136.50	37.05
OIH91213	13	9x12	29	136.50	37.05
OIH91214	14	9x12	33	136.50	37.05
OIH91215	15	9x12	33	154.00	41.80
OIH91216	16	9x12	38	154.00	41.80
OIH91217	17	9x12	38	154.00	41.80
OIH91218	18	9x12	42.5	154.00	41.80
OIH91219	19	9x12	42.5	154.00	41.80
OIH91220	20	9x12	48	154.00	41.80
OIH91221	21	9x12	48	154.00	41.80
OIH91222	22	9x12	48	154.00	41.80
OIH91223	23	9x12	52	168.00	45.60
OIH91224	24	9x12	52	196.00	53.20
OIH91225	25	9x12	57	196.00	53.20
OIH91226	26	9x12	57	196.00	53.20
OIH91227	27	9x12	57	196.00	53.20
OIH91228	28	9x12	57	196.00	53.20
OIH91229	29	9x12	57	196.00	53.20
OIH91230	30	9x12	57	210.00	57.00
OIH91232	32	9x12	57	210.00	57.00
OIH91236	36	9x12	57	252.00	68.40
OIH91238	38	9x12	57	252.00	68.40
OIH91241	41	9x12	57	301.00	81.70

OPENING INSERT HEAD



HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size (mm)	Square (mm)	Dia (mm)	AED	(US\$)
OIH14186	6	14x18	30	133.00	36.10
OIH14187	7	14x18	30	133.00	36.10
OIH14188	8	14x18	30	133.00	36.10
OIH14189	9	14x18	30	133.00	36.10
OIH141810	10	14x18	30	140.00	38.00
OIH141811	11	14x18	30	147.00	39.90
OIH141812	12	14x18	30	154.00	41.80
OIH141813	13	14x18	32	154.00	41.80
OIH141814	14	14x18	32	154.00	41.80
OIH141815	15	14x18	32	175.00	47.50
OIH141816	16	14x18	38	175.00	47.50
OIH141817	17	14x18	38	175.00	47.50
OIH141818	18	14x18	42	175.00	47.50
OIH141819	19	14x18	42	175.00	47.50
OIH141820	20	14x18	48	182.00	49.40
OIH141821	21	14x18	48	192.50	52.25
OIH141822	22	14x18	48	192.50	52.25
OIH141823	23	14x18	52	196.00	53.20
OIH141824	24	14x18	52	206.50	56.05
OIH141825	25	14x18	52	206.50	56.05
OIH141826	26	14x18	57	206.50	56.05
OIH141827	27	14x18	57	206.50	56.05
OIH141828	28	14x18	57	210.00	57.00
OIH141829	29	14x18	57	210.00	57.00
OIH141830	30	14x18	65	217.00	58.90
OIH141831	31	14x18	65	217.00	58.90
OIH141832	32	14x18	65	217.00	58.90
OIH141833	33	14x18	68	245.00	66.50
OIH141834	34	14x18	68	252.00	68.40
OIH141835	35	14x18	68	266.00	72.20
OIH141836	36	14x18	68	287.00	77.90
OIH141837	37	14x18	68	287.00	77.90
OIH141838	38	14x18	68	287.00	77.90
OIH141841	41	14x18	68	322.00	87.40
OIH141846	46	14x18	68	560.00	152.00
OIH141850	50	14x18	68	840.00	228.00
OIH141855	55	14x18	68	840.00	228.00
OIH141860	60	14x18	68	840.00	228.00

RING INSERT HEAD



HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size (mm)	Square (mm)	Dia (mm)	AED	(US\$)
RIH9124	4	9x12	9.6	115.50	31.35
RIH9125	5	9x12	10.8	115.50	31.35
RIH9125.5	5.5	9x12	12	115.50	31.35
RIH9126	6	9x12	22	126.00	34.20
RIH9127	7	9x12	22	126.00	34.20
RIH9128	8	9x12	22	147.00	39.90
RIH9129	9	9x12	22	147.00	39.90
RIH91210	10	9x12	22	147.00	39.90
RIH91211	11	9x12	22	147.00	39.90
RIH91212	12	9x12	22	147.00	39.90
RIH91213	13	9x12	22	147.00	39.90
RIH91214	14	9x12	23	147.00	39.90
RIH91215	15	9x12	25	168.00	45.60
RIH91216	16	9x12	27.5	168.00	45.60
RIH91217	17	9x12	27.5	168.00	45.60
RIH91218	18	9x12	29	168.00	45.60
RIH91219	19	9x12	31	168.00	45.60
RIH91220	20	9x12	33	168.00	45.60
RIH91221	21	9x12	33.5	168.00	45.60
RIH91222	22	9x12	35	168.00	45.60
RIH91223	23	9x12	36.5	196.00	53.20
RIH91224	24	9x12	37	210.00	57.00
RIH91225	25	9x12	40	210.00	57.00
RIH91226	26	9x12	41	210.00	57.00
RIH91227	27	9x12	42	210.00	57.00
RIH91228	28	9x12	44	210.00	57.00
RIH91230	30	9x12	46	224.00	60.80
RIH91232	32	9x12	47.5	224.00	60.80
RIH91236	36	9x12	50	224.00	60.80

Item Code	Size (mm)	Square (mm)	Dia (mm)	AED	(US\$)
RIH14186	6	14x18	13	133.00	36.10
RIH14187	7	14x18	14	133.00	36.10
RIH14188	8	14x18	16	133.00	36.10
RIH14189	9	14x18	16	140.00	38.00
RIH141810	10	14x18	16	154.00	41.80
RIH141811	11	14x18	32	154.00	41.80
RIH141812	12	14x18	32	168.00	45.60
RIH141813	13	14x18	32	168.00	45.60
RIH141814	14	14x18	32	168.00	45.60
RIH141815	15	14x18	32	189.00	51.30
RIH141816	16	14x18	32	189.00	51.30
RIH141817	17	14x18	32	189.00	51.30
RIH141818	18	14x18	32	189.00	51.30
RIH141819	19	14x18	32	189.00	51.30
RIH141820	20	14x18	33	196.00	53.20
RIH141821	21	14x18	33	203.00	55.10
RIH141822	22	14x18	35	203.00	55.10
RIH141823	23	14x18	36	210.00	57.00
RIH141824	24	14x18	38	224.00	60.80
RIH141825	25	14x18	39	224.00	60.80
RIH141826	26	14x18	41	224.00	60.80
RIH141827	27	14x18	41.5	224.00	60.80
RIH141828	28	14x18	44	231.00	62.70
RIH141829	29	14x18	45	231.00	62.70
RIH141830	30	14x18	45	245.00	66.50
RIH141831	31	14x18	47.5	245.00	66.50
RIH141832	32	14x18	47.5	245.00	66.50
RIH141833	33	14x18	50	266.00	72.20
RIH141834	34	14x18	51	266.00	72.20
RIH141835	35	14x18	52	280.00	76.00
RIH141836	36	14x18	53	301.00	81.70
RIH141841	41	14x18	55	336.00	91.20
RIH141846	46	14x18	55	560.00	152.00
RIH141850	50	14x18	55	1050.00	285.00

CROWFOOT SPANNER (1/2 SQ.DR.)

Code	Sizes (mm)	AED	(US\$)
CFS8	8	91.00	24.7
CFS9	9	91.00	24.7
CFS10	10	91.00	24.7
CFS11	11	91.00	24.7
CFS12	12	91.00	24.7
CFS13	13	91.00	24.7
CFS14	14	91.00	24.7
CFS15	15	91.00	24.7
CFS16	16	91.00	24.7
CFS17	17	91.00	24.7
CFS18	18	105.00	28.5
CFS19	19	105.00	28.5
CFS20	20	105.00	28.5
CFS21	21	105.00	28.5
CFS22	22	105.00	28.5
CFS23	23	105.00	28.5
CFS24	24	105.00	28.5
CFS25	25	105.00	28.5
CFS26	26	105.00	28.5
CFS27	27	105.00	28.5
CFS28	28	105.00	28.5
CFS29	29	105.00	28.5
CFS30	30	150.50	40.85
CFS31	31	150.50	40.85
CFS32	32	150.50	40.85
CFS33	33	150.50	40.85
CFS34	34	150.50	40.85
CFS35	35	150.50	40.85
CFS36	36	150.50	40.85
CFS37	37	150.50	40.85
CFS38	38	150.50	40.85
CFS41	41	224.00	60.80
CFS46	46	224.00	60.80
CFS50	50	266.00	72.20
CFS55	55	332.50	90.25
CFS60	60	385.00	104.50
CFS65	65	455.00	123.50

HIGH GRADE
CrV

CHROME VANADIUM STEEL

ELLIPTICAL MIRROR FINISH



INSERT RATCHET WRENCH HEAD 72T



HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size	Square (mm)	Dia (mm)	AED	(US\$)
IRH9121/4	1/4 Dr.	9x12	27	91.00	24.70
IRH9123/8	3/8 Dr.	9x12	34	105.00	28.50
IRH9121/2	1/2 Dr.	9x12	43	140.00	38.00
IRH14183/8	3/8 Dr.	14x18	34	105.00	28.50
IRH14181/2	1/2 Dr.	14x18	43	140.00	38.00

C-SPANNER - HALF MOON ELLIPTICAL MIRROR FINISH



HIGH GRADE
CrV

Fully Hardened and Tempered

Specially working where nuts & bolts are difficult to reach.

CHROME VANADIUM STEEL

Code	Sizes	AED	(US\$)
CSHM6x7	6x7mm	12.60	3.42
CSHM8x9	8x9mm	12.60	3.42
CSHM8x10	8x10mm	12.60	3.42
CSHM9x11	9x11mm	12.60	3.42
CSHM10x11	10x11mm	12.60	3.42
CSHM10x12	10x12mm	12.60	3.42
CSHM10x13	10x13mm	12.60	3.42
CSHM11x13	11x13mm	14.00	3.80
CSHM12x13	12x13mm	15.40	4.18
CSHM12x14	12x14mm	16.80	4.56
CSHM13x14	13x14mm	16.80	4.56
CSHM13x15	13x15mm	18.20	4.94
CSHM13x17	13x17mm	18.20	4.94
CSHM14x15	14x15mm	18.20	4.94
CSHM14x16	14x16mm	18.20	4.94
CSHM14x17	14x17mm	19.60	5.32
CSHM14x19	14x19mm	21.00	5.70
CSHM15x17	15x17mm	21.00	5.70
CSHM16x17	16x17mm	21.00	5.70

Code	Sizes	AED	(US\$)
CSHM16x18	16x18mm	16.80	4.56
CSHM17x19	17x19mm	18.48	5.02
CSHM18x19	18x19mm	21.00	5.70
CSHM19x21	19x21mm	28.00	7.60
CSHM19x22	19x22mm	23.10	6.27
CSHM20x22	20x22mm	26.25	7.13
CSHM21x22	21x22mm	35.00	9.50
CSHM21x23	21x23mm	35.00	9.50
CSHM 5/16x3/8A	5/16x3/8 SAE	21.00	5.70
CSHM3/8x13/32A	3/8x13/32 SAE	21.00	5.70
CSHM3/8x7/16A	3/8x7/16 SAE	21.00	5.70
CSHM1/2x7/16A	1/2x7/16 SAE	21.00	5.70
CSHM1/2x9/16A	1/2x9/16 SAE	25.20	6.84
CSHM9/16x5/8A	9/16x5/8 SAE	21.00	5.70
CSHM9/16x19/32A	9/16x19/32 SAE	21.00	5.70
CSHM5/8x11/16A	5/8x11/16 SAE	29.40	7.98
CSHM5/8x3/4A	5/8x3/4 SAE	33.60	9.12
CSHM3/4x11/16A	3/4x11/16 SAE	33.60	9.12
CSHM13/16x7/8A	13/16x7/8 SAE	33.60	9.12

SLOGGING OPEN END SPANNER

SAE
SIZES



Head Set at 15° angle.

Fully Hardened and Tempered

Black Phosphated.

Chrome Vanadium Steel / Special high grade Alloy Steel.

Heavy Duty Impact Spanner with strong profile handle and durable striking end.

DN[®]
DIN 133

HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Sizes (SAE)	AED	(US\$)
SO3/4 A	3/4 SAE	63.00	17.10
SO7/8 A	7/8 SAE	77.00	20.90
SO15/16 A	15/16 SAE	63.00	17.10
SO1 A	1 SAE	70.00	19.00
SO1.1/16 A	1.1/16 SAE	58.80	15.96
SO1.1/8 A	1.1/8 SAE	70.00	19.00
SO1.3/16 A	1.3/16 SAE	58.80	15.96
SO1.1/4 A	1.1/4 SAE	70.00	19.00
SO1.5/16 A	1.5/16 SAE	65.10	17.67
SO1.3/8 A	1.3/8 SAE	69.30	18.81
SO1.7/16 A	1.7/16 SAE	84.00	22.80
SO1.1/2 A	1.1/2 SAE	91.00	24.70
SO1.5/8 A	1.5/8 SAE	105.00	28.50
SO1.11/16 A	1.11/16 SAE	88.20	23.94
SO1.3/4 A	1.3/4 SAE	154.00	41.80
SO1.13/16 A	1.13/16 SAE	126.00	34.20
SO1.7/8 A	1.7/8 SAE	155.40	42.18
SO1.15/16 A	1.15/16 SAE	147.00	39.90
SO2 A	2 SAE	175.00	47.50
SO2.1/16 A	2.1/16 SAE	165.90	45.03
SO2.1/8 A	2.1/8 SAE	238.00	64.60
SO2.3/16 A	2.3/16 SAE	189.00	51.30
SO2.1/4 A	2.1/4 SAE	189.00	51.30
SO2.3/8 A	2.3/8 SAE	222.60	60.42
SO2.7/16 A	2.7/16 SAE	268.80	72.96

Code	Sizes (SAE)	AED	(US\$)
SO2.1/2 A	2.1/2 SAE	392.00	106.40
SO2.9/16 A	2.9/16 SAE	432.60	117.42
SO2.5/8 A	2.5/8 SAE	441.00	119.70
SO2.3/4 A	2.3/4 SAE	441.00	119.70
SO2.15/16 A	2.15/16 SAE	529.20	143.64
SO3 A	3 SAE	679.00	184.30
SO3.1/8 A	3.1/8 SAE	868.00	235.60
SO3.1/4 A	3.1/4 SAE	827.40	224.58
SO3.3/8 A	3.3/8 SAE	827.40	224.58
SO3.1/2 A	3.1/2 SAE	1062.60	288.42
SO3.3/4 A	3.3/4 SAE	1386.00	376.20
SO3.7/8 A	3.7/8 SAE	1512.00	410.40
SO4 A	4 SAE	1960.00	532.00
SO4.1/8 A	4.1/8 SAE	2100.00	570.00
SO4.1/4 A	4.1/4 SAE	2170.00	589.00
SO4.3/8 A	4.3/8 SAE	2450.00	665.00
SO4.1/2 A	4.1/2 SAE	2674.00	725.80
SO4.5/8 A	4.5/8 SAE	3024.00	820.80
SO4.3/4 A	4.3/4 SAE	2940.00	798.00
SO5 A	5 SAE	3150.00	855.00
SO5.1/8 A	5.1/8 SAE	2772.00	752.40
SO5.1/4 A	5.1/4 SAE	3535.00	959.50
SO5.3/8 A	5.3/8 SAE	3108.00	843.60
SO5.1/2 A	5.1/2 SAE	3360.00	912.00
SO5.3/4 A	5.3/4 SAE	3612.00	980.40

Many more sizes can be produced against specific orders.

www.deneerstoos.com

SLOGGING OPEN END SPANNER

WW
SIZES



Head Set at 15° angle.

Fully Hardened and Tempered

Black Phosphated.

Heavy Duty Impact Spanner with strong profile handle and durable striking end.

Chrome Vanadium Steel / Special Alloy Steel.

DN[®]
DIN 133

HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Whitworth Sizes	Bolt Size	AED	(US\$)
SO3/16 B	for 3/16 Bolt	1/8 WW	42.00	11.40
SO1/4 B	for 1/4 Bolt	3/16 WW	42.00	11.40
SO5/16 B	for 5/16 Bolt	1/4 WW	49.00	13.30
SO3/8 B	for 3/8 Bolt	5/16 WW	49.00	13.30
SO7/16 B	for 7/16 Bolt	3/8 WW	56.00	15.20
SO1/2 B	for 1/2 Bolt	7/16 WW	56.00	15.20
SO9/16 B	for 9/16 Bolt	1/2 WW	63.00	17.10
SO5/8 B	for 5/8 Bolt	9/16 WW	63.00	17.10
SO11/16 B	for 11/16 Bolt	5/8 WW	63.00	17.10
SO3/4 B	for 3/4 Bolt	11/16 WW	63.00	17.10
SO7/8 B	for 7/8 Bolt	3/4 WW	70.00	19.00
SO15/16 B	for 15/16 Bolt	13/16 WW	84.00	22.80
SO1 B	for 1 Bolt	7/8 WW	126.00	34.20
SO1.1/8 B	for 1.1/8 Bolt	1 WW	142.80	38.76

Code	Whitworth Sizes	Bolt Size	AED	(US\$)
SO1-1/4 B	for 1-1/4 Bolt	1-1/8 WW	75.60	20.52
SO1.3/8 B	for 1.3/8 Bolt	1.1/4 WW	189.00	51.30
SO1-1/2 B	for 1-1/2 Bolt	1-3/8 WW	126.00	34.20
SO1.5/8 B	for 1.5/8 Bolt	1.1/2 WW	315.00	85.50
SO1.3/4 B	for 1.3/4 Bolt	1.5/8 WW	364.00	98.80
SO1.7/8 B	for 1.7/8 Bolt		490.00	133.00
SO2 B	for 2 Bolt	1.3/4 WW	441.00	119.70
SO2.1/4 B	for 2.1/4 Bolt	-	490.00	133.00
SO2.1/2 B	for 2.1/2 Bolt	-	560.00	152.00
SO2.3/4 B	for 2.3/4 Bolt	-	630.00	171.00
SO3 B	for 3 Bolt	-	735.00	199.50
SO3.1/4 B	for 3.1/4 Bolt	-	805.00	218.50
SO3.1/2 B	for 3.1/2 Bolt	-	875.00	237.50
SO4 B	for 4 Bolt	-	980.00	266.00

SLOGGING OPEN BENT TYPE SPANNER

Code	Size (Metric)	Length (mm)	AED	(US\$)
SOBS19	19	140	77.00	20.90
SOBS22	22	150	84.00	22.80
SOBS24	24	150	98.00	26.60
SOBS27	27	175	168.00	45.60
SOBS32	32	190	217.00	58.90
SOBS36	36	210	371.00	100.70
SOBS41	41	230	448.00	121.60
SOBS46	46	250	595.00	161.50
SOBS50	50	275	770.00	209.00
SOBS55	55	305	917.00	248.90
SOBS60	60	315	1036.00	281.20
SOBS65	65	335	1211.00	328.70
SOBS70	70	370	1386.00	376.20
SOBS75	75	375	1554.00	421.80
SOBS80	80	400	1848.00	501.60



Many more sizes can be produced against specific orders.
www.deneerstools.com

SLOGGING OPEN END SPANNER

DN®
DIN 133

HIGH GRADE
CrV
CHROME VANADIUM STEEL

Head Set at 15° angle.

Fully Hardened and Tempered

Black Phosphated.

Heavy Duty Impact Spanner with strong profile handle and durable striking end.

Chrome Vanadium Steel / Special Alloy Steel.



Code	Sizes (mm)	AED	(US\$)	Code	Sizes (mm)	AED	(US\$)	Code	Sizes (mm)	AED	(US\$)
SO17	17	39.90	10.83	SO52	52	100.80	27.36	SO94	94	1092.00	296.40
SO18	18	39.90	10.83	SO53	53	100.80	27.36	SO95	95	756.00	205.20
SO19	19	39.90	10.83	SO54	54	100.80	27.36	SO96	96	1176.00	319.20
SO20	20	39.90	10.83	SO55	55	89.60	24.32	SO98	98	1512.00	410.40
SO21	21	39.90	10.83	SO56	56	113.40	30.78	SO100	100	1190.00	323.00
SO22	22	21.00	5.70	SO57	57	126.00	34.20	SO102	102	1638.00	444.60
SO23	23	39.90	10.83	SO58	58	126.00	34.20	SO105	105	1400.00	380.00
SO24	24	21.00	5.70	SO59	59	126.00	34.20	SO108	108	1806.00	490.20
SO25	25	39.90	10.83	SO60	60	112.00	30.40	SO110	110	2100.00	570.00
SO26	26	39.90	10.83	SO61	61	126.00	34.20	SO115	115	2135.00	579.50
SO27	27	23.94	6.50	SO62	62	155.40	42.18	SO120	120	2450.00	665.00
SO28	28	39.90	10.83	SO63	63	210.00	57.00	SO125	125	2590.00	703.00
SO29	29	39.90	10.83	SO64	64	210.00	57.00	SO127	127	2450.00	665.00
SO30	30	26.60	7.22	SO65	65	164.50	44.65	SO130	130	2590.00	703.00
SO31	31	39.90	10.83	SO66	66	210.00	57.00	SO135	135	2660.00	722.00
SO32	32	28.00	7.60	SO67	67	210.00	57.00	SO140	140	2940.00	798.00
SO33	33	39.90	10.83	SO68	68	252.00	68.40	SO145	145	3010.00	817.00
SO34	34	30.10	8.17	SO69	69	315.00	85.50	SO146	146	3612.00	980.40
SO35	35	39.90	10.83	SO70	70	238.00	64.60	SO150	150	3080.00	836.00
SO36	36	33.60	9.12	SO71	71	315.00	85.50	SO155	155	4410.00	1197.00
SO37	37	42.00	11.40	SO72	72	315.00	85.50	SO160	160	4550.00	1235.00
SO38	38	37.80	10.26	SO73	73	315.00	85.50	SO165	165	4970.00	1349.00
SO39	39	50.40	13.68	SO74	74	357.00	96.90	SO170	170	5110.00	1387.00
SO40	40	50.40	13.68	SO75	75	308.00	83.60	SO175	175	5180.00	1406.00
SO41	41	40.60	11.02	SO76	76	315.00	85.50	SO180	180	5250.00	1425.00
SO42	42	63.00	17.10	SO77	77	420.00	114.00	SO185	185	6300.00	1710.00
SO43	43	71.40	19.38	SO78	78	420.00	114.00	SO190	190	6860.00	1862.00
SO44	44	71.40	19.38	SO79	79	504.00	136.80	SO195	195	7140.00	1938.00
SO45	45	71.40	19.38	SO80	80	402.50	109.25	SO200	200	7350.00	1995.00
SO46	46	53.20	14.44	SO82	82	504.00	136.80	SO205	205	7700.00	2090.00
SO47	47	75.60	20.52	SO84	84	504.00	136.80	SO210	210	8050.00	2185.00
SO48	48	75.60	20.52	SO85	85	455.00	123.50	SO215	215	8400.00	2280.00
SO49	49	75.60	20.52	SO89	89	1062.60	288.42	SO220	220	8750.00	2375.00
SO 50	50	65.10	17.67	SO90	90	644.00	174.80	SO230	230	9800.00	2660.00
SO 51	51	100.80	27.36	SO92	92	1092.00	296.40	SO250	250	11200.00	3040.00

Many more sizes can be produced against specific orders.

www.deneerstoos.com

SLOGGING RING SPANNER



CHROME VANADIUM STEEL

Fully Hardened and Tempered
Black Phosphated.

Heavy Duty Impact Spanner with strong
profile handle and durable striking end.
Chrome Vanadium Steel / Special Alloy Steel.



Code	Sizes (mm)	AED	(US\$)		Sizes (mm)	AED	(US\$)		Sizes (mm)	AED	(US\$)
SR17	17	39.90	10.83	SR47	47	75.60	20.52	SR 98	98	1512.00	410.40
SR18	18	39.90	10.83	SR48	48	75.60	20.52	SR100	100	910.00	247.00
SR19	19	39.90	10.83	SR49	49	84.00	22.80	SR102	102	1386.00	376.20
SR20	20	39.90	10.83	SR50	50	63.00	17.10	SR105	105	1050.00	285.00
SR21	21	39.90	10.83	SR51	51	92.40	25.08	SR110	110	1295.00	351.50
SR22	22	21.00	5.70	SR52	52	100.80	27.80	SR115	115	1470.00	399.00
SR23	23	39.90	10.83	SR53	53	109.20	29.64	SR120	120	1680.00	456.00
SR24	24	21.00	5.70	SR54	54	109.20	29.64	SR125	125	1715.00	465.50
SR25	25	39.90	10.83	SR55	55	84.00	22.80	SR130	130	2240.00	608.00
SR26	26	25.20	6.84	SR56	56	113.40	30.78	SR135	135	2450.00	665.00
SR27	27	23.80	6.46	SR57	57	126.00	34.20	SR140	140	2800.00	760.00
SR28	28	39.90	10.83	SR58	58	126.00	34.20	SR145	145	2940.00	798.00
SR29	29	39.90	10.83	SR59	59	168.00	45.60	SR146	146	3360.00	912.00
SR30	30	26.60	7.22	SR60	60	100.80	27.36	SR150	150	3010.00	817.00
SR31	31	39.90	10.83	SR61	61	210.00	57.00	SR155	155	3150.00	855.00
SR32	32	27.30	7.41	SR62	62	210.00	57.00	SR160	160	3360.00	912.00
SR33	33	39.90	10.83	SR63	63	210.00	57.00	SR165	165	4060.00	1102.00
SR34	34	29.40	7.98	SR65	65	129.50	35.15	SR170	170	4200.00	1140.00
SR35	35	39.90	10.83	SR66	66	280.00	76.00	SR175	175	4340.00	1178.00
SR36	36	31.50	8.55	SR67	67	350.00	95.00	SR180	180	4900.00	1330.00
SR37	37	42.00	11.40	SR69	69	350.00	95.00	SR185	185	6160.00	1672.00
SR38	38	33.60	9.12	SR70	70	224.00	60.80	SR190	190	6650.00	1805.00
SR39	39	58.80	15.96	SR75	75	280.00	76.00	SR195	195	6790.00	1843.00
SR40	40	50.40	13.68	SR76	76	529.20	143.64	SR200	200	7140.00	1938.00
SR41	41	37.80	10.26	SR80	80	364.00	98.80	SR205	205	7490.00	2033.00
SR42	42	63.00	17.10	SR85	85	420.00	114.00	SR210	210	7840.00	2128.00
SR43	43	71.40	19.38	SR86	86	785.40	213.18	SR215	215	8190.00	2223.00
SR44	44	63.00	17.10	SR89	89	1062.60	288.42	SR220	220	8540.00	2318.00
SR45	45	71.40	19.38	SR90	90	581.00	157.70	SR250	250	11200.00	3040.00
SR46	46	46.20	12.54	SR95	95	735.00	199.50	-	-	-	-

Many more sizes can be produced against specific orders.
www.deneerstools.com



CHROME VANADIUM STEEL

Fully Hardened and Tempered
Black Phosphated.

Heavy Duty Impact Spanner with strong
profile handle and durable striking end.
Chrome Vanadium Steel / Special Alloy Steel.



SAE
SIZES

Item Code	Sizes (SAE)	AED	(US\$)
SR 3/4 A	3/4 SAE	63.00	17.10
SR 7/8 A	7/8 SAE	63.00	17.10
SR 15/16 A	15/16 SAE	46.20	12.54
SR 1 A	1 SAE	54.60	14.82
SR 1.1/16 A	1.1/16 SAE	58.80	15.96
SR 1.1/8 A	1.1/8 SAE	58.80	15.96
SR 1.3/16 A	1.3/16 SAE	58.80	15.96
SR 1.1/4 A	1.1/4 SAE	58.80	15.96
SR 1.5/16 A	1.5/16 SAE	65.10	17.67
SR 1.3/8 A	1.3/8 SAE	65.10	17.67
SR 1.7/16 A	1.7/16 SAE	65.10	17.67
SR 1.1/2 A	1.1/2 SAE	73.50	19.95
SR 1.5/8 A	1.5/8 SAE	84.00	22.80
SR 1.11/16 A	1.11/16 SAE	138.60	37.62
SR 1.3/4 A	1.3/4 SAE	111.30	30.21
SR 1.13/16 A	1.13/16 SAE	111.30	30.21
SR 1.7/8 A	1.7/8 SAE	153.30	41.61
SR 1.15/16 A	1.15/16 SAE	154.00	41.80
SR 2 A	2 SAE	126.00	34.20
SR 2.1/16 A	2.1/16 SAE	165.90	45.03
SR 2.1/8 A	2.1/8 SAE	174.30	47.31
SR 2.3/16 A	2.3/16 SAE	174.30	47.31
SR 2.1/4 A	2.1/4 SAE	203.70	55.29
SR 2.3/8 A	2.3/8 SAE	203.70	55.29
SR 2.7/16 A	2.7/16 SAE	268.80	72.96

Item Code	Sizes (SAE)	AED	(US\$)
SR 2.1/2 A	2.1/2 SAE	268.80	72.96
SR 2.9/16 A	2.9/16 SAE	432.60	117.42
SR 2.5/8 A	2.5/8 SAE	441.00	119.72
SR 2.3/4 A	2.3/4 SAE	449.40	121.98
SR 2.15/16 A	2.15/16 SAE	520.80	141.36
SR 3 A	3 SAE	529.20	143.64
SR 3.1/8 A	3.1/8 SAE	693.00	188.10
SR 3.1/4 A	3.1/4 SAE	785.40	213.18
SR 3.3/8 A	3.3/8 SAE	785.40	213.18
SR 3.1/2 A	3.1/2 SAE	1062.60	288.42
SR 3.3/4 A	3.3/4 SAE	1260.00	342.00
SR 3.7/8 A	3.7/8 SAE	1512.00	410.40
SR 4 A	4 SAE	1386.00	376.20
SR 4.1/8 A	4.1/8 SAE	1470.00	399.00
SR 4.1/4 A	4.1/4 SAE	1596.00	433.20
SR 4.3/8 A	4.3/8 SAE	1806.00	490.20
SR 4.1/2 A	4.1/2 SAE	1932.00	524.40
SR 4.5/8 A	4.5/8 SAE	2100.00	570.00
SR 4.3/4 A	4.3/4 SAE	2100.00	570.00
SR 5 A	5 SAE	2310.00	627.00
SR 5.1/8 A	5.1/8 SAE	2436.00	661.20
SR 5.1/4 A	5.1/4 SAE	2646.00	718.20
SR 5.3/8 A	5.3/8 SAE	2898.00	786.60
SR 5.1/2 A	5.1/2 SAE	3150.00	855.00
SR 5.3/4 A	5.3/4 SAE	3360.00	912.00

Many more sizes can be produced against specific orders.
www.deneerstoos.com

SLOGGING RING SPANNER

WW
SIZES



HIGH GRADE
CrV

CHROME VANADIUM STEEL

Fully Hardened and Tempered
Black Phosphated.

Heavy Duty Impact Spanner with strong
profile handle and durable striking end.
Chrome Vanadium Steel / Special Alloy Steel.



Code	Whitworth Sizes	Bolt Size	AED	(US\$)
SR3/16B	for 3/16 Bolt	1/8 WW	42.00	11.40
SR1/4B	for 1/4 Bolt	3/16 WW	42.00	11.40
SR5/16B	for 5/16 Bolt	1/4 WW	49.00	13.30
SR3/8B	for 3/8 Bolt	5/16 WW	49.00	13.30
SR7/16B	for 7/16 Bolt	3/8 WW	56.00	15.20
SR1/2B	for 1/2 Bolt	7/16 WW	56.00	15.20
SR9/16B	for 9/16 Bolt	1/2 WW	63.00	17.10
SR5/8B	for 5/8 Bolt	9/16 WW	63.00	17.10
SR11/16B	for 11/16 Bolt	5/8 WW	63.00	17.10
SR3/4B	for 3/4 Bolt	11/16 WW	63.00	17.10
SR7/8B	for 7/8 Bolt	3/4 WW	70.00	19.00
SR15/16B	for 15/16 Bolt	13/16 WW	84.00	22.80
SR1B	for 1 Bolt	7/8 WW	126.00	34.20
SR1.1/8B	for 1.1/8 Bolt	1 WW	142.80	38.76
SR1-1/4 B	for 1-1/4 Bolt	1-1/8 WW	75.60	20.52
SR1.3/8 B	for 1.3/8 Bolt	1.1/4 WW	189.00	51.30
SR1-1/2 B	for 1-1/2 Bolt	1-3/8 WW	126.00	34.20
SR1.5/8 B	for 1.5/8 Bolt	1.1/2 WW	315.00	85.50
SR1.3/4 B	for 1.3/4 Bolt	1.5/8 WW	364.00	98.80
SR1.7/8 B	for 1.7/8 Bolt	-	490.00	133.00
SR2 B	for 2 Bolt	1.3/4 WW	441.00	119.70
SR2.1/4 B	for 2.1/4 Bolt	-	490.00	133.00
SR2.1/2 B	for 2.1/2 Bolt	-	560.00	152.00
SR2.3/4 B	for 2.3/4 Bolt	-	630.00	171.00
SR3 B	for 3 Bolt	-	735.00	199.50
SR3.1/4 B	for 3.1/4 Bolt	-	805.00	218.50
SR3.1/2 B	for 3.1/2 Bolt	-	875.00	237.50
SR4 B	for 4 Bolt	-	980.00	266.00

Many more sizes can be produced against specific orders.
www.deneerstools.com

**SINGLE RING END BENT TYPE
HEAVY DUTY**



Code	Size	Length (mm)	AED	(US\$)
SREB10	10	119	24.50	6.65
SREB12	12	151	28.00	7.60
SREB14	14	151	38.50	10.45
SREB17	17	174	45.50	12.35
SREB19	19	207	56.00	15.20
SREB22	22	207	70.00	19.00
SREB24	24	250	84.00	22.80
SREB27	27	250	105.00	28.50
SREB30	30	295	154.00	41.80
SREB32	32	295	154.00	41.80
SREB36	36	307	189.00	51.30
SREB41	41	340	273.00	74.10
SREB46	46	370	343.00	93.10
SREB50	50	400	448.00	121.60
SREB55	55	430	574.00	155.80
SREB60	60	450	700.00	190.00
SREB65	65	470	882.00	239.40
SREB70	70	490	1064.00	288.80
SREB75	75	510	1148.00	311.60
SREB80	80	530	1260.00	342.00

SLOGGING RING BENT TYPE SPANNER



Code	Size	Length (mm)	AED	(US\$)
SRB 22	22	140	98.00	26.60
SRB 24	24	160	112.00	30.40
SRB 27	27	175	126.00	34.20
SRB 30	30	190	154.00	41.80
SRB 32	32	190	189.00	51.30
SRB 36	36	210	245.00	66.50
SRB 41	41	225	287.00	77.90
SRB 46	46	240	364.00	98.80
SRB 50	50	255	420.00	114.00
SRB 55	55	270	518.00	140.60
SRB 60	60	285	630.00	171.00
SRB 65	65	300	735.00	199.50
SRB 70	70	320	945.00	256.50
SRB 75	75	330	1085.00	294.50

SINGLE END RING STRAIGHT TYPE SPANNER



Code	Size	Length (mm)	AED	(US\$)
SERS 22	22	190	77.00	20.90
SERS 24	24	215	98.00	26.60
SERS 27	27	230	140.00	38.00
SERS 30	30	255	168.00	45.60
SERS 32	32	265	217.00	58.90
SERS 36	36	295	259.00	70.30
SERS 41	41	330	308.00	83.60
SERS 46	46	365	392.00	106.40
SERS 50	50	400	462.00	125.40

SINGLE RING END DEEP OFFSET TYPE SPANNER



Code	Size	Length (mm)	AED	(US\$)
SEDRS22	22	190	98.00	26.60
SEDRS24	24	215	112.00	30.40
SEDRS27	27	230	140.00	38.00
SEDRS30	30	255	168.00	45.60
SEDRS32	32	265	224.00	60.80
SEDRS36	36	295	259.00	70.30
SEDRS41	41	330	336.00	91.20
SEDRS46	46	365	406.00	110.20
SEDRS50	50	400	490.00	133.00
SEDRS55	55	445	651.00	176.70
SEDRS60	60	474	735.00	199.50
SEDRS65	65	510	910.00	247.00
SEDRS70	70	555	1015.00	275.50
SEDRS75	75	590	1155.00	313.50
SEDRS80	80	620	1400.00	380.00
SEDRS85	85	665	1610.00	437.00
SEDRS90	90	700	1820.00	494.00
SEDRS100	100	740	2030.00	551.00

SINGLE OPEN END SPANNER



HIGH GRADE
CrV

CHROME VANADIUM STEEL

Head Set at 15° angle.

German Type Engineers Spanner with a raised collar around the open end.

Forged from Chrome Vanadium / Alloy Steel.

Black Phosphated.

Code	Sizes (mm)	AED	(US\$)	Code	Sizes (mm)	AED	(US\$)	Code	Sizes (mm)	AED	(US\$)
SE6	6	3.36	0.91	SE38	38	15.05	4.09	SE71	71	315.00	85.50
SE7	7	3.36	0.91	SE39	39	25.20	6.84	SE72	72	315.00	85.50
SE8	8	3.36	0.91	SE40	40	21.00	5.70	SE73	73	315.00	85.50
SE9	9	3.36	0.91	SE41	41	21.00	5.70	SE74	74	315.00	85.50
SE10	10	3.36	0.91	SE42	42	28.00	7.60	SE75	75	224.00	60.80
SE11	11	3.36	0.91	SE43	43	35.00	9.50	SE76	76	315.00	85.50
SE12	12	3.36	0.91	SE44	44	37.80	10.26	SE78	78	315.00	85.50
SE13	13	4.20	1.14	SE45	45	37.80	10.26	SE79	79	350.00	95.00
SE14	14	4.20	1.14	SE46	46	26.60	7.22	SE80	80	378.00	102.60
SE15	15	4.20	1.14	SE47	47	49.00	13.30	SE83	83	420.00	114.00
SE16	16	4.20	1.14	SE48	48	40.60	11.02	SE85	85	476.00	129.20
SE17	17	4.20	1.14	SE49	49	59.50	16.15	SE86	86	525.00	142.50
SE18	18	4.20	1.14	SE50	50	39.90	10.83	SE89	89	595.00	161.50
SE19	19	4.90	1.33	SE51	51	77.00	20.90	SE90	90	679.00	184.30
SE20	20	5.46	1.48	SE52	52	77.00	20.90	SE95	95	756.00	205.20
SE21	21	5.46	1.48	SE53	53	77.00	20.90	SE98	98	910.00	247.00
SE22	22	5.46	1.48	SE54	54	77.00	20.90	SE100	100	980.00	266.00
SE23	23	7.14	1.94	SE55	55	58.80	15.96	SE102	102	1050.00	285.00
SE24	24	7.70	2.09	SE56	56	77.00	20.90	SE105	105	1120.00	304.00
SE25	25	11.55	3.14	SE57	57	84.00	22.80	SE110	110	1610.00	437.00
SE26	26	11.55	3.14	SE58	58	84.00	22.80	SE115	115	1820.00	494.00
SE27	27	7.56	2.05	SE59	59	92.40	25.08	SE120	120	2100.00	570.00
SE28	28	11.55	3.14	SE60	60	84.00	22.80	SE125	125	2380.00	646.00
SE29	29	11.55	3.14	SE61	61	161.70	43.89	SE130	130	2520.00	684.00
SE30	30	9.66	2.62	SE62	62	161.70	43.89	SE135	135	2800.00	760.00
SE31	31	12.60	3.42	SE63	63	184.80	50.16	SE140	140	3920.00	1064.00
SE32	32	10.85	2.95	SE65	65	108.50	29.45	SE145	145	4060.00	1102.00
SE33	33	14.00	3.80	SE66	66	252.00	68.40	SE150	150	4270.00	1159.00
SE34	34	12.60	3.42	SE67	67	252.00	68.40	SES12	SET 12 PCS 6-22MM	50.40	13.68
SE35	35	16.80	4.56	SE68	68	252.00	68.40	SES20	SET 20 PCS 6-32MM	140.00	38.00
SE36	36	14.70	3.99	SE69	69	280.00	76.00				
SE37	37	21.00	5.70	SE70	70	175.00	47.50				

Many more sizes can be produced against specific orders.

www.deneerstools.com

SINGLE OPEN END SPANNER



HIGH GRADE

CrV

SAE
SIZES

Forged from Chrome Vanadium / Alloy Steel.

WW
SIZES

CHROME VANADIUM STEEL

Item Code	Sizes (SAE)	AED	(US\$)
SE3/4 A	3/4	7.00	1.90
SE13/16 A	13/16	9.10	2.47
SE7/8 A	7/8	10.50	2.85
SE15/16 A	15/16	10.50	2.85
SE1 A	1	11.90	3.23
SE1.1/16 A	1.1/16	14.70	3.99
SE1.1/8 A	1.1/8	14.70	3.99
SE1.3/16 A	1.3/16	16.80	4.56
SE1.1/4 A	1.1/4	16.80	4.56
SE1.5/16 A	1.5/16	18.90	5.13
SE1.3/8 A	1.3/8	21.00	5.70
SE1.7/16 A	1.7/16	21.00	5.70
SE1.1/2 A	1.1/2	21.00	5.70
SE1.5/8 A	1.5/8	29.40	7.98
SE1.11/16 A	1.11/16	37.80	10.26
SE1.3/4 A	1.3/4	42.00	11.40
SE1.13/16 A	1.13/16	42.00	11.40
SE1.7/8 A	1.7/8	71.40	19.38
SE2 A	2	71.40	19.38
SE2.1/16 A	2.1/16	79.80	21.66
SE2.1/8 A	2.1/8	88.20	23.94
SE2.3/16 A	2.3/16	96.60	26.22
SE2.1/4 A	2.1/4	109.20	29.64
SE2.3/8 A	2.3/8	138.60	37.62
SE2.7/16 A	2.7/16	161.70	43.89
SE2.1/2 A	2.1/2	184.80	50.16
SE2.9/16 A	2.9/16	210.00	57.00
SE2.5/8 A	2.5/8	252.00	68.40
SE2.3/4 A	2.3/4	277.20	75.24
SE2.15/16 A	2.15/16	294.00	79.80
SE3 A	3	294.00	79.80
SE3.1/8 A	3.1/8	336.00	91.20
SE3.1/4 A	3.1/4	420.00	114.00
SE3.3/8 A	3.3/8	504.00	136.80
SE3.1/2 A	3.1/2	588.00	159.60
SE3.3/4 A	3.3/4	672.00	182.40
SE3.7/8 A	3.7/8	882.00	239.40
SE4 A	4	1092.00	296.40

Code	Bolt Size	Sizes (WW)	AED	(US\$)
SE 3/16B	for 3/16 Bolt	1/8 WW	8.40	2.28
SE 1/4B	for 1/4 Bolt	3/16 WW	8.40	2.28
SE 5/16B	for 5/16 Bolt	1/4 WW	9.10	2.47
SE 3/8B	for 3/8 Bolt	5/16 WW	9.10	2.47
SE 7/16B	for 7/16 Bolt	3/8 WW	9.80	2.66
SE 1/2B	for 1/2 Bolt	7/16 WW	9.80	2.66
SE 9/16B	for 9/16 Bolt	1/2 WW	10.50	2.85
SE 5/8B	for 5/8 Bolt	9/16 WW	11.20	3.04
SE 11/16B	for 11/16 Bolt	5/8 WW	12.60	3.42
SE 3/4B	for 3/4 Bolt	11/16 WW	14.00	3.80
SE 7/8B	for 7/8 Bolt	3/4 WW	16.80	4.56
SE 15/16B	for 15/16 Bolt	13/16 WW	18.90	5.13
SE 1B	for 1 Bolt	7/8 WW	23.10	6.27
SE 15/16W		15/16 WW	25.20	6.84
SE 1.1/8B	for 1.1/8 Bolt	1 WW	25.20	6.84
SE 1-1/4B	for 1-1/4 Bolt	1-1/8 WW	42.00	11.40
SE 1.3/8B	for 1.3/8 Bolt	1.1/4 WW	71.40	19.38
SE 1-1/2B	for 1-1/2 Bolt	1-3/8 WW	84.00	22.80
SE 1.5/8B	for 1.5/8 Bolt	1.1/2 WW	184.80	50.16
SE 1.3/4B	for 1.3/4 Bolt	1.5/8 WW	224.00	60.80
SE 2B	for 2 Bolt	1.3/4 WW	277.20	75.24
SE 2.1/4B	for 2.1/4 Bolt	-	315.00	85.50
SE 2.1/2B	for 2.1/2 Bolt	-	420.00	114.00
SE 2.3/4B	for 2.3/4 Bolt	-	490.00	133.00
SE 3B	for 3 Bolt	-	560.00	152.00
SE 3.1/4B	for 3.1/4 Bolt	-	630.00	171.00
SE 3.1/2B	for 3.1/2 Bolt	-	735.00	199.50
SE 4B	for 4 Bolt	-	805.00	218.50

Many more sizes can be produced against specific orders.

www.deneerstoos.com

DEEP OFFSET SLOGGING RING SPANNER ROUND HANDLE



Black Phosphated.

Pipe Extension can be used for extra leverage.

Manufactured from Chrome Vanadium / Alloy Steel.

Pipe Extension
 can be used for
 Extra Leverage.

Heavy Duty Impact Spanner ideal to be used with club or pneumatic hammer.

Code	Size (mm)	AED	(US\$)
SRDRH22	22	94.50	25.65
SRDRH24	24	140.00	38.00
SRDRH27	27	140.00	38.00
SRDRH30	30	147.00	39.90
SRDRH32	32	147.00	39.90
SRDRH36	36	210.00	57.00
SRDRH41	41	266.00	72.20
SRDRH42	42	301.00	81.70
SRDRH46	46	301.00	81.70
SRDRH50	50	329.00	89.30
SRDRH55	55	441.00	119.70
SRDRH60	60	490.00	133.00
SRDRH65	65	840.00	228.00
SRDRH70	70	875.00	237.50
SRDRH75	75	910.00	247.00
SRDRH80	80	980.00	266.00
SRDRH85	85	1050.00	285.00
SRDRH90	90	1120.00	304.00
SRDRH95	95	1260.00	342.00
SRDRH100	100	1400.00	380.00
SRDRH105	105	1820.00	494.00
SRDRH110	110	2380.00	646.00
SRDRH115	115	2940.00	798.00
SRDRH120	120	3220.00	874.00

PIPE EXTENSION

(FOR OPERATING DEEP OFFSET
 SLOGGING RING SPANNER ROUND HANDLE)



Code	Pipe Length Size (mm)	AED	(US\$)
PE460	460mm	75.60	20.52
PE610	610mm	100.80	27.36
PE760	760mm	142.80	38.76
PE860	860mm	246.40	66.88

DEEP OFFSET SLOGGING RING SPANNERS



Manufactured from Selected Steel.

Fully Hardened and Tempered.

To use with club hammer or pneumatic hammer for tightening or loosening.

Code	Sizes (mm)	AED	(US\$)
SRD23	23	161.00	43.70
SRD24	24	217.00	58.90
SRD27	27	217.00	58.90
SRD28	28	161.00	43.70
SRD29	29	161.00	43.70
SRD30	30	266.00	72.20
SRD32	32	161.00	43.70
SRD33	33	231.00	62.70
SRD34	34	231.00	62.70
SRD36	36	224.00	60.80
SRD37	37	280.00	76.00
SRD38	38	385.00	104.50
SRD41	41	266.00	72.20
SRD42	42	350.00	95.00
SRD43	43	350.00	95.00
SRD44	44	350.00	95.00
SRD46	46	308.00	83.60
SRD47	47	385.00	104.50
SRD48	48	385.00	104.50
SRD50	50	336.00	91.20
SRD51	51	420.00	114.00
SRD52	52	420.00	114.00
SRD54	54	420.00	114.00
SRD55	55	434.00	117.80
SRD57	57	490.00	133.00

Code	Sizes (mm)	AED	(US\$)
SRD60	60	490.00	133.00
SRD61	61	560.00	152.00
SRD63	63	630.00	171.00
SRD64	64	700.00	190.00
SRD65	65	805.00	218.50
SRD70	70	875.00	237.50
SRD75	75	910.00	247.00
SRD76	76	910.00	247.00
SRD80	80	1015.00	275.50
SRD85	85	1085.00	294.50
SRD90	90	1155.00	313.50
SRD95	95	1225.00	332.50
SRD96	96	1400.00	380.00
SRD100	100	1365.00	370.50
SRD105	105	1575.00	427.50
SRD107	107	1680.00	456.00
SRD110	110	1680.00	456.00
SRD115	115	1960.00	532.00
SRD120	120	3640.00	988.00
SRD125	125	4200.00	1140.00
SRD130	130	4760.00	1292.00
SRD135	135	4900.00	1330.00
SRD140	140	5110.00	1387.00
SRD145	145	5180.00	1406.00
SRD150	150	5460.00	1482.00

DEEP OFFSET SLOGGING RING SPANNERS

**SAE
SIZES**



**S
P
A
N
N
E
R
S**

Manufactured from Selected Steel.

Fully Hardened and Tempered.

To use with club hammer or pneumatic hammer for tightening or loosening.

Code	Sizes (SAE)	AED	(US\$)	Code	Sizes (SAE)	AED	(US\$)
SRD7/8 A	7/8	126.00	34.20	SRD2.1/2 A	2.1/2	730.80	198.36
SRD15/16 A	15/16	159.60	43.32	SRD2.9/16 A	2.9/16	735.00	199.50
SRD1 A	1	210.00	57.00	SRD2.5/8 A	2.5/8	760.20	206.34
SRD1.1/16 A	1.1/16	231.00	62.70	SRD2.11/16 A	2.11/16	899.50	244.15
SRD1.1/8 A	1.1/8	243.60	66.12	SRD2.3/4 A	2.3/4	924.00	250.80
SRD1.3/16 A	1.3/16	268.10	72.77	SRD2.13/16 A	2.13/16	955.50	259.35
SRD1.1/4 A	1.1/4	281.40	76.38	SRD2.7/8 A	2.7/8	1003.80	272.46
SRD1.5/16 A	1.5/16	343.00	93.10	SRD2.15/16 A	2.15/16	1008.00	273.60
SRD1.3/8 A	1.3/8	348.60	94.62	SRD3 A	3	1176.00	319.20
SRD1.7/16 A	1.7/16	357.00	96.90	SRD3.1/16 A	3.1/16	1428.00	387.60
SRD1.1/2 A	1.1/2	369.06	100.32	SRD3.1/8 A	3.1/8	1432.20	388.74
SRD1.9/16 A	1.9/16	378.00	102.60	SRD3.3/16 A	3.3/16	1463.00	397.10
SRD1.5/8 A	1.5/8	390.60	106.02	SRD3.1/4 A	3.1/4	1516.20	411.54
SRD1.11/16 A	1.11/16	462.00	125.40	SRD3.5/16 A	3.5/16	1522.50	413.25
SRD1.3/4 A	1.3/4	462.00	125.40	SRD3.3/8 A	3.3/8	1549.80	420.66
SRD1.13/16 A	1.13/16	483.00	131.10	SRD3.7/16 A	3.7/16	1575.00	427.50
SRD1.7/8 A	1.7/8	520.80	141.36	SRD3.1/2 A	3.1/2	1814.40	492.48
SRD1.15/16 A	1.15/16	529.20	143.64	SRD3.9/16 A	3.9/16	1827.00	495.90
SRD2 A	2	541.80	147.06	SRD3.5/8 A	3.5/8	1890.00	513.00
SRD2.1/16 A	2.1/16	602.00	163.40	SRD3.11/16 A	3.11/16	2033.50	551.95
SRD2.1/8 A	2.1/8	604.80	164.16	SRD3.3/4 A	3.3/4	2121.00	575.70
SRD2.3/16 A	2.3/16	630.00	171.00	SRD3.13/16 A	3.13/16	2247.00	609.90
SRD2.1/4 A	2.1/4	663.60	180.12	SRD3.7/8 A	3.7/8	2251.20	611.04
SRD2.5/16 A	2.5/16	668.50	181.45	SRD3.15/16 A	3.15/16	2348.50	637.45
SRD2.3/8 A	2.3/8	668.50	181.45	SRD4 A	4	2373.00	644.10
SRD2.7/16 A	2.7/16	760.20	206.34	-	-		

CONSTRUCTION WRENCH WITH PIN



Code	Size	Length (mm)	AED	(US\$)
CSWP17	17	220	84.00	22.80
CSWP19	19	240	84.00	22.80
CSWP22	22	260	91.00	24.70
CSWP24	24	280	112.00	30.40
CSWP27	27	300	126.00	34.20
CSWP30	30	320	196.00	53.20
CSWP32	32	340	217.00	58.90
CSWP36	36	360	273.00	74.10
CSWP41	41	380	364.00	98.80
CSWP46	46	400	448.00	121.60
CSWP50	50	420	532.00	144.40
CSWP55	55	450	602.00	163.40
CSWP60	60	480	714.00	193.80

STRIKING CONVEX BOX WRENCH



Code	Size	Length (mm)	AED	(US\$)
SCBW27	27	175	133.00	36.10
SCBW30	30	185	154.00	41.80
SCBW32	32	185	175.00	47.50
SCBW36	36	210	245.00	66.50
SCBW41	41	227	280.00	76.00
SCBW46	46	245	385.00	104.50
SCBW50	50	257	455.00	123.50
SCBW55	55	267	525.00	142.50
SCBW60	60	278	630.00	171.00
SCBW65	65	298	735.00	199.50
SCBW70	70	320	854.00	231.80
SCBW75	75	326	945.00	256.50

STRAIGHT SLOGGING BOX WRENCH (AMERICAN TYPE)

CONSTRUCTION WRENCH



Code	Size	Length (mm)	AED	(US\$)
CSW 17	17	310	84.00	22.80
CSW 19	19	330	98.00	26.60
CSW 22	22	350	119.00	32.30
CSW 24	24	370	140.00	38.00
CSW 27	27	400	189.00	51.30
CSW 30	30	430	217.00	58.90
CSW 32	32	430	224.00	60.80
CSW 36	36	460	280.00	76.00
CSW 41	41	490	371.00	100.70
CSW 46	46	520	504.00	136.80
CSW 50	50	540	595.00	161.50
CSW 55	55	560	700.00	190.00
CSW 60	60	610	777.00	210.90
CSW 65	65	630	840.00	228.00
CSW 70	70	630	910.00	247.00
CSW 75	75	665	980.00	266.00
CSW 80	80	690	1190.00	323.00
CSW 85	85	690	1330.00	361.00
CSW 90	90	710	1470.00	399.00
CSW 95	95	710	1610.00	437.00
CSW 100	100	730	1750.00	475.00
CSW 110	110	750	2170.00	589.00



Code	Size	Length (mm)	AED	(US\$)
SSBW 27	27	250	213.50	57.95
SSBW 30	30	256	231.00	62.70
SSBW 32	32	260	238.00	64.60
SSBW 36	36	270	308.00	83.60
SSBW 41	41	278	371.00	100.70
SSBW 46	46	287	483.00	131.10
SSBW 50	50	296	539.00	146.30
SSBW 55	55	303	616.00	167.20
SSBW 60	60	315	665.00	180.50
SSBW 65	65	322	798.00	216.60
SSBW 70	70	325	896.00	243.20
SSBW 75	75	338	1078.00	292.60
SSBW 80	80	348	1274.00	345.80
SSBW 85	85	355	1680.00	456.00
SSBW 90	90	360	1820.00	494.00
SSBW 95	95	365	2030.00	551.00
SSBW100	100	375	2240.00	608.00
SSBW105	105	385	2800.00	760.00
SSBW110	110	400	2940.00	798.00
SSBW115	115	415	3150.00	855.00
SSBW120	120	430	3500.00	950.00



Revolution in Hand Tools

VICE GRIP PLIER



Code	Size	Weight in Gms	AED	(US\$)
DN1641-5	125mm- 5	160	35.00	9.50
DN1641-7	175mm- 7	370	38.50	10.45
DN1641-10	250mm- 10	550	49.00	13.30

COMBINATION PLIER - PROFESSIONAL SERIES



JUMBO
SIZES

Hardened And Tempered

Code	Size	AED	(US\$)
MCP10	MCP-10/250mm	77.00	20.90
MCP12	MCP-12/300mm	105.00	28.50

MINI PLIERS

Made from Selected Alloy Steel
Induction Hardened

Code	Description	Length mm	AED	(US\$)
DN1401P	Flat Nose	125	13.23	3.59
DN1402P	Round Nose	125	13.23	3.59
DN1403P	Long Nose	125	13.23	3.59
DN1404P	Bent Nose	125	13.23	3.59
DN1405P	Side Cutting	125	13.23	3.59
DN1406P	End Cutting	125	13.23	3.59
DN1407P	Combination	125	13.23	3.59
DN1408P	Long Needle Nose	125	13.23	3.59
DN1409P	Long Needle Bent Nose	125	13.23	3.59



MINI PLIERS (BLISTER PACKING)

Made from Selected Alloy Steel
Induction Hardened

Code	Description	Length mm	AED	(US\$)
DN1401B	Flat Nose	125	15.40	4.18
DN1402B	Round Nose	125	15.40	4.18
DN1403B	Long Nose	125	15.40	4.18
DN1404B	Bent Nose	125	15.40	4.18
DN1405B	Side Cutting	125	15.40	4.18
DN1406B	End Cutting	125	15.40	4.18
DN1407B	Combination	125	15.40	4.18
DN1408B	Long Needle Nose	125	15.40	4.18
DN1409B	Long Needle Bent Nose	125	15.40	4.18



MICRO JEWELLERY PLIERS

Made from Selected Alloy Steel
Induction Hardened

Code	Description	Length mm	AED	(US\$)
DN1411	Flat Nose	80	10.50	2.85
DN1412	Round Nose	80	10.50	2.85
DN1413	Long Nose	80	10.50	2.85
DN1414	Bent Nose	80	10.50	2.85
DN1415	Side Cutting	80	10.50	2.85



LONG REACH MINI PLIERS

Made from Selected Alloy Steel
Induction Hardened

Code	Description	Length mm	AED	(US\$)
DN1453	Long Nose Long Reach Mini Pliers	160	14.70	3.99
DN1455	Side Cutting Long Reach Mini Pliers	150	14.70	3.99



WATER PUMP PLIER BOX JOINT WITH DIP INSULATION-RED WPP

Anti-Slip grooves

Multi position adjustment

Soft Grip Handles.

Fully Hardened and Tempered



DIN ISO 8976 C

HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size (mm)	AED	(US\$)
WPPR7	175	16.80	4.56
WPPR10	250	16.80	4.56
WPPR12	300	48.30	13.11
WPPR16	400	96.60	26.22



WATER PUMP PLIER - GROOVE JOINT

Rigid double grooves.

Anti Slip.

Soft Grip Handles.

Fully Hardened and Tempered



DIN ISO 8976 B

HIGH GRADE
CrV

CHROME VANADIUM STEEL

Code	Size (mm)	AED	(US\$)
DN1225/10	250mm (with insulation)	30.80	8.36
DN1226/12	300mm (with insulation)	47.95	13.02
DN1227/16	400mm (with insulation)	126.00	34.20



REVOLVING PUNCH PLIER

Made from Selected Alloy Steel

Induction Hardened

Code	Size	AED	(US\$)
RPP8	200mm	75.60	20.52



COMBINATION PLIER- HEAVY DUTY

Fully Hardened and Tempered.

High Alloy Steel.

Code	Size	AED	(US\$)
CPHD6	150mm-6	13.65	3.71
CPHD7	175mm-7	16.94	4.60
CPHD8	210mm-8	16.94	4.60
CPHD8S	1621/8 Special C60 Material	20.16	5.47



COMBINATION PLIER- HEAVY DUTY- PROFESSIONAL SERIES

BLISTER
PACKING

Fully Hardened and Tempered.

High Alloy Steel.

Code	Size	AED	(US\$)
CPHD8P	200mm-8	23.80	6.46



SLIP JOINT PLIERS WITH DIP INSULATION

Fully Hardened and Tempered.

High Alloy Steel.

Code	Sizes (mm)	AED	(US\$)
SJP236	150mm-6	9.59	2.60
SJP238	200mm-8	10.08	2.74



FENCING PLIER- HEAVY DUTY

Fully Hardened and Tempered.

High Alloy Steel.

Code	Sizes	AED	(US\$)
FPHD10	250mm-10	84.00	22.80



SIDE CUTTING PLIERS-A

Induction Hardened Cutting Edges.
 Round Shape Jaws for improved access in confined areas.
 Ergonomic Sleeve design

Code	Size	AED	(US\$)
SCP11216	150mm-6	15.40	4.18



SIDE CUTTING PLIERS-B PROFESSIONAL SERIES

Induction Hardened Cutting Edges.
 Round Shape Jaws for improved access in confined areas.
 Ergonomic Sleeve design

Code	Size	AED	(US\$)
SCP11218P	200mm	18.90	5.13



LONG NOSE PLIERS

Serrated Jaws ensures gripping power.
 Ergonomic Sleeve design

Code	Description	Length mm	AED	(US\$)
LNP1430/6	Long Nose	150mm-6	14.63	3.97
LNP1430/8	Long Nose	200mm-8	21.56	5.85
FNP1421/6	Flat Nose	165mm-6	20.02	5.43
RNP1431/6	Round Nose	165mm-6	18.20	4.94
ELNP11	Extra Long Nose	275mm-11	39.27	10.66
ELNP13	Extra Long Nose	325mm-13	61.60	16.72



BENT NOSE PLIER

Induction Hardened Cutting Edges.
 Thin Nose Profile gets into tight spaces.
 Ergonomic Sleeve design.

Code	Description	Length mm	AED	(US\$)
BNP6	Bent Nose	165	18.34	4.98
BNP8	Bent Nose	200	24.15	6.56
BNP13	Bent Nose	325	57.96	15.73



CIRCLIP PLIERS

INTERNAL STRAIGHT - # 1441
INTERNAL BENT - # 1442



Induction Hardened tips for strength and performance.
Designed for the easy installation & removal of circlips.
Ideal for use in confined areas.

Code	Sizes (mm)	Capacity	AED	(US\$)
1441-7	175mm-7	19-60mm	20.30	5.51
1442-7	175mm-7	19-60mm	20.30	5.51

EXTERNAL STRAIGHT - # 1443
EXTERNAL BENT - # 1444



Induction Hardened tips for strength and performance.
Designed for the easy installation & removal of circlips.
Ideal for use in confined areas.

Code	Sizes (mm)	Capacity	AED	(US\$)
1443-7	175mm-7	19-60mm	20.30	5.51
1444-7	175mm-7	19-60mm	20.30	5.51

CIRCLIP PLIER SET 4 PCS SET



Code	Contents	Sizes (mm)	AED	(US\$)
CRPS4	Internal Straight	175mm-7	91.00	24.70
	External Straight	175mm-7		
	Internal Bent	175mm-7		
	External Bent	175mm-7		

COBBLER Pincer-WITH DIP INSULATION



Code	Size (mm)	AED	(US\$)
DN/1541/6	150	15.12	4.10
DN/1541/8	200	16.80	4.56

CIRCLIP PLIERS

INTERNAL STRAIGHT - # 1441
INTERNAL BENT - # 1442



Induction Hardened tips for strength and performance.
Designed for the easy installation & removal of circlips.
Ideal for use in confined areas.

Code	Sizes (mm)	Capacity	AED	(US\$)
1441-5	125mm-5	8-25mm	19.60	5.32
1441-9	225mm-9	40-100mm	38.50	10.45
1441-13	325mm-13	85-165mm	65.10	17.67
1441-18	450mm-18	(Printed Polybag)	105.00	28.50
1442-5	125mm-5	8-25mm	19.60	5.32
1442-9	225mm-9	40-100mm	38.50	10.45
1442-13	325mm-13	85-165mm	65.10	17.67
1442-18	450mm-18	(Printed Polybag)	105.00	28.50

EXTERNAL STRAIGHT - # 1443

EXTERNAL BENT - # 1444



Induction Hardened tips for strength and performance.
Designed for the easy installation & removal of circlips.
Ideal for use in confined areas.

Code	Sizes (mm)	Capacity	AED	(US\$)
1443-5	125mm-5	8-25mm	19.60	5.32
1443-9	225mm-9	40-100mm	38.50	10.45
1443-13	325mm-13	85-165mm	65.10	17.67
1443-18	450mm-18	(Printed Polybag)	105.00	28.50
1444-5	125mm-5	8-25mm	19.60	5.32
1444-9	225mm-9	40-100mm	38.50	10.45
1444-13	325mm-13	85-165mm	65.10	17.67
1444-18	450mm-18	(Printed Polybag)	105.00	28.50

TOWER PINCER



Code	Size (mm)	AED	(US\$)
TP8	200	26.60	7.22

ADJUSTABLE WRENCHES (PHOSPHATE FINISH)

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

Code	Length (mm)	Opening Capacity (mm)	AED	(US\$)
AW11694P	100	14	20.79	5.64
AW11706P	155	19	15.40	4.18
AW11718P	205	26	17.57	4.77
AW117210P	255	30	23.10	6.27
AW117312P	305	35	30.03	8.15
AW117415P	380	43	70.00	19.00
AW117518P	445	55	209.44	56.85
AW117624P	606	62	331.10	89.87
AW117730P	780	90	1750.00	475.00
AW117836P	900		3570.00	969.00
AW117948P	1200		4550.00	1235.00



ADJUSTABLE WRENCHES (CHROME FINISH)

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

Code	Length (mm)	Opening Capacity (mm)	AED	(US\$)
AW11694C	100	14	23.10	6.27
AW11706C	155	19	16.94	4.60
AW11718C	205	26	19.25	5.23
AW117210C	255	30	26.95	7.51
AW117312C	305	35	35.42	9.61
AW117415C	380	43	77.00	20.90
AW117518C	445	55	246.40	66.80
AW117624C	606	62	385.00	104.50
AW117730C	780	90	1960.00	532.00



ADJUSTABLE WRENCHES (WITH SOFT GRIP)

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

Code	Length (mm)	Opening Capacity (mm)	AED	(US\$)
AW11706SG	155	19	17.50	4.75
AW11718SG	205	26	23.10	6.27
AW117210SG	255	30	31.50	8.55
AW117312SG	305	35	38.50	10.45
AW117415SG	380	43	80.50	21.85



ADJUSTABLE WRENCHES (PHOSPHATE FINISH) (BLISTER PACKING)

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

Code	Length (mm)	Opening Capacity (mm)	AED	(US\$)
AW11694P	100	14	24.79	6.77
AW11706P	155	19	18.48	5.02
AW11718P	205	26	21.08	5.72
AW117210P	255	30	27.72	7.52
AW117312P	305	35	36.04	9.78
AW117415P	380	43	84.00	22.80
AW117518P	445	55	251.33	68.22
AW117624P	606	62	397.32	107.84
AW117730P	780	90	2100.00	570.00
AW117836P	900		4284.00	1162.80
AW117948P	1200		5460.00	1482.00



ADJUSTABLE WRENCHES (CHROME FINISH) (BLISTER PACKING)

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

Code	Length (mm)	Opening Capacity (mm)	AED	(US\$)
AW11694C	100	14	27.70	7.50
AW11706C	155	19	20.30	5.50
AW11718C	205	26	23.10	6.30
AW117210C	255	30	32.30	9.00
AW117312C	305	35	42.50	11.50
AW117415C	380	43	92.40	25.10
AW117518C	445	55	295.70	80.20
AW117624C	606	62	462.00	125.40
AW117730C	780	90	2352.00	638.40



PIPE WRENCHES STILLSON PATTERN (BLISTER PACKING)

Forged from High Quality Steel.

Double Spring system which ensures anti-slipping & ratcheting action.

More Depth of Jaws for firmly gripping the work piece.

Jaws are Induction Hardened for longer life.

Code	Length (mm)	Opening Capacity (mm)	AED	(US\$)
1271-8	200	26	20.20	5.50
1272-10	250	33	25.20	6.80
1273-12	300	42	34.40	9.30
1274-14	350	48	40.30	10.90
1275-18	450	60	68.00	18.50
1276-24	600	73	121.00	32.80
1277-36	900	95	282.20	76.60
1278-48	1200	166	524.20	142.30
1279-60	1500	220	2620.80	711.40



PIPE WRENCHES STILLSON PATTERN

Forged from High Quality Steel.

Double Spring system which ensures anti-slipping & ratcheting action.

More Depth of Jaws for firmly gripping the work piece.

Jaws are Induction Hardened for longer life.

Code	Length (mm)	Opening Capacity (mm)	AED	(US\$)
1271-8	200	26	16.80	4.56
1272-10	250	33	21.00	5.70
1273-12	300	42	28.70	7.79
1274-14	350	48	33.60	9.12
1275-18	450	60	56.70	15.39
1276-24	600	73	100.80	27.36
1277-36	900	95	235.20	63.84
1278-48	1200	166	436.80	118.56
1279-60	1500	220	2184.00	592.80



PIPE WRENCHES-HEAVY DUTY

Handle made of malleable cast iron.

Hook & Heel Jaws induction hardened.

Efficient Design to improve productivity.

Code	Size (mm)	Opening Capacity (mm)	AED	(US\$)
116R-8 HD	200	35	27.30	7.41
116R-10 HD	250	49	39.90	10.83
116R-12 HD	300	60	53.20	14.44
116R-14 HD	350	60	74.20	20.14
116R-18 HD	450	76	122.50	33.25
116R-24 HD	600	90	175.00	47.50
116R-36 HD	900	140	329.00	89.30
116R-48 HD	1200	166	581.00	157.70
116R-60 HD	1500	220	2184.00	592.80



SPARES FOR PIPE WRENCHES-HEAVY DUTY

SET OF HOOK / HEEL JAWS, ROLLER, SPRING

Code	Size (mm)	AED	(US\$)
116R-12 SP	300	35.00	9.50
116R-14 SP	350	42.00	11.40
116R-18 SP	450	70.00	19.00
116R-24 SP	600	112.00	30.40
116R-36 SP	900	210.00	57.00
116R-48 SP	1200	350.00	95.00

90° BENT NOSE PIPE WRENCH



Code	Length	AED	(US\$)
90BNPW 3/4	3/4	56.00	15.20
90BNPW 1	1	64.40	17.48
90BNPW 1.5	1.5	92.40	25.08
90BNPW 2	2	123.20	33.44
90BNPW 3	3	168.00	45.60
90BNPW 4	4	240.80	65.36

45° BENT NOSE PIPE WRENCH



Code	Length	AED	(US\$)
45BNPW 1	1	64.40	17.48
45BNPW 1.5	1.5	92.40	25.08
45BNPW 2	2	128.80	34.96

S TYPE BENT NOSE PIPE WRENCH



Code	Length	AED	(US\$)
SBNPW 1/2	1/2	53.20	14.44
SBNPW 1	1	67.20	18.44
SBNPW 1.5	1.5	92.40	25.08
SBNPW 2	2	131.60	35.72

STRAP WRENCH



Drop Forged Handle.

Code	Size	AED	(US\$)
SW9	225mm - 9	70.00	19.00
SW11	275mm - 11	77.00	20.90

PIPE WRENCHES ALUMINUM



Code	Size (mm)	Opening Capacity (mm)	AED	(US\$)
116AL 10	250	49	73.50	19.95
116AL 12	300	60	112.00	30.40
116AL 14	350	60	119.00	32.30
116AL 18	450	76	231.00	62.70
116AL 24	600	90	273.00	74.10
116AL 36	900	140	518.00	140.60
116AL 48	1200	166	994.00	269.80

CHAIN PIPE WRENCHES - HEAVY DUTY (SOLID HANDLE)



* FORGED HANDLES

Salient Design Features : Specially Designed Double Sided Reversible and Interchangeable Forged Jaw to give Longer Life
Jaws Drop Forged from Alloy Steel.

Code	Size	Length (mm)	Chain Length (mm)	Capacity	AED	(US\$)
CPW3	3-75mm	710	475	90	147.00	39.90
* CPW4	4-100mm	920	585	115	280.00	76.00
* CPW6	6-150mm	1100	834	165	350.00	95.00
CPW8	8-200mm	1200	1100	220	378.00	102.60
CPW10	10-250mm	1400	1200	260	770.00	209.00
* CPW12	12-300mm	1610	1360	300	945.00	256.50
* CPW16	16-400mm	1750	1500	385	1120.00	304.00

* 300 & 400mm are Forged Handle

FILTER WRENCH : BELT TYPE



Code	Size	AED	(US\$)
FW9	225mm Long	23.80	6.46
FW12	300mm Long	37.10	10.07

TORQUE WRENCH



Hardened and Tempered

Calibration Certificate provided with each pc.

Induction Hardened

Code for Normal	Code for Ratchet	Square Drive	Capacity			Normal		Ratchet	
			Lb-ft	Nm	Kgf-m	AED	(US\$)	AED	(US\$)
TW8	TW8R	3/8	2-10	2.5-11	0.3-1.4	176.40	47.88	231.00	62.70
TW25	TW25R	3/8	5-25	5-35	0.5-3.5	189.00	51.30	273.00	74.10
TW50	TW50R	1/2	10-50	12-68	1 - 7	239.40	64.98	298.20	80.94
TW100	TW100R	1/2	20-100	25-135	3-14	273.00	74.10	344.40	93.48
TW160	TW160R	1/2	40-160	50-220	5-23	329.00	89.30	369.60	100.32
TW250	TW250R	1/2	50-250	70-330	7-35	371.00	100.70	441.00	119.70
TW400	TW400R	3/4	100-400	135-540	14-56	609.00	165.30	798.00	216.60
TW500	TW500R	3/4	100-500	135-675	14-70	861.00	233.70	1008.00	273.60
TW600	TW600R	3/4	140-600	200-810	22-82	1008.00	273.60	1176.00	319.20
TW750	TW750R	3/4	350-750	475-1050	49-105	1176.00	319.20	1344.00	364.80
TW1000	TW1000R	1	400-1000	540-1380	55-140	1512.00	410.40	1974.00	535.80
TW1400	TW1400R	1	750-1400	1000-1900	105-195	2436.00	661.20	3150.00	855.00
TW2000	TW2000R	1	1000-2000	1350-2700	135-275	2604.00	706.80	3850.00	1045.00

SQUARE COUPLER (FOR TORQUE WRENCHES)



Code	Drive	AED	(US\$)
SQC1/2	1/2	17.50	4.75
SQC3/4	3/4	28.00	7.60
SQC1	1	112.00	30.40

TORQUE WRENCH (CLICK TYPE)



**RATCHET
TYPE
ONLY**

Hardened and Tempered

Induction Hardened

Code	Item No.	Square Drive	Capacity Nm	AED	(US\$)
TW50CT	DN 50 (Ratchet type)	1/2	10-50	205.80	55.86
TW100CT	DN 100 (Ratchet type)	1/2	20-100	231.00	62.70
TW160CT	DN 160 (Ratchet type)	1/2	40-160	266.00	72.20
TW250CT	DN 250 (Ratchet type)	1/2	50-250	273.00	74.10
TW400CT	DN 400 (Ratchet type)	3/4	100-400	462.00	125.40

HOOK WRENCH



Code	Size (mm)	AED	(US\$)
HW1525	15 - 25	25.20	6.84
HW2030	20 - 30	25.20	6.84
HW2535	25 - 35	25.20	6.84
HW2832	28 - 32	25.20	6.84
HW3032	30 - 32	25.20	6.84
HW3040	30 - 40	33.60	9.12
HW3045	30 - 45	37.80	10.26
HW4042	40 - 42	33.60	9.12
HW4045	40 - 45	37.80	10.26
HW4050	40 - 50	37.80	10.26
HW4550	45 - 50	37.80	10.26
HW4552	45 - 52	46.20	12.54
HW4555	45 - 55	46.20	12.54
HW5055	50 - 55	46.20	12.54
HW5060	50 - 60	50.40	13.68
HW5255	52 - 55	46.20	12.54
HW5560	55 - 60	50.40	13.68
HW5562	55 - 62	56.70	15.39
HW5565	55 - 65	56.70	15.39
HW5658	56 - 58	56.70	15.39
HW5862	58 - 62	56.70	15.39
HW6070	60 - 70	63.00	17.10
HW6872	68 - 72	71.40	19.38
HW6875	68 - 75	71.40	19.38
HW7080	70 - 80	79.80	21.66
HW7090	70 - 90	75.60	20.52
HW7885	78 - 85	79.80	21.66
HW8090	80 - 90	79.80	21.66
HW85105	85 - 105	88.20	23.94
HW9095	90 - 95	88.20	23.94
HW90110	90 - 110	113.40	30.78
HW95100	95 - 100	88.20	23.94
HW100110	100 - 110	119.00	32.30
HW110115	110 - 115	119.00	32.30
HW110130	110 - 130	126.00	34.20
HW115130	115 - 130	140.00	38.00
HW130155	130 - 155	336.00	91.20
HW135145	135 - 145	134.40	36.48
HW150160	150 - 160	350.00	95.00
HW155180	155 - 180	364.00	98.80
HW165170	165 - 170	364.00	98.80
HW180200	180 - 200	378.00	102.60
HW200220	200 - 220	378.00	102.60
HW220260	220 - 260	420.00	114.00
HW220240	220 - 240	420.00	114.00

HOOK WRENCH (ADJUSTABLE)



Ideal for adjusting collars, lock nut rings and bearings.
Ideal for automotive, industrial, plumbing and hardware applications.

Phosphate & Chrome Finish.

Code	Size (mm)	AED	(US\$)
HW1535A	15-35 Adjustable	30.00	8.17
HW1950A	19-50 Adjustable	67.20	18.24
HW3275A	32-75 Adjustable	100.80	27.36
HW5080A	50-80 Adjustable	117.60	31.92
HW50120A	50-120 Adjustable	126.00	34.20
HW85105A	85-105 Adjustable	142.80	38.76
HW80120A	80-120 Adjustable	142.80	38.76
HW115170A	115-170 Adjustable	231.00	62.70
HW120180A	120-180 Adjustable	231.00	62.70

HOOK WRENCH (PIN TYPE)



Code	Size (mm)	AED	(US\$)
HWP1618	16 - 18	33.60	9.12
HWP1620	16 - 20	33.60	9.12
HWP2528	25 - 28	33.60	9.12
HWP3032	30 - 32	33.60	9.12
HWP3436	34 - 36	33.60	9.12
HWP4042	40 - 42	33.60	9.12
HWP4550	45 - 50	37.80	10.26
HWP5255	52 - 55	46.20	12.54
HWP5862	58 - 62	56.70	15.39
HWP6875	68 - 75	75.60	20.52
HWP8090	80 - 90	84.00	22.80
HWP95100	95 - 100	92.40	25.08
HWP5080A	50 - 80 Adjustable	130.20	35.34
HWP80120A	80-120 Adjustable	172.20	46.74
HWP120180A	120-180 Adjustable	256.20	69.54

HAND TORQUE MULTIPLIER



Code	Maximum Output Torque			Estimated Bolt Capacity		Input Square	Output Square	Recommended Torque Wrench	AED	(US\$)
	Lb-ft	Nm	Kgf-m	Inch	MM	Female	Male			
DNM-1	1250	1700	170	1.1/8	27	1/2	3/4	DN-250	1366.40	370.88
DNM-2	1250	1700	170	1.1/8	27	3/4	1	DN-250	1464.40	397.48
DNM-2/25	1250	1700	170	1.1/8	27	1/2	1	DN-50	2426.20	658.54
DNM-5	2000	2700	275	1.3/8	36	3/4	1	DN-400	1940.40	526.68
DNM-5/25	2000	2700	275	1.3/8	36	1/2	1	DN-100	3043.60	826.12
DNM-6	2500	3400	345	1.1/2	38	3/4	1.1/2	DN-600	2184.00	592.80
DNM-6/25	2500	3400	345	1.1/2	38	1/2	1.1/2	DN-100	3332.00	904.40
DNM-7	4500	6000	622	1.7/8	48	3/4	1.1/2	DN-750	3738.00	1014.60
DNM-7/25	4500	6000	622	1.7/8	48	1/2	1.1/2	DN-250	5352.20	1452.74
DNM-9/25	7000	9500	965	2.1/4	56	3/4	1.1/2	DN-400	11164.72	3030.42
DNM-9/125	7000	9500	965	2.1/4	56	1/2	1.1/2	DN-250	13130.60	3564.02
DNM-11/25	11060	15000	1500	3.3/4	68	3/4	2.1/2	DN-500	14492.24	3933.61
DNM-11/125	11060	15000	1500	3.3/4	68	1/2	2.1/2	DN-250	16048.20	4355.94
DNM-13/125	35000	47500	4750	4.1/2	114	3/4	2.1/2	DN-400	34042.12	9240.00

BOLT CUTTERS



Ideal for

Blades Drop forged from alloy steels.

Induction Hardened Cutting edges for maximum strength.

Grip Handles for ease of operations.

With Side Adjustment also.

Code	Size	Length (mm)	Cutting Capacity in Round Bar	AED	(US\$)
BC8	8	200	3mm	44.80	12.16
BC12	12	300	5mm	77.00	20.90
BC14	14	350	7mm	92.40	25.08
BC18	18	450	8mm	109.20	29.64
BC24	24	600	10mm	147.00	39.90
BC24PRO	24	600	10mm	203.00	55.10
BC30	30	750	13mm	210.00	57.00
BC36	36	900	16mm	252.00	68.40
BC42	42	1050	19mm	479.50	130.15
BC48	48	1200	22mm	623.00	169.10

SPARE BLADES SETS FOR BOLT CUTTER



Code	Size	Length (mm)	AED	(US\$)
BCS12	12	300	39.27	10.66
BCS14	14	350	46.20	12.54
BCS18	18	450	55.44	15.05
BCS24	24	600	74.20	20.14
BCS30	30	750	101.64	27.59
BCS36	36	900	112.00	30.40
BCS42	42	1050	224.00	60.80
BCS48	48	1200	295.68	80.26

CABLE CUTTER



Hardened and Tempered

Used for Cutting Copper & Aluminium Cable, not for Cutting ACSR, Wire Rope Steel, or Self Supporting Stand

Code	Size	Copper Conductor Cable Suitable	AED	(US\$)
CC6	6-150mm	6mm Dia	27.30	7.41
CC8	8-200mm	7mm Dia	36.40	9.88
CC10	10-250mm	8mm Dia	50.40	13.68
CC18	18-450mm	16mm Dia	161.00	43.70
CC24	24-600mm	175mm ² Cable	196.00	53.20
CC28	28-700mm	250mm ² Cable	273.00	74.10
CC30	30-750mm	300mm ² Cable	336.00	91.20
CC32	32-800mm	300mm ² Cable	308.00	83.60
CC36	36-900mm	430mm ² Cable	336.00	91.20
CC38	38-950mm	500mm ² Cable	385.00	104.50
CC42	42-1050mm	600mm ² Cable	392.00	106.40

WIRE ROPE CUTTER - HEAVY DUTY



Drop Forged Adaptor

Blade Drop-Forged from Chrome Vanadium Steel

Code	Size	Cutting Capacity	In Threaded Bolt	In Round Bar	AED	(US\$)
WRC14	350mm-14	25 HRC	10mm	8mm	203.00	55.10
WRC18	450mm-18	25 HRC	12mm	10mm	211.68	57.46
WRC24	600mm-24	25 HRC	12mm	10mm	267.12	72.50
WRC36	900mm-36	25 HRC	12mm	14mm	343.00	93.10
WRC42	1050mm-42	25 HRC	14mm	16mm	469.00	127.30
WRC48	1200mm-48	25 HRC	16mm	18mm	490.00	133.00

TIN CUTTER



Induction hardened cutting edges to cut sheets with ease.
Spring loaded handles.

Manufactured from selected steel

Code	Size	AED	(US\$)
TC8	8-200mm	30.10	8.17
TC10	10-250mm	40.25	10.93
TC12	12-300mm	52.50	14.25
TC14	14-350mm	60.20	16.34

TIN CUTTER - HEAVY DUTY AMERICAN SCISSOR TYPE



Code	Size	AED	(US\$)
TCST8	8-200mm	35.00	9.50
TCST10	10-250mm	46.20	12.54
TCST12	12-300mm	63.00	17.10

REBAR CUTTER & BENDER- FOR METAL BARS REBAR CUTTER & BENDER-(SOLID BARS CUTTER)



Code	Size	Length (mm)	Capacity	AED	(US\$)
RCB52	52	1320	16mm(5/8)	1764.00	478.80

WIRE STRIPPER & CUTTER



DOUBLE COLOUR SLEEVE (DCS)

Serrated Jaws for stripping & Cutting wires.

Spring Loaded Handles for ease for operation.

Code	Sizes (mm)	AED	(US\$)
WS5	130	4.90	1.33
*WS5DCS	130	6.00	1.63
WS6	150	6.30	1.71

*DOUBLE COLOUR SLEEVE (DCS)

ERGOMATIC WIRE STRIPPER & CUTTER



Code	Sizes (mm)	AED	(US\$)
EWS 06	160	23.80	6.46

PRUNING SHEAR CUTTER



Code	Sizes (mm)	AED	(US\$)
PSC-8	200	36.40	9.88

PVC PLASTIC PIPE CUTTERS



Code	Sizes (mm)	AED	(US\$)
PC-42	42mm Capacity	33.60	9.12

AVIATION CUTTERS



Forged & Heat Treated blades for strength and durability.

Ideal for cutting sheet metal, vinyl, plastic and many other applications.

Code	Description	Length	AED	(US\$)
ACSN10	Straight Nose	250	56.35	15.30
ACRN10	Right Nose	250	58.10	15.77
ACLN10	Left Nose	250	58.10	15.77

PLASTIC CUTTERS



Code	Sizes (mm)	AED	(US\$)
PC6	150	36.40	9.88

UTILITY KNIFE



Code	Size	Blade Size	AED	(US\$)
UK03	DN-UK-3 (with 3 Spare Blade)	60x19mm	19.60	5.32
UKSB03	Spare Blades for DN-UK-3	60x19mm	1.05	0.29

SNAP OFF CUTTERS



Code	Description	Blade Width (mm)	AED	(US\$)
SOC9	DNSKE 9	9mm	8.75	2.38
SOC18	DNSKE 18	18mm	7.35	2.00
SOCSB9	DNSKB 9 (BLADES)	9mm	8.75	2.38
SOCSB18	DNSKB 18 (BLADES)	18mm	8.05	2.19

WIRE BRUSH



Code	Size	AED	(US\$)
WB416	WIRE BRUSH	15.40	4.18

CUTTING BLADES



Code	Item	Size	PRICES ON REQUEST
MCBR4	Marble Cutting Blades	110mm (Rim)	
MCBR6	Marble Cutting Blades	150mm (Rim)	
MCBC4	Marble Cutting Blades	110mm (Cut)	
MCBC8	Marble Cutting Blades	200mm (Cut)	
MCBC10	Marble Cutting Blades	250mm (Cut)	
MCBT4	Marble Cutting Blades	110mm (Turbo)	
COW1N4	Cut Off Wheels-Green	107mm (4) x 1NET	
COW1N14	Cut Off Wheels-Green	355mm (14) x 1NET	

CUT OFF WHEELS - RED / BLACK COLOUR ALSO AVAILABLE

BALL PEIN HAMMERS



Hardened steel head for durability.

Handles are made from high quality wood and fitted with metal wedge to ensure permanent fittings.

Code	Size (gms)	AED	(US\$)
HB1	100	11.76	3.19
HB2	200	13.44	3.65
HB3	300	17.22	4.67
HB5	500	21.00	5.70
HB6	600	24.36	6.61
HB8	800	29.40	7.98
HB1000	1000	40.60	11.02

CROSS PEIN HAMMERS



Code	Size (gms)	AED	(US\$)
HC1	100	11.76	3.19
HC2	200	13.44	3.65
HC3	300	17.22	4.67
HC5	500	21.00	5.70
HC6	600	24.36	6.61
HC8	800	29.40	7.98
HC1000	1000	40.60	11.02

BALL PEIN HAMMER with Fiberglass Handle



Hardened steel head for durability.

Handles are made from high quality wood and fitted with metal wedge to ensure permanent fittings.

Code	Size (gms)	AED	(US\$)
HBT224	224	26.25	7.13
HBT336	336	28.56	7.75
HBT448	448	34.02	9.23
HBT500	500	42.00	11.40
HBT672	672	46.20	12.54
HBT896	896	46.20	12.54
HBT1000	1000	52.50	14.25
HBT1250	1250	67.20	18.24

CROSS PEIN HAMMER with Fiberglass Handle



Code	Size (gms)	AED	(US\$)
HCT224	224	26.25	7.13
HCT336	336	28.56	7.75
HCT448	448	34.02	9.23
HCT500	500	42.00	11.40
HCT672	672	46.20	12.54
HCT896	896	46.20	12.54
HCT1000	1000	52.50	14.25
HCT1250	1250	67.20	18.24

MACHINIST HAMMERS



Code	Size (gms)	AED	(US\$)
MHW100	100	11.90	3.23
MHW200	200	15.40	4.18
MHW300	300	18.90	5.13
MHW500	500	23.10	6.27
MHW800	800	32.90	8.93
MHW1000	1000	49.00	13.30
MHW1500	1500	77.00	20.90
MHW2000	2000	94.50	25.65

MACHINIST HAMMERS with Fiberglass Handle



Code	Size (gms)	AED	(US\$)
MHT1000	1000	56.00	15.20
MHT1500	1500	84.00	22.80
MHT2000	2000	105.00	28.50
MHT3000	3000	154.00	41.80

CLAW HAMMER (BENT HEAD) with Fiberglass Handle



Code	Size (gms)	AED	(US\$)
CLWH224	224 gms with TPR Handle	24.50	6.65
CLWH450	450 gms with TPR Handle	32.62	8.85
CLWH450MN	450 gms with TPR Handle (Magnetic Nail)	47.60	12.92

CLAW HAMMER (BENT HEAD) with Wooden Handle



Code	Size (gms)	AED	(US\$)
CLWH450W	450 gms (Ashwood Handle)	32.62	8.85

SLEDGE HAMMER - WITH WOODEN HANDLE



Code	Size (gms)	AED	(US\$)
SHW500	500	20.30	5.51
SHW1	1000	31.50	8.55
SHW1.5	1500	52.50	14.25
SHW2	2000	66.50	18.05
SHW2.5	2500	84.00	22.80
SHW3	3000	98.00	26.60
SHW4	4000	129.50	35.15
SHW5	5000	161.00	43.70
SHW6	6000	224.00	60.80
SHW7	7000	273.00	74.10
SHW8	8000	287.00	77.90
SHW10	10000	336.00	91.20

SLEDGE HAMMER HEAD ONLY



Code	Weight (Gms.)	AED	(US\$)
SHH 900	900	28.70	7.79
SHH 1350	1350	36.40	9.88
SHH 1800	1800	51.10	13.87
SHH 2700	2700	73.50	19.95
SHH 3600	3600	93.10	25.27
SHH 4500	4500	112.00	30.40
SHH 5400	5400	133.00	36.10
SHH 6300	6300	154.00	41.80
SHH 7200	7200	175.00	47.50
SHH 8100	8100	196.00	53.20
SHH 9000	9000	217.00	58.90

SLEDGE HAMMER WITH FIBERGLASS HANDLE



Code	Size (gms)	AED	(US\$)
SHF500	500	25.90	7.03
SHF1	1000	40.60	11.02
SHF1.5	1500	66.50	18.05
SHF2	2000	77.00	20.90
SHF2.5	2500	119.00	32.30
SHF3	3000	136.50	37.50
SHF4	4000	161.00	43.70
SHF5	5000	182.00	49.40
SHF6	6000	231.00	62.70
SHF7	7000	269.50	73.15
SHF8	8000	315.00	85.50
SHF10	10000	350.00	95.00

FIBERGLASS HANDLE FOR HAMMERS



Code	Size (gms)	AED	(US\$)
FH100	100 & 200 Gms (Ball/Cross Pein)	8.40	2.28
FH450	450 Gms (Claw Hammer)	17.50	4.75
FH500	500 & 800 Gms (Ball/Cross Pein)	17.50	4.75
FH1000	1 Kg & 2 Kg (Sledge Hammer)	24.50	6.65
FH4000	4 Kg, 5 Kg & 6 Kg (Sledge Hammer)	42.00	11.40

CLUB HAMMER with Fibreglass Handle



Code	Size (gms)	AED	(US\$)
CHT800	800	42.00	11.40
CHT1000	1000	49.00	13.30
CHT1250	1250	59.50	16.15
CHT1500	1500	70.00	19.00
CHT2000	2000	84.00	22.80

PVC RUBBER HAMMER



Code	Size	Weight (in Gms)	AED	(US\$)
RHW8	8 oz / 42mm	224	18.90	5.13
RHW16	16 oz / 55mm	448	23.10	6.27
RHW32	32 oz / 75mm	896	48.30	13.11
RHW48	48 oz / 100mm		73.50	19.95

White or Black Rubber.

Code	Size	Weight (in Gms)	AED	(US\$)
RHT8	8 oz / 42mm	224	24.50	6.65
RHT12	12 oz / 50mm	336	28.70	7.79
RHT16	16 oz / 55mm	448	35.00	9.50
RHT24	24 oz / 65mm	672	42.00	11.40
RHT32	32 oz / 75mm	896	49.00	13.30
RHT40	40 oz / 85mm	1120	63.00	17.10
RHT48	48 oz / 100mm		87.50	23.75

SOFT FACED PLASTIC HAMMERS



Code	Mallet Dia (mm)	AED	(US\$)
DN-20FL	20	16.10	4.37
DN-25FL	25	19.60	5.32
DN-30FL	30	23.80	6.46
DN-40FL	40	39.20	10.64
DN-50FL	50	54.25	14.73

SOFT FACED PLASTIC HAMMERS WITH FIBERGLASS HANDLE



Code	Mallet Dia (mm)	AED	(US\$)
DN-30FL	30	28.00	7.60
DN-40FL	40	49.00	13.30
DN-50FL	50	63.00	17.10

SPARE MALLET For Soft Faced Plastic Hammers

Code	Mallet Dia (mm)	AED	(US\$)
DN-20T	20	1.75	0.48
DN-25T	25	3.15	0.86
DN-30T	30	4.20	1.14
DN-40T	40	8.40	2.28
DN-50T	50	12.60	3.42
DN-70T	70	24.50	6.65



HAND AXE with Fiberglass Handle / Wooden Handle



Code for Fiberglass	Code for Wooden	Size (gms)	AED	(US\$)
HAF600	HAW600	600	56.00	15.20
HAF800	HAW800	800	59.50	16.15
HAF1000	HAW1000	1000	91.00	24.70
HAF3000	HAW3000	3000	140.00	38.00

DEAD BLOW HAMMER with Fiberglass Handle



» Ideal for Denting use.

Code	Size (Gms)	AED	(US\$)
DBH500	500	49.00	13.30
DBH800	800	59.50	16.15
DBH900	900	63.00	17.10
DBH1000	1000	73.50	19.95
DBH1250	1250	84.00	22.80
DBH1500	1500	91.00	24.70

COPPER HAMMER (SLEDGE) WITH FIBERGLASS HANDLE



Code	Size (gms)	AED	(US\$)
CHT450	450	168.00	45.60
CHT1	1000	336.00	91.20
CHT1.5	1500	525.00	142.50
CHT2	2000	651.00	176.70
CHT2.5	2500	840.00	228.00
CHT3	3000	987.00	267.90
CHT4	4000	1302.00	353.40
CHT5	5000	1638.00	444.60
CHT6	6000	1974.00	535.80
CHT7	7000	2310.00	627.00
CHT8	8000	2660.00	722.00
CHT9	9000	2940.00	798.00
CHT10	10000	3150.00	855.00

COPPER HAMMER (BALL PEIN) WITH FIBERGLASS HANDLE



Code	Size (gms)	AED	(US\$)
CHBP2	230	100.80	27.36
CHBP3	340	147.00	39.90
CHBP4	450	168.00	45.60
CHBP6	680	260.40	70.68
CHBP9	910	390.60	106.62
CHBP11	1130	462.00	125.40

COPPER HAMMER (CROSS PEIN) WITH FIBERGLASS HANDLE



Code	Size (gms)	AED	(US\$)
CHCP450	450	168.00	45.60
CHCP9	910	385.00	104.50
CHCP1.5	1500	595.00	161.50
CHCP2	2000	805.00	218.50
CHCP2.5	2500	980.00	266.00
CHCP3	3000	1190.00	323.00
CHCP4	4000	1610.00	437.00
CHCP5	5000	1960.00	532.00

BRASS HAMMER (SLEDGE) WITH FIBERGLASS HANDLE



Code	Size (gms)	AED	(US\$)
BHT450	450	134.40	36.48
BHT1	1000	260.40	70.68
BHT1.5	1500	394.80	107.16
BHT2	2000	525.00	142.50
BHT2.5	2500	655.20	177.84
BHT3	3000	855.40	232.18
BHT4	4000	1050.00	285.00
BHT5	5000	1369.20	371.64
BHT6	6000	1512.00	410.40
BHT7	7000	1806.00	490.20
BHT8	8000	1995.00	541.50
BHT9	9000	2240.00	608.00
BHT10	10000	2478.00	672.60

BRASS HAMMER (BALL PEIN) WITH FIBERGLASS HANDLE



Code	Size (gms)	AED	(US\$)
BHBP2	230	98.00	26.60
BHBP3	340	112.00	30.40
BHBP4	450	161.00	43.70
BHBP6	680	210.00	57.00
BHBP9	910	238.00	64.60
BHBP11	1130	294.00	79.80

BRASS HAMMER (CROSS PEIN) WITH FIBERGLASS HANDLE



Code	Size (gms)	AED	(US\$)
BHCP4	450	161.00	43.70
BHCP9	910	294.00	79.80
BHCP1.5	1500	441.00	119.70
BHCP2	2000	588.00	159.60
BHCP2.5	2500	735.00	199.50
BHCP3	3000	882.00	239.40
BHCP4	4000	1176.00	319.20
BHCP5	5000	1400.00	380.00

FLAT SCREW DRIVERS ⊖



Engineer's Pattern

Code	Blade Size Length x Dia (mm)	AED	(US\$)
DN-2550	50 x 2.5	1.89	0.51
DN-2575	75 x 2.5	2.03	0.55
DN-25100	100 x 2.5	2.17	0.59
DN-25150	150 x 2.5	2.31	0.63
DN-932	50 x 3	2.10	0.57
DN-933	75 x 3	2.10	0.57
DN-911	50 x 3	2.10	0.57
DN-901	75 x 3	2.66	0.72
DN-902	100 x 3	2.73	0.74
DN-31100	100 x 3	2.31	0.63
DN-31150	150 x 3	2.66	0.72
DN-912	75 x 3.5	2.03	0.55
DN-842	150 x 3.5	2.80	0.76
DN-913	100 x 4	3.08	0.84
DN-712	125 x 4	3.15	0.86
DN-833	200 x 4	3.08	0.84
DN-713	75 x 5	3.22	0.87
DN-936	150 x 5	3.92	1.06
DN-921	75 x 6	3.85	1.05
DN-922	100 x 6	3.71	1.01

Code	Blade Size Length x Dia (mm)	AED	(US\$)
DN-923	125 x 6	3.85	1.05
DN-824	150 x 6	3.99	1.08
DN-825	200 x 6	4.34	1.18
DN-826	250 x 6	4.76	1.29
DN-725	150 x 8	6.72	1.82
DN-6300	300 x 6	5.46	1.48
DN-924	125 x 8	5.95	1.62
DN-925	150 x 8	6.30	1.71
DN-926	175 x 8	6.30	1.71
DN-827	200 x 8	7.00	1.90
DN-828	250 x 8	8.12	2.20
DN-829	300 x 8	8.68	2.36
DN-8350	350 x 8	10.50	2.85
DN-927	200 x 10	10.50	2.85
DN-928	250 x 10	10.85	2.95
DN-929	300 x 10	12.60	3.42
DN-930	400 x 10	13.65	3.71
DN-931	450 x 10	14.35	3.90
DN-940	600 x 10	25.20	6.84

FLAT SCREW DRIVERS-INSULATED ⊖



Engineer's Pattern

Code	Blade Size Length x Dia (mm)	AED	(US\$)
DN-354 Ins	100 x 3.5	1.96	0.53
DN-356 Ins	150 x 3.5	2.31	0.63
DN-358 Ins	200 x 3.5	2.45	0.67
DN-822 Ins	125 x 3.5	2.80	0.76
DN-842 Ins	150 x 3.5	3.15	0.86
DN-832 Ins	200 x 3.5	3.50	0.95
DN-823 Ins	150 x 4.0	3.50	0.95
DN-833 Ins	200 x 4.0	3.64	0.99
DN-934 Ins	100 x 5.0	3.50	0.95
DN-935 Ins	125 x 5.0	4.20	1.14
DN-936 Ins	150 x 5.0	4.20	1.14
DN-937 Ins	200 x 5.0	4.55	1.24

Code	Blade Size Length x Dia (mm)	AED	(US\$)
DN-938 Ins	250 x 5.0	4.90	1.33
DN-939 Ins	300 x 5.0	5.04	1.37
DN-824 Ins	150 x 6.0	4.34	1.18
DN-825 Ins	200 x 6.0	4.62	1.25
DN-826 Ins	250 x 6.0	5.11	1.39
DN-827 Ins	200 x 8.0	7.70	2.09
DN-828 Ins	250 x 8.0	8.82	2.39
DN-829 Ins	300 x 8.0	9.38	2.55
DN-928 Ins	250 x 10.0	13.30	3.61
DN-929 Ins	300 x 10.0	15.40	4.18
DN-930 Ins	400 x 10.0	16.80	4.56

FLAT SCREW DRIVERS FIBERGLASS HANDLE ㊦



Code	Blade Size Length x Dia (mm)	AED	(US\$)
SD-TPR-824	150 x 6	11.83	3.21
SD-TPR-825	200 x 6	13.02	3.53
SD-TPR-826	250 x 6	14.14	3.84
SD-TPR-925	150 x 8	14.49	3.93
SD-TPR-827	200 x 8	15.82	4.29
SD-TPR-828	250 x 8	17.29	4.69
SD-TPR-829	300 x 8	17.50	4.75

STRIKING SCREW DRIVERS ㊦ (Strictly not for Electric Use)



Code	Size (mm)	AED	(US\$)
OGS-8150	8x150	8.40	2.28
OGS-8210	8x210	9.45	2.57
OGS-8260	8x260	9.80	2.66
OGS-8300	8x300	11.20	3.04
OGS-10200	10x200	12.60	3.42
OGS-10250	10x250	14.00	3.80
OGS-10300	10x300	16.10	4.37

TESTER - WITH NEON BULB



Code	Handle Colour	Overall Length (mm)	AED	(US\$)
DN-813	Yellow	125	3.50	0.95
DN-814	Green	125	3.15	0.86
DN-815	Green	180	4.55	1.24
DN-816	Yellow	180	4.90	1.33
DN-818	Yellow	200	5.25	1.43

FLAT SCREW DRIVER ⊖ (STAINLESS STEEL BLADES)



Code	Blade Size Length x Dia (mm)	AED	(US\$)
SD-SS-350	50 x 3	11.99	3.25
SD-SS-3100	100 x 3	13.13	3.56
SD-SS-3125	125 x 3	13.65	3.71
SD-SS-3150	150 x 3	14.26	3.87
SD-SS-3200	200 x 3	15.93	4.32
SD-SS-3250	250 x 3	17.06	4.63
SD-SS-3300	300 x 3	19.95	5.42
SD-SS-550	50 x 5	13.65	3.71
SD-SS-575	75 x 5	14.26	3.87
SD-SS-5100	100 x 5	15.40	4.18
SD-SS-5125	125 x 5	16.54	4.49
SD-SS-5150	150 x 5	17.68	4.80
SD-SS-5200	200 x 5	18.81	5.11
SD-SS-5250	250 x 5	19.95	5.42

Code	Blade Size Length x Dia (mm)	AED	(US\$)
SD-SS-5300	300 x 5	22.23	6.03
SD-SS-638	38 x 6	15.40	4.18
SD-SS-675	75 x 6	16.54	4.49
SD-SS-6100	100 x 6	17.06	4.63
SD-SS-6125	125 x 6	17.68	4.80
SD-SS-6150	150 x 6	18.29	4.96
SD-SS-6200	200 x 6	19.95	5.42
SD-SS-6250	250 x 6	21.61	5.87
SD-SS-6300	300 x 6	23.98	6.51
SD-SS-850	50 x 8	29.58	8.03
SD-SS-8150	150 x 8	31.94	8.67
SD-SS-8200	200 x 8	34.13	9.26
SD-SS-8250	250 x 8	37.01	10.05
SD-SS-8300	300 x 8	41.56	11.28

PHILIPS SCREW DRIVERS ⊕ (STAINLESS STEEL BLADES)



Code	Blade Size Length x Dia (mm)	Philips Tip Size	AED	(US\$)
SD-SS-P50x0	50	0	11.99	3.25
SD-SS-P100x0	100	0	13.13	3.56
SD-SS-P125x0	125	0	13.65	3.71
SD-SS-P150x0	150	0	14.26	3.87
SD-SS-P200x0	200	0	15.93	4.32
SD-SS-P250x0	250	0	17.06	4.63
SD-SS-P300x0	300	0	19.95	5.42
SD-SS-P50x1	50	1	13.65	3.71
SD-SS-P75x1	75	1	14.26	3.87
SD-SS-P100x1	100	1	15.40	4.18
SD-SS-P125x1	125	1	16.54	4.49
SD-SS-P150x1	150	1	17.68	4.80
SD-SS-P200x1	200	1	18.81	5.11
SD-SS-P250x1	250	1	19.95	5.42

Code	Blade Size Length x Dia (mm)	Philips Tip Size	AED	(US\$)
SD-SS-P300x1	300	1	22.23	6.03
SD-SS-P38x2	38	2	15.40	4.18
SD-SS-P75x2	75	2	16.54	4.49
SD-SS-P100x2	100	2	17.06	4.63
SD-SS-P125x2	125	2	17.68	4.80
SD-SS-P150x2	150	2	18.20	4.94
SD-SS-P200x2	200	2	19.95	5.42
SD-SS-P250x2	250	2	21.61	5.87
SD-SS-P300x2	300	2	23.98	6.51
SD-SS-P50x3	50	3	29.58	8.03
SD-SS-P150x3	150	3	31.85	8.65
SD-SS-P200x3	200	3	34.21	9.29
SD-SS-P250x3	250	3	37.01	10.05
SD-SS-P300x3	300	3	41.56	11.28

PHILIPS SCREW DRIVERS ⊕



Engineer's Pattern

Code	Blade Size Length x Dia (mm)	Philips Tip Size	AED	(US\$)
DN 2550P	50 x 2.5	0	2.10	0.57
DN 2575P	75 x 2.5	0	2.24	0.61
DN 25100P	100 x 2.5	0	2.45	0.67
DN 25150P	150 x 2.5	0	2.52	0.68
DN 859 50	50 x 3	0	2.10	0.57
DN 859 100	100 x 3	0	2.52	0.68
DN 859 150	150 x 3	0	2.80	0.76
DN 860 60	60 x 3	0	2.38	0.65
DN 860 150	150 x 3	0	2.80	0.76
DN 861 75	75 x 5	1	3.29	0.89
DN 861 100	100 x 5	1	3.71	1.01
DN 861 150	150 x 5	1	4.20	1.14
DN 861 200	200 x 5	1	4.55	1.24
DN 861 250	250 x 6	2	5.25	1.43
DN 862 100	100 x 6	2	4.55	1.24
DN 862 150	150 x 6	2	4.90	1.33
DN 862 200	200 x 6	2	5.04	1.37
DN 862 250	250 x 6	2	6.44	1.75
DN 862 300	300 x 6	2	7.00	1.90
DN 863 150	150 x 8	3	7.70	2.09
DN 863 200	200 x 8	3	8.05	2.19
DN 863 250	250 x 8	3	8.40	2.28
DN 863 300	300 x 8	3	9.80	2.66
DN 863 350	350 x 8	3	12.25	3.33
DN 864 200	200 x 10	4	12.60	3.42
DN 864 250	250 x 10	4	14.00	3.80
DN 864 300	300 x 10	4	16.45	4.47
DN SDP5	Philips Set (Set of 5 Pcs) 6x100, 6x150, 6x200, 6x250, 6x300 Pouch Packing. (Regular Green Handle)		21.00	5.70

PHILIPS SCREW DRIVERS ⊕ TPR HANDLE

Code	Blade Size Length x Dia (mm)	Philips Tip Size	AED	(US\$)
SD-TPR-860-75	75	0	7.28	1.98
SD-TPR-861-100	100	1	11.34	3.08
SD-TPR-862-150	150	2	14.07	3.82
SD-TPR-862-200	200	2	15.40	4.18
SD-TPR-862-250	250	2	16.80	4.56



SCREW DRIVERS - TWO IN ONE



Code	Blade Size Length x Dia (mm)	AED	(US\$)
DN-810	60 x 3.5	3.36	0.91
DN-803	55 x 3.5	3.29	0.89
DN-803 Long	100 x 3.0	3.99	1.08
DN-804	75 x 5.0	4.20	1.14
DN-805	100 x 5.0	4.41	1.20
DN-850	200 x 5.0	5.46	1.48
DN-904	100 x 6.0	4.34	1.18
DN-904 I	100 x 6.0	4.76	1.29
DN-905	140 x 6.0	4.76	1.29
DN-905 I	140 x 6.0	5.18	1.41
⊕ DN-854 ⊕	140 x 6.0	6.72	1.82
⊕ DN-851 ⊕	200 x 6.0	7.14	1.94
⊕ DN-853 ⊕	200 x 6.0	5.32	1.44
DN-907	200 x 6.0	5.25	1.43
DN-907 I	200 x 6.0	5.67	1.54
DN-903	250 x 6.0	5.95	1.62
DN-903 I	250 x 6.0	6.37	1.73
DN-9012	300 x 6.0	6.30	1.71
DN-8300 T	300 x 8.0	9.24	2.51
DN-8350 T	350 x 8.0	9.66	2.62
DN-8300 TP	300 x 8.0	10.50	2.85
DN-8350 TP	350 x 8.0	10.92	2.96
DN-906	150 x 8.0	7.77	2.11
DN-854	140 x 8.0	9.24	2.51
⊕ DN-8140 ⊕	140 x 8.0	7.42	2.01
DN-910	250 x 8.0	9.66	2.62
⊕ DN-852 ⊕	200 x 8.0	9.66	2.62
DN-908	250 x 8.0	10.85	2.95

SCREW DRIVERS - TWO IN ONE FIBERGLASS HANDLE ⊕⊕



Code	Blade Size Dia x Length (mm)	AED	(US\$)
TPR- 904	100	23.24	6.31
TPR- 905	150	25.06	6.80
TPR- 903	250	30.10	8.17

SCREW DRIVERS - OPAQUE HANDLE



Code	Blade Size Dia x Length (mm)	AED	(US\$)
DN-786	6.0 x 100	3.36	0.91
DN-788	6.0 x 150	3.78	1.03
DN-787Ins	6.0 x 250	4.20	1.14

SCREW DRIVERS - HEXAGONAL (TWO IN ONE)

SPECIAL
STEEL &
DOUBLE
MAGNET

Code	Blade Size Dia x Length (mm)	AED	(US\$)
DN R6250	6.0 x 250	8.75	2.38
DN R6100	6.0 x 100	8.75	2.38
DN R6150	6.0 x 150	9.45	2.57
DN R6200	6.0 x 200	10.50	2.85
DN R6300	6.0 x 300	12.25	3.33



TWO IN ONE - STUBBY SCREW DRIVER



Code	Blade Length (mm)	Tip Dimensions	AED	(US\$)
DN-855 Single Fixed	50		3.99	1.08
DN-855 Two in One	50	2 Philips	4.90	1.33
DN-974	75	2 Philips 6.0 x 0.8	5.04	1.37



POKER



Code	Description	AED	(US\$)
Poker 871	100mmx6mm	4.90	1.33
Poker 606	150mmx6mm	5.25	1.43
Poker 608	200mmx6mm	5.60	1.52

NUT DRIVERS

Code	Size (mm)	AED	(US\$)
ND - 5	5	10.50	2.85
ND - 5.5	5.5	10.50	2.85
ND - 6	6	10.50	2.85
ND - 6.5	6.5	10.50	2.85
ND - 7	7	10.50	2.85
ND - 7.5	7.5	10.50	2.85
ND - 8	8	11.20	3.04
ND - 9	9	11.20	3.04
ND - 10	10	11.20	3.04
ND - 11	11	11.20	3.04
ND - 12	12	12.60	3.42
ND - 13	13	12.60	3.42
ND - 14	14	12.60	3.42

TORX SCREW DRIVERS (GREEN HANDLE)

Code	Size	Blade in Length mm	Blade dia mm	AED	(US\$)
SDT-5	T-5	75	3.0	4.90	1.33
SDT-5L	T-5 LONG	150	3.0	5.60	1.52
SDT-6	T-6	75	3.0	5.95	1.62
SDT-6L	T-6 LONG	150	3.5	6.30	1.71
SDT-8	T-8	75	3.5	5.95	1.62
SDT-8L	T-8 LONG	150	3.5	6.30	1.71
SDT-10	T-10	75	3.5	5.95	1.62
SDT-10L	T-10 LONG	150	3.5	6.30	1.71
SDT-15	T-15	75	5.0	7.35	2.00
SDT-15L	T-15 LONG	150	5.0	8.75	2.38
SDT-20	T-20	100	5.0	8.05	2.19
SDT-20L	T-20 LONG	200	6.0	8.75	2.38
SDT-25	T-25	100	6.0	10.50	2.85
SDT-25L	T-25 LONG	200	6.0	11.20	3.04
SDT-30	T-30	100	6.0	10.50	2.85
SDT-30L	T-30 LONG	200	6.0	11.20	3.04
SDT-40	T-40	125	8.0	11.20	3.04
SDT-40L	T-40 LONG	200	8.0	12.95	3.52
SDTS8	TORX SCREW DRIVER SET 8 PCS (Containing T-5 to T-40)			70.00	19.00



**S
C
R
E
W

D
R
I
V
E
R
S**

TORX SCREW DRIVERS (TPR HANDLE)

	Size	Blade in Length mm	Blade dia mm	AED	(US\$)
SDT-5T	T-5	75	3.0	5.95	1.62
SDT-5TL	T-5 LONG	150	3.0	6.65	1.81
SDT-6T	T-6	75	3.0	6.86	1.86
SDT-6TL	T-6 LONG	150	3.5	7.70	2.09
SDT-8T	T-8	75	3.5	6.86	1.86
SDT-8TL	T-8 LONG	150	3.5	7.70	2.09
SDT-10T	T-10	75	3.5	7.00	1.90
SDT-10TL	T-10 LONG	150	3.5	7.70	2.09
SDT-15T	T-15	75	5.0	8.47	2.30
SDT-15TL	T-15 LONG	150	5.0	10.08	2.74
SDT-20T	T-20	100	5.0	9.24	2.51
SDT-20TL	T-20 LONG	200	6.0	10.08	2.74
SDT-25T	T-25	100	6.0	12.11	3.29
SDT-25TL	T-25 LONG	200	6.0	12.88	3.50
SDT-30T	T-30	100	6.0	12.11	3.29
SDT-30TL	T-30 LONG	200	6.0	12.88	3.50
SDT-40T	T-40	125	8.0	12.88	3.50
SDT-40TL	T-40 LONG	200	8.0	14.91	4.05
SDTS8T	TORX SCREW DRIVER SET 8 PCS (Containing T-5 to T-40)			105.00	28.50



ALLEN KEY SCREW DRIVERS



Code	Size (mm)	AED	(US\$)
AKSD 1.5	1.5	14.07	3.82
AKSD 2	2	15.82	4.29
AKSD 2.5	2.5	16.45	4.47
AKSD 3	3	17.29	4.69
AKSD 4	4	18.20	4.94
AKSD 5	5	24.01	6.52
AKSD 6	6	27.58	7.49
AKSD 7	7	31.08	8.44
AKSD 8	8	35.77	9.71
AKSD 9	9	40.46	10.98
AKSD 10	10	44.52	12.08

INSULATED VOLTAGE TESTER



Code	Size (mm)	AED	(US\$)
IVT-100	100	14.00	3.80

VOLTAGE TESTER



Code	Size (mm)	AED	(US\$)
VT-100	100	24.50	6.65

SCREW DRIVER SETS (ROUND BOX)

Code	Description	No. of Blades	AED	(US\$)
DN-800	Screw Driver Set No. (Neon Bulb with eight Blades in 6mm Dia Consisting Extn.Rod)	8	18.20	4.94



SCREW DRIVER SETS



Code	Description	No. of Blades	AED	(US\$)
DN-802	Screw Driver 6.0x0.8, 3.5x0.5, Philips 0 Square Poker, Phillips 1	5	16.10	4.37
DN-812	Screw Driver Set (Neon Bulb with Five Blades including Poker)	5	16.80	4.56
DN-831	Screw Driver Set 3.5x0.5, 4.3x0.6, 6x0.8, Philips No.1, Philips No.2, Poker Round, Poker Sq., Wooden Screw Type	8	21.00	5.70
DN-840	Screw Driver Set 6.0x0.8, 3.5x0.5, Philips 0 Square Poker Round, Philips 1 + Extension Rod	6	23.10	6.27

PRECISION SCREW DRIVER SET




Code	Description	AED	USD\$
DN-PSF6	PRECISION / WATCH MAKER Precision Screw Driver Set (6 Pcs) (containing Flat 1.4mm, 2.0mm, 2.4mm, 3.0mm & Philips Tip no 0&1)	31.50	8.55

SCREW DRIVERS SET (PHILIPS)



Code	Description	No. of Blades	AED	USD\$
DN-821	Screw Driver Set (6 Pcs) (Phillips 00, 0, 1, 2, 3, 6 x 0.6)	6	21.00	5.70

SCREW DRIVERS KITS



Code	Contents	AED	USD\$
1013	Consisting of 8 Screw Drivers 713, 922, 725, 828, 912, 712, 937 I, P5 861 75	49.00	13.30
1014	Consisting of 7 Screw Drivers 824, P5 861 75, P6 862 100, 913, 925. 935 I, 814	45.50	12.35
1017	Consisting of 5 Philips Screw Drivers P3 859 50, P3 860 60, P5 861 75, P6 862 100, P8 863 200	35.00	9.50

IMPACT SCREW DRIVER SET



Code	Description	AED	USD\$
ISD-7	7 pcs Screw Driver Bit Set (1 Socket with Rubber Handle, 4pcs small bits, 2pcs long bits) Packed in Plastic Box	73.50	19.95
ISD-12	13 pcs Screw Driver Bit Set (2 Sockets, 2 Screw Extractor, 1 Impact Driver, 4pcs small bits, 4pcs long bits) Packed in Box	119.00	32.30

HEXAGONAL HEAD BITS



Code	Size / Type	AED	USD\$
SBH 2515	1.5 mm	1.40	0.38
SBH 252	2 mm	1.40	0.38
SBH 2525	2.5 mm	1.40	0.38
SBH 253	3 mm	1.40	0.38
SBH 254	4 mm	1.40	0.38
SBH 255	5 mm	1.40	0.38
SBH 256	6 mm	1.40	0.38
SBH 258	8 mm	1.40	0.38
SBH 2510	10 mm	1.40	0.38
SBH 5015	1.5 mm	2.38	0.65
SBH 502	2 mm	2.38	0.65
SBH 5025	2.5 mm	2.38	0.65
SBH 503	3 mm	2.38	0.65
SBH 504	4 mm	2.38	0.65

Code	Size / Type	AED	USD\$
SBH 505	5 mm	2.38	0.65
SBH 506	6 mm	2.38	0.65
SBH 508	8 mm	2.38	0.65
SBH 5010	10 mm	2.38	0.65
SBH 50116	1/16 A	2.38	0.65
SBH 50564	5/64 A	2.38	0.65
SBH 50332	3/32 A	2.38	0.65
SBH 50764	7/64 A	2.38	0.65
SBH 5018	1/8 A	2.38	0.65
SBH 50964	9/64 A	2.38	0.65
SBH 50532	5/32 A	2.38	0.65
SBH 50316	3/16 A	2.38	0.65
SBH 50732	7/32 A	2.38	0.65
SBH 5014	1/4 A	2.38	0.65

SCREW DRIVER BITS PHILIPS HEAD SCREW DRIVER BITS

Code	Size / Type	AED	USD\$
SBP250	PH0 x 25mm	1.26	0.34
SBP251	PH1 x 25mm	1.26	0.34
SBP252	PH2 x 25mm	1.26	0.34
SBP253	PH3 x 25mm	1.26	0.34
SBP500	PH0 x 50mm	2.03	0.55
SBP501	PH1 x 50mm	2.03	0.55
SBP502	PH2 x 50mm	2.03	0.55
SBP503	PH3 x 50mm	2.03	0.55



PHILIPS DOUBLE HEAD SCREW DRIVER BITS

Code	Size / Type	AED	USD\$
SBPP5011	PH1 x PH1 x 50mm	2.31	0.63
SBPP5012	PH1 x PH2 x 50mm	2.31	0.63
SBPP5013	PH1 x PH3 x 50mm	2.31	0.63
SBPP5022	PH2 x PH2 x 50mm	2.31	0.63
SBPP5023	PH2 x PH3 x 50mm	2.31	0.63
SBPP5033	PH3 x PH3 x 50mm	2.31	0.63
SBPP6512	PH1 x PH2 x 65mm	2.52	0.68
SBPP6513	PH1 x PH3 x 65mm	2.52	0.68
SBPP6522	PH2 x PH2 x 65mm	2.52	0.68
SBPP6523	PH2 x PH3 x 65mm	2.73	0.74
SBPP11011	PH1 x PH1 x 110mm	3.43	0.93
SBPP11012	PH1 x PH2 x 110mm	3.43	0.93
SBPP11022	PH2 x PH2 x 110mm	3.43	0.93
SBPP11023	PH2 x PH3 x 110mm	3.43	0.93
SBPP11033	PH3 x PH3 x 110mm	3.43	0.93



FLAT HEAD SCREW DRIVER BITS

Code	Size / Type	AED	USD\$
SBF 253	25 x 3 x 0.5	1.40	0.38
SBF 254	25 x 4 x 0.6	1.40	0.38
SBF 255	25 x 5 x 0.8	1.40	0.38
SBF 256	25 x 6 x 1.0	1.40	0.38
SBF 258	25 x 8 x 1.2	1.40	0.38
SBF 503	50 x 3 x 0.5	2.38	0.65
SBF 504	50 x 4 x 0.6	2.38	0.65
SBF 505	50 x 5 x 0.8	2.38	0.65
SBF 506	50 x 6 x 1.0	2.38	0.65
SBF 508	50 x 8 x 1.2	2.38	0.65



TWO IN ONE SCREW DRIVER BITS

Code	Size / Type	AED	USD\$
SBPF 5026	PH 2 x 6	2.59	0.70
SBPF 6526	PH 2 x SL6	3.29	0.89
SBPF 65145	PH 1 x SL4.5	3.29	0.89
SBPF 65255	PH 2 x SL5.5	3.29	0.89
SBPF 65365	PH 3 x SL6.5	3.29	0.89
SBPF 11026	PH 2 x SL6	3.99	1.08



SCREW DRIVER BITS

Code	Size / Type	Thickness (mm)	AED	USD\$
PH2PH265	PH2 x PH2 x 65mm	6.5mm	2.52	0.68
PH240	PH2 x 40mm	6.5mm	1.68	0.46
PH340	PH3 x 40mm	6.5mm	1.89	0.51
PH280	PH2 x 80mm	6.5mm	2.94	0.80
PH380	PH3 x 80mm	6.5mm	2.73	0.74
SL640	SL6 x 40mm	6.5mm	1.68	0.46
SL840	SL8 x 40mm	8mm	1.68	0.46
SL680	SL6 x 80mm	6.5mm	2.52	0.68
SL880	SL8 x 80mm	8mm	2.73	0.74
8PH240	PH2 x 40mm	8mm	2.24	0.61
8PH340	PH3 x 40mm	8mm	2.59	0.70
8PH280	PH2 x 80mm	8mm	3.99	1.08
8PH380	PH3 x 80mm	8mm	3.71	1.01



SCREW DRIVER BITS (POZIDRIVE)



Code	Size / Type	AED	USD\$
SBPZ 501	PZ 1	2.31	0.63
SBPZ 502	PZ 2	2.31	0.63

TORX HEAD SCREW DRIVER BITS



Code	Size / Type	AED	USD\$
SBT255	Torx 5 x 25mm	1.40	0.38
SBT256	Torx 6 x 25mm	1.40	0.38
SBT257	Torx 7 x 25mm	1.40	0.38
SBT258	Torx 8 x 25mm	1.40	0.38
SBT259	Torx 9 x 25mm	1.40	0.38
SBT2510	Torx 10 x 25mm	1.40	0.38
SBT2515	Torx 15 x 25mm	1.40	0.38
SBT2520	Torx 20 x 25mm	1.54	0.42
SBT2525	Torx 25 x 25mm	1.54	0.42
SBT2527	Torx 27 x 25mm	1.54	0.42
SBT2530	Torx 30 x 25mm	1.54	0.42
SBT2540	Torx 40 x 25mm	1.54	0.42
SBT2545	Torx 45 x 25mm	1.54	0.42

Code	Size / Type	AED	USD\$
SBT505	Torx 5 x 50mm	2.38	0.65
SBT506	Torx 6 x 50mm	2.38	0.65
SBT507	Torx 7 x 50mm	2.38	0.65
SBT508	Torx 8 x 50mm	2.38	0.65
SBT509	Torx 9 x 50mm	2.38	0.65
SBT5010	Torx 10 x 50mm	2.38	0.65
SBT5015	Torx 15 x 50mm	2.38	0.65
SBT5020	Torx 20 x 50mm	2.38	0.65
SBT5025	Torx 25 x 50mm	2.38	0.65
SBT5027	Torx 27 x 50mm	2.38	0.65
SBT5030	Torx 30 x 50mm	2.38	0.65
SBT5040	Torx 40 x 50mm	2.38	0.65

6.3mm (1/4) DRIVE SOCKETS



Chrome Vanadium Steel
 Chrome Plated Mirror Finish

LENGTH 25MM

LONG LENGTH 50MM

Hex Code	Size (mm)	AED	(US\$)
A-4H	4	1.68	0.46
A-4.5H	4.5	1.68	0.46
A-5H	5	1.68	0.46
A-5.5H	5.5	1.68	0.46
A-6H	6	1.40	0.38
A-6.5H	6.5	1.40	0.38
A-7H	7	1.40	0.38
A-8H	8	1.40	0.38
A-9H	9	1.40	0.38
A-10H	10	1.47	0.40
A-11H	11	1.75	0.48
A-12H	12	1.82	0.49
A-13H	13	1.89	0.51
A-14H	14	2.45	0.67

Hex Code	Size (mm)	AED	(US\$)
A-4HD	4 Long	2.80	0.76
A-4.5HD	4.5 Long	2.80	0.76
A-5HD	5 Long	2.80	0.76
A-5.5HD	5.5 Long	2.80	0.76
A-6HD	6 Long	2.80	0.76
A-6.5HD	6.5 Long	3.50	0.95
A-7HD	7 Long	2.94	0.80
A-8HD	8 Long	2.94	0.80
A-9HD	9 Long	3.15	0.86
A-10HD	10 Long	3.15	0.86
A-11HD	11 Long	3.15	0.86
A-12HD	12 Long	3.50	0.95
A-13HD	13 Long	3.50	0.95
A-14HD	14 Long	3.85	1.05

6.3mm (1/4) DRIVE Regular SOCKETS

SAE

Hex Code	Size (Sae)	AED	(US\$)
A-5/32 SAE	5/32	2.80	0.76
A-3/16 SAE	3/16	2.80	0.76
A-7/32 SAE	7/32	2.80	0.76
A-1/4 SAE	1/4	2.80	0.76
A-9/32 SAE	9/32	2.80	0.76
A-5/16 SAE	5/16	2.80	0.76
A-11/32 SAE	11/32	2.80	0.76
A-3/8 SAE	3/8	2.80	0.76
A-7/16 SAE	7/16	3.50	0.95
A-1/2 SAE	1/2	3.50	0.95
A-9/16 SAE	9/16	3.50	0.95

6.3mm (1/4) DRIVE SCREW DRIVER BIT SOCKET

Code	Size	AED	(US\$)
A-SDBSSL4	SL-4 (Slotted)	2.31	0.63
A-SDBSSL6	SL-6 (Slotted)	2.94	0.80
A-SDBSPH1	PH-1 (Philips)	2.31	0.63
A-SDBSPH2	PH-2 (Philips)	2.31	0.63
A-SDBSPZ1	Pz-1 (Pozi Drive)	2.31	0.63
A-SDBSPZ2	Pz-2 (Pozi Drive)	2.31	0.63



6.3mm (1/4) DRIVE TORX BIT SOCKET

Code	Size (mm)	AED	(US\$)
A-T-8	8	2.24	0.61
A-T-10	10	2.24	0.61
A-T-15	15	2.24	0.61
A-T-20	20	2.24	0.61
A-T-25	25	2.24	0.61
A-T-27	27	2.94	0.80
A-T-30	30	2.24	0.61
A-T-35	35	2.94	0.80
A-T-40	40	2.80	0.76
A-T-45	45	4.20	1.14



6.3mm (1/4) DRIVE ALLEN SOCKET

Code	Size (mm)	AED	(US\$)
A-3H	3	2.24	0.61
A-4H	4	2.24	0.61
A-5H	5	2.24	0.61
A-6H	6	2.24	0.61
A-7H	7	2.52	0.68
A-8H	8	2.80	0.76



9.5mm (3/8) DRIVE SOCKETS

Chrome Plated Mirror Finish



Hex Code	Size (mm)	AED	(US\$)
B-6H	6	2.94	0.80
B-7H	7	2.94	0.80
B-8H	8	2.94	0.80
B-9H	9	2.94	0.80
B-10H	10	2.94	0.80
B-11H	11	2.94	0.80
B-12H	12	3.08	0.84
B-13H	13	3.08	0.84
B-14H	14	3.08	0.84
B-15H	15	4.20	1.14
B-16H	16	4.20	1.14
B-17H	17	4.55	1.24
B-18H	18	4.90	1.33
B-19H	19	5.11	1.39
B-20H	20	6.30	1.71
B-21H	21	5.95	1.62
B-22H	22	7.00	1.90
B-23H	23	7.70	2.09
B-24H	24	7.70	2.09



9.5mm (3/8) DRIVE DEEP SOCKETS

Chrome Plated Mirror Finish



Hex Code	Size (mm)	AED	(US\$)
B-6DH	6	5.46	1.48
B-7DH	7	5.46	1.48
B-8DH	8	5.46	1.48
B-9DH	9	5.46	1.48
B-10DH	10	5.46	1.48
B-11DH	11	5.46	1.48
B-12DH	12	5.46	1.48
B-13DH	13	5.88	1.60
B-14DH	14	5.88	1.60
B-15DH	15	5.88	1.60
B-16DH	16	5.88	1.60
B-17DH	17	6.30	1.71
B-18DH	18	6.72	1.82
B-19DH	19	6.72	1.82
B-20DH	20	7.98	2.17
B-21DH	21	7.98	2.17
B-22DH	22	7.98	2.17
B-23DH	23	9.45	2.57
B-24DH	24	9.45	2.57

9.5MM (3/8) DRIVE SOCKETS

Chrome Plated Mirror Finish

Hex Code	Bi-Hex Code	Size	AED	(US\$)
		American (SAE)		
B-5/16AH	B-5/16ABH	5/16	3.50	0.95
B-3/8AH	B-3/8ABH	3/8	3.50	0.95
B-7/16AH	B-7/16ABH	7/16	3.50	0.95
B-1/2AH	B-1/2ABH	1/2	3.50	0.95
B-9/16AH	B-9/16ABH	9/16	3.50	0.95
B-5/8AH	B-5/8ABH	5/8	3.50	0.95
B-11/16AH	B-11/16ABH	11/16	4.20	1.14
B-3/4AH	B-3/4ABH	3/4	4.20	1.14
B-13/16AH	B-13/16ABH	13/16	4.90	1.33
B-7/8AH	B-7/8ABH	7/8	4.90	1.33
B-15/16AH	B-15/16ABH	15/16	5.60	1.52



S O C K E T E R Y

12.5MM (1/2) DRIVE SOCKETS

Hex Code	Bi-Hex Code	Size	AED	(US\$)
		American (SAE)		
N-3/8 AH	N-3/8 ABH	3/8	5.60	1.52
N-7/16 AH	N-7/16 ABH	7/16	5.60	1.52
N-1/2 AH	N-1/2 ABH	1/2	5.60	1.52
N-9/16 AH	N-9/16 ABH	9/16	5.60	1.52
N-5/8 AH	N-5/8 ABH	5/8	5.95	1.62
N-11/16 AH	N-11/16 ABH	11/16	6.30	1.71
N-3/4 AH	N-3/4 ABH	3/4	7.35	2.00
N-7/8 AH	N-7/8 ABH	7/8	10.15	2.76
N-15/16 AH	N-15/16 ABH	15/16	10.15	2.76
N-1 AH	N-1 ABH	1	14.00	3.80
N-1.1/8 AH	N-1.1/8 ABH	1.1/8	16.80	4.56
N-1.1/4 AH	N-1.1/4 ABH	1.1/4	19.60	5.32



12.5MM (1/2) DRIVE SOCKETS

Hex Code	Bi-Hex Code	Size	AED	(US\$)
		English (WW)		
N-1/8 WH	N-1/8 WBH	1/8	4.06	1.10
N-3/16 WH	N-3/16 WBH	3/16	4.06	1.10
N-1/4 WH	N-1/4 WBH	1/4	4.27	1.16
N-5/16 WH	N-5/16 WBH	5/16	4.27	1.16
N-3/8 WH	N-3/8 WBH	3/8	5.67	1.54
N-7/16 WH	N-7/16 WBH	7/16	6.44	1.75
N-1/2 WH	N-1/2 WBH	1/2	8.89	2.42
N-9/16 WH	N-9/16 WBH	9/16	12.81	3.48
N-11/16 WH	N-11/16 WBH	11/16	14.00	3.80
N-5/8 WH	N-5/8 WBH	5/8	16.80	4.56
N-3/4 WH (Chrome /Imp)	N-3/4 WBH (Chrome /Imp)	3/4 (Chrome /Imp)	16.80	4.56



12.5mm (1/2) DRIVE SOCKETS



MM **HEX BIHEX** **1/2 DRIVE**

Chrome Vanadium Steel

Hex Code	Bi-Hex Code	Size Metric (mm)	AED	(US\$)
N-8H	N-8BH	8	3.50	0.95
N-9H	N-9BH	9	3.50	0.95
N-10H	N-10BH	10	3.50	0.95
N-11H	N-11BH	11	3.50	0.95
N-12H	N-12BH	12	3.64	0.99
N-13H	N-13BH	13	3.64	0.99
N-14H	N-14BH	14	3.64	0.99
N-15H	N-15BH	15	3.64	0.99
N-16H	N-16BH	16	3.64	0.99
N-17H	N-17BH	17	3.85	1.05
N-18H	N-18BH	18	3.85	1.05
N-19H	N-19BH	19	3.85	1.05
N-20H	N-20BH	20	5.11	1.39
N-21H	N-21BH	21	5.11	1.39
N-22H	N-22BH	22	5.18	1.41
N-23H	N-23BH	23	5.74	1.56

Hex Code	Bi-Hex Code	Size Metric (mm)	AED	(US\$)
N-24H	N-24BH	24	6.16	1.67
N-25H	N-25BH	25	8.40	2.28
N-26H	N-26BH	26	9.10	2.47
N-27H	N-27BH	27	9.45	2.57
N-28H	N-28BH	28	11.20	3.04
N-29H	N-29BH	29	11.20	3.04
N-30H	N-30BH	30	13.30	3.61
N-31H	-	31	21.00	5.70
N-32H	N-32BH	32	14.00	3.80
N-33H	-	33	15.75	4.28
N-34H	-	34	15.75	4.28
N-36H	-	36	35.00	9.50
N-38H	-	38	35.00	9.50
N-41H	-	41	49.00	13.30
N-46H	-	46	56.00	15.20

12.5mm (1/2) DRIVE DEEP SOCKETS



Long Series **MM** **HEX BIHEX** **1/2 DRIVE**

Hex Code	Bi-Hex Code	Size (mm)	AED	(US\$)
N-8 HD	N-8 BHD	8 Long	8.82	2.39
N-9 HD	N-9 BHD	9 Long	9.66	2.62
N-10 HD	N-10 BHD	10 Long	8.82	2.39
N-11 HD	N-11 BHD	11 Long	8.82	2.39
N-12 HD	N-12 BHD	12 Long	8.82	2.39
N-13 HD	N-13 BHD	13 Long	8.82	2.39
N-14 HD	N-14 BHD	14 Long	8.82	2.39
N-15 HD	N-15 BHD	15 Long	9.24	2.51
N-16 HD	N-16 BHD	16 Long	9.24	2.51
N-17 HD	N-17 BHD	17 Long	9.24	2.51
N-18 HD	N-18 BHD	18 Long	9.24	2.51
N-19 HD	N-19 BHD	19 Long	9.24	2.51

Hex Code	Bi-Hex Code	Size (mm)	AED	(US\$)
N-20 HD	N-20 BHD	20 Long	10.71	2.91
N-21 HD	N-21 BHD	21 Long	11.13	3.02
N-22 HD	N-22 BHD	22 Long	11.97	3.25
N-23 HD	N-23 BHD	23 Long	14.70	3.99
N-24 HD	N-24 BHD	24 Long	15.96	4.33
N-25 HD	N-25 BHD	25 Long	21.00	5.70
N-26 HD	N-26 BHD	26 Long	21.00	5.70
N-27 HD	N-27 BHD	27 Long	21.00	5.70
N-28 HD	N-28 BHD	28 Long	23.80	6.46
N-29 HD	N-29 BHD	29 Long	31.50	8.55
N-30 HD	N-30 BHD	30 Long	24.50	6.65
N-32 HD	N-32 BHD	32 Long	25.90	7.03

ALLEN SOCKET 12.5mm (1/2) SQUARE DRIVE



Chrome Vanadium Steel
Chrome Plated Mirror Finish

LENGTH 60MM

Code	Size (mm)	Length	AED	(US\$)
N-AS-H3	H3	60	8.05	2.19
N-AS-H4	H4	60	8.05	2.19
N-AS-H5	H5	60	8.05	2.19
N-AS-H6	H6	60	8.05	2.19
N-AS-H7	H7	60	8.05	2.19
N-AS-H8	H8	60	8.05	2.19
N-AS-H10	H10	60	8.75	2.38
N-AS-H12	H12	60	9.10	2.47
N-AS-H14	H14	60	11.90	3.23
N-AS-H17	H17	60	14.00	3.80
N-AS-H19	H19	60	18.20	4.94
N-AS-H21	H21 IMP	60	46.20	12.54
N-AS-H22	H22 IMP	60	56.00	15.20
N-AS-H24	H24 IMP	60	63.00	17.10
N-AS-H1/2A	H1/2 SAE	60	11.20	3.04

LONG LENGTH 100MM

Code	Size (mm)	Length	AED	(US\$)
N-AS-H3D	H3	100	12.60	3.42
N-AS-H4D	H4	100	12.60	3.42
N-AS-H5D	H5	100	12.60	3.42
N-AS-H6D	H6	100	12.60	3.42
N-AS-H7D	H7	100	12.60	3.42
N-AS-H8D	H8	100	12.60	3.42
N-AS-H10D	H10	100	12.60	3.42
N-AS-H12D	H12	100	16.10	4.37
N-AS-H14D	H14	100	21.00	5.70
N-AS-H17D	H17	100	25.20	6.84
N-AS-H19D	H19	100	26.60	7.22

TORX SOCKET 12.5mm (1/2) SQUARE DRIVE



Chrome Vanadium Steel
Chrome Plated Mirror Finish

LENGTH 60MM

Code	Size (mm)	Length	AED	(US\$)
T10	10	60	9.10	2.47
T20	20	60	9.10	2.47
T25	25	60	9.10	2.47
T27	27	60	9.10	2.47
T30	30	60	9.10	2.47
T35	35	60	9.10	2.47
T40	40	60	9.10	2.47
T45	45	60	9.10	2.47
T50	50	60	9.10	2.47
T55	55	60	11.20	3.04
T60	60	60	11.90	3.23
T70	70	60	14.00	3.80
T90	90	60	56.00	15.20

LONG LENGTH 100MM

Code	Size (mm)	Length	AED	(US\$)
T10D	10	100	10.50	2.85
T20D	20	100	10.50	2.85
T25D	25	100	10.50	2.85
T27D	27	100	10.50	2.85
T30D	30	100	10.50	2.85
T35D	35	100	10.50	2.85
T40D	40	100	10.50	2.85
T45D	45	100	10.50	2.85
T50D	50	100	12.60	3.42
T55D	55	100	12.60	3.42
T60D	60	100	14.00	3.80
T70D	70	100	18.20	4.94

E-SOCKET 1/2 SQUARE DRIVE



Chrome Vanadium Steel
Chrome Plated Mirror Finish

Code	Size	AED	(US\$)
N-ES10	10	7.00	1.90
N-ES11	11	7.00	1.90
N-ES12	12	7.00	1.90
N-ES14	14	7.00	1.90
N-ES16	16	7.00	1.90
N-ES18	18	7.00	1.90
N-ES20	20	8.40	2.28
N-ES22	22	10.50	2.85
N-ES24	24	12.60	3.42

1/2DRIVE SPARK PLUG SOCKETS



Code	Size (mm)	AED	(US\$)
SP16	16	9.10	2.47
SP21	21	10.50	2.85

DRAIN PLUG REMOVER



Chrome Vanadium Steel

Code	Size Metric (mm)	AED	(US\$)
DPR-1742SQ.	8mm	10.50	2.85
DPR-1744SQ.	10mm	10.50	2.85
DPR-1752H	8mm	10.50	2.85
DPR1754H	10mm	10.50	2.85

SPLINE SOCKET 12.5mm (1/2)SQUARE DRIVE (MALE)



Chrome Vanadium Steel

Code	Size (mm)	AED	(US\$)
N-SSM8	8	9.10	2.47
N-SSM9	9	9.10	2.47
N-SSM10	10	10.50	2.85
N-SSM11	11	10.50	2.85
N-SSM12	12	11.90	3.23
N-SSM13	13	11.90	3.23
N-SSM14	14	13.30	3.61
N-SSM15	15	15.40	4.18
N-SSM16	16	17.50	4.75

SPLINE SOCKET 12.5mm (1/2)SQUARE DRIVE (FEMALE)



Code	Size (mm)	AED	(US\$)
N-SSF8	8	9.10	2.47
N-SSF9	9	9.10	2.47
N-SSF10	10	10.50	2.85
N-SSF11	11	10.50	2.85
N-SSF12	12	11.90	3.23
N-SSF13	13	11.90	3.23
N-SSF14	14	13.30	3.61
N-SSF15	15	15.40	4.18
N-SSF16	16	17.50	4.75

19mm (3/4) SQ. DRIVE SOCKET



BLUE BAND

Sockets with Blue Ribbon (in Chrome Finish)
Chrome Vanadium Steel / Chrome Molybdenum

CHROME
MIRROR
FINISH

MM

HEX
BIHEX

3/4
DRIVE

Hex Code	Bi-Hex Code	Size (mm)	AED	(US\$)
C-17H	C-17BH	17	31.50	8.55
C-18H	C-18BH	18	31.50	8.55
C-19H	C-19BH	19	22.40	6.08
C-20H	C-20BH	20	22.40	6.08
C-21H	C-21BH	21	22.40	6.08
C-22H	C-22BH	22	22.40	6.08
C-23H	C-23BH	23	22.40	6.08
C-24H	C-24BH	24	22.40	6.08
C-25H	C-25BH	25	22.40	6.08
C-26H	C-26BH	26	22.40	6.08
C-27H	C-27BH	27	22.40	6.08
C-28H	C-28BH	28	22.40	6.08
C-29H	C-29BH	29	23.80	6.46
C-30H	C-30BH	30	23.80	6.46
C-31H	C-31BH	31	39.90	10.83
C-32H	C-32BH	32	27.30	7.41
C-33H	C-33BH	33	30.80	8.36
C-34H	C-34BH	34	30.80	8.36
C-35H	C-35BH	35	35.70	9.69
C-36H	C-36BH	36	37.10	10.07
C-37H	C-37BH	37	46.20	12.54
C-38H	C-38BH	38	42.00	11.40
C-39H	C-39BH	39	49.00	13.30
C-40H	C-40BH	40	49.00	13.30

Hex Code	Bi-Hex Code	Size (mm)	AED	(US\$)
C-41H	C-41BH	41	43.40	11.78
C-42H	C-42BH	42	49.00	13.30
C-43H	C-43BH	43	63.00	17.10
C-44H	C-44BH	44	63.00	17.10
C-45H	C-45BH	45	63.00	17.10
C-46H	C-46BH	46	49.00	13.30
C-47H	C-47BH	47	70.00	19.00
C-48H	C-48BH	48	70.00	19.00
C-49H	C-49BH	49	70.00	19.00
C-50H	C-50BH	50	56.00	15.20
C-51H	C-51BH	51	91.00	24.70
C-52H	C-52BH	52	91.00	24.70
C-53H	C-53BH	53	98.00	26.60
C-54H	C-54BH	54	98.00	26.60
C-55H	C-55BH	55	73.50	19.95
C-56H	C-56BH	56	91.00	24.70
C-57H	C-57BH	57	98.00	26.60
C-58H	C-58BH	58	105.00	29.45
C-59H	C-59BH	59	105.00	29.45
C-60H	C-60BH	60	94.50	25.65
C-65H	C-65BH	65	108.50	29.45
C-70H	C-70BH	70	140.00	38.00
C-75H	C-75BH	75	224.00	60.80

19mm (3/4) SQ. DRIVE SOCKET

SAE

HEX
BIHEX

3/4
DRIVE

Hex Code	Bi-Hex Code	Size American (SAE)	AED	(US\$)
C-13/16 AH	C-13/16 ABH	13/16	24.50	6.65
C-3/4 AH	C-3/4 ABH	3/4	24.50	6.65
C-7/8 AH	C-7/8 ABH	7/8	24.50	6.65
C-15/16 AH	C-15/16 ABH	15/16	24.50	6.65
C-1 AH	C-1 ABH	1	28.00	7.60
C-1.1/16 AH	C-1.1/16 ABH	1.1/16	28.00	7.60
C-1.1/8 AH	C-1.1/8 ABH	1.1/8	21.00	5.70
C-1.3/16 AH	C-1.3/16 ABH	1.3/16	32.20	8.74
C-1.1/4 AH	C-1.1/4 ABH	1.1/4	32.20	8.74
C-1.5/16 AH	C-1.5/16 ABH	1.5/16	32.20	8.74

Hex Code	Bi-Hex Code	Size American (SAE)	AED	(US\$)
C-1.3/8 AH	C-1.3/8 ABH	1.3/8	42.00	11.40
C-1.7/16 AH	C-1.7/16 ABH	1.7/16	42.00	11.40
C-1.1/2 AH	C-1.1/2 ABH	1.1/2	42.00	11.40
C-1.5/8 AH	C-1.5/8 ABH	1.5/8	45.50	12.35
C-1.11/16 AH	C-1.11/16 ABH	1.11/16	45.50	12.35
C-1.3/4 AH	C-1.3/4 ABH	1.3/4	63.00	17.10
C-1.13/16 AH	C-1.13/16 ABH	1.13/16	63.00	17.10
C-1.7/8 AH	C-1.7/8 ABH	1.7/8	70.00	19.00
C-1.15/16 AH	C-1.15/16 ABH	1.15/16	70.00	19.00
C-2 AH	C-2 ABH	2	70.00	19.00

25mm (1) DRIVE SOCKETS



Chrome Vanadium Steel

Hex Code	Bi-Hex Code	Size (mm)	AED	(US\$)
D-36H	D-36BH	D-36	59.50	16.15
D-38H	D-38BH	D-38	59.50	16.15
D-41H	D-41BH	D-41	70.00	19.00
D-46H	D-46BH	D-46	70.00	19.00
D-48H	D-48BH	D-48	98.00	26.60
D-50H	D-50BH	D-50	84.00	22.80
D-54H	D-54BH	D-54	140.00	38.00
D-55H	D-55BH	D-55	105.00	28.50
D-56H	D-56BH	D-56	154.00	41.80
D-57H	D-57BH	D-57	154.00	41.80
D-60H	D-60BH	D-60	126.00	34.20
D-65H	D-65BH	D-65	147.00	39.90
D-70H	D-70BH	D-70	168.00	45.60
D-75H	D-75BH	D-75	210.00	57.00
D-80H	D-80BH	D-80	224.00	60.80

25mm (1) DRIVE SOCKETS




Chrome Vanadium Steel

Hex Code	Bi-Hex Code	Sizes (mm)	AED	(US\$)
D-1.1/4 AH	D-1.1/4 ABH	1.1/4 SAE	86.10	23.37
D-1.5/16 AH	D-1.5/16 ABH	1.5/16 SAE	88.20	23.94
D-1.3/8 AH	D-1.3/8 ABH	1.3/8 SAE	92.40	25.08
D-1.7/16 AH	D-1.7/16 ABH	1.7/16 SAE	96.60	26.22
D-1.1/2 AH	D-1.1/2 ABH	1.1/2 SAE	100.80	27.36
D-1.5/8 AH	D-1.5/8 ABH	1.5/8 SAE	105.00	28.50
D-1.11/16 AH	D-1.11/16 ABH	1.11/16 SAE	109.20	29.64
D-1.3/4 AH	D-1.3/4 ABH	1.3/4 SAE	113.40	30.78
D-1.13/16 AH	D-1.13/16 ABH	1.13/16 SAE	117.60	31.92
D-1.7/8 AH	D-1.7/8 ABH	1.7/8 SAE	121.80	33.06
D-2 AH	D-2 ABH	2 SAE	126.00	34.20
D-2.1/8 AH	D-2.1/8 ABH	2.1/8 SAE	155.40	42.18
D-2.3/16 AH	D-2.3/16 ABH	2.3/16 SAE	155.40	42.18
D-2.1/4 AH	D-2.1/4 ABH	2.1/4 SAE	159.60	43.32
D-2.3/8 AH	D-2.3/8 ABH	2.3/8 SAE	159.60	43.32
D-2.1/2 AH	D-2.1/2 ABH	2.1/2 SAE	159.60	43.32
D-2.5/8 AH	D-2.5/8 ABH	2.5/8 SAE	214.20	58.14
D-2.3/4 AH	D-2.3/4 ABH	2.3/4 SAE	252.00	68.40
D-2.15/16 AH	D-2.15/16 ABH	2.15/16 SAE	302.40	82.08
D-3 AH	D-3 ABH	3 SAE	327.60	88.92
D-3.1/8 AH	D-3.1/8 ABH	3.1/8 SAE	357.00	96.90



T-SOCKETS with 1/4 DRIVE DEEP SOCKET



Code	Size	Handle Length	Length	AED	(US\$)
TS4	4mm	200	350	10.50	2.85
TS5	5mm	200	350	10.50	2.85
TS6	6mm	200	350	10.50	2.85
TS7	7mm	200	350	11.55	3.14
TS8	8mm	200	350	11.55	3.14
TS9	9mm	200	350	14.00	3.80
TS10	10mm	200	350	14.00	3.80
TS11	11mm	200	350	14.00	3.80
TS12	12mm	200	350	14.00	3.80
TS13	13mm	200	350	15.40	4.18
TS14	14mm	200	350	15.40	4.18

T- SOCKET with DEEP SOCKET



Code	Size	Handle Length	Length	AED	(US\$)
TS15	15mm	200	375	29.40	7.98
TS16	16mm	200	375	31.50	8.50
TS17	17mm	200	375	33.60	9.12
TS18	18mm	200	375	35.70	9.69
TS19	19mm	200	375	37.80	10.26
TS20	20mm	200	375	39.90	10.83
TS21	21mm	200	375	39.90	10.83

REVERSIBLE RATCHET HANDLE

Code	Drive	AED	(US\$)
RR-A-1715	1/4	35.00	9.50
RR-B-1715	3/8	49.00	13.30
RR2715	1/2	59.50	16.15
RR2717	3/4 (Without Rubber Grip)	210.00	57.00
RR3715	1 (Without Rubber Grip)	700.00	190.00



RATCHET - NON REVERSIBLE (WITHOUT COUPLER)

Code	Drive	AED	(US\$)
RNR1993Z (A)	1/2	42.00	11.00
RNR2715	3/4	126.00	34.20
RNR3705	1	462.00	125.40
RNR1.1/2	1.1/2	2030.00	551.00



SQUARE COUPLER (FOR RATCHET)

Code	Drive	AED	(US\$)
SQC1/2	1/2	17.50	4.75
SQC3/4	3/4	28.00	7.60
SQC1	1	112.00	30.40



2IN 1 RATCHET HANDLE

Chrome Plated Finish
Chrome Vanadium Steel

Code	Drive	Dimension (mm)	AED	(US\$)
RR-A-B	3/8 & 1/4	145	68.43	18.57
RR-B-N	1/2 & 3/8	145	68.43	18.57



3IN 1 RATCHET HANDLE

Code	Drive	Dimension (mm)	AED	(US\$)
RR-ABN-132	1/2 & 3/8 & 1/4	132	79.73	21.64
RR-ABN-200	1/2 & 3/8 & 1/4	200	92.23	25.03
RR-ABN-245	1/2 & 3/8 & 1/4	245	121.28	32.92



EXTENSION BAR



Chrome Plated Finish.
 Chrome Vanadium Steel.

Code	Drive	Length (mm)	AED	(US\$)
EB743	1/4	50	3.99	1.08
EB750	1/4	75	4.90	1.33
EB753	1/4	100	4.76	1.29
EB763	1/4	150	8.05	2.19
EB743	3/8	75	7.70	2.09
EB753	3/8	150	9.80	2.66
EB763	3/8	250	14.00	3.80
EB1713	1/2	50	10.15	2.76
EB1743	1/2	75	10.50	2.85
EB1753	1/2	125	10.50	2.85
EB1758	1/2	200	14.70	3.99
EB1763	1/2	250	14.00	3.80
EB1766	1/2	350	23.10	6.27
EB2713	3/4	100	25.20	6.84
EB2714	3/4	125	25.20	6.84
EB2723	3/4	200	29.40	7.98
EB2753	3/4	300	44.10	11.97
EB2763	3/4	400	55.30	15.01
EB3753	1	200	122.50	33.25
EB3763	1	400	182.00	49.40

UNIVERSAL JOINT



Code	Drive	AED	(US\$)
UJ773	1/4	9.80	2.66
UJ773	3/8	12.25	3.32
UJ1773	1/2	19.60	5.32
UJ2773	3/4	98.00	26.60
UJ3773	1	266.00	72.20

L-HANDLE

Chrome Plated Finish
Chrome Vanadium Steel

Code	Drive	Dimension (mm)	Wt. (Gms.)	AED	(US\$)
LH-A-734	1/4	150		11.55	3.14
LH-B-734	3/8	200		17.50	4.75
LH-N-1734/8	1/2	60x200	410	13.86	3.76
LH-1735/10	1/2	75x250	515	17.36	4.71
LH-1736/12	1/2	75x300	650	23.10	6.27
LH-1737/18	1/2	120x470	1150	36.96	10.03
LH-2735/18	3/4	450		59.50	16.15
LH-3535/24	1	150x610		420.00	114.00



SLIDING T - HANDLE

Chrome Plated Finish Chrome Vanadium Steel

Code	Drive	Length (mm)	AED	(US\$)
STH-A-733	1/4	115	8.40	2.28
STH-B-733	3/8	200	17.50	4.75
STH-N-1733	1/2	300	19.60	5.32
STH-C-2733	3/4	450/500	59.50	16.15
STH-D-3733	1	510	308.00	83.60



SWIVEL HANDLE

Code	Drive	Length (mm)	AED	(US\$)
SWH-N-1703	1/2	250	44.10	11.97
SWH-N-1705	1/2	380	92.40	25.08
SWH-N-1706	1/2	500	100.80	27.36
SWH-N-1707	1/2	450	117.60	31.92
SWH-C-2703	3/4	400	126.00	34.20



SPEED BRACE

Code	Drive	Length (mm)	AED	(US\$)
SB-N-400	1/2	400	45.50	12.35



SOCKET ADAPTORS

Mirror Finish

Code	Size (mm)	AED	(US\$)
SA 1/4Fx3/8M	1/4Fx3/8M	7.70	2.09
SA 3/8Fx1/4M	3/8Fx1/4M	7.70	2.09
SA 3/8M x 1/2F	3/8M x 1/2F	9.80	2.66
SA 3/8F x 1/2M	3/8F x 1/2M	9.80	2.66
SA 1/2F x 3/4M	1/2F x 3/4M	18.90	5.13
SA 1/2M x 3/4F	1/2M x 3/4F	20.30	5.51
SA 3/4Mx1F	3/4Mx1F	63.00	17.10
SA 3/4Fx1M	3/4Fx1M	56.00	15.20



6.3mm (1/4) DRIVE SOCKET IMPACT

MM

HEX

1/4
DRIVE
IMPACT

Cr-Mo

Code	Size (mm)	AED	(US\$)
IMP-A-4	4	7.00	1.90
IMP-A-4.5	4.5	7.00	1.90
IMP-A-5	5	7.00	1.90
IMP-A-5.5	5.5	7.00	1.90
IMP-A-6	6	7.00	1.90
IMP-A-6.5	6.5	7.00	1.90
IMP-A-7	7	7.00	1.90
IMP-A-8	8	7.00	1.90
IMP-A-9	9	7.00	1.90
IMP-A-10	10	7.00	1.90
IMP-A-11	11	7.00	1.90
IMP-A-12	12	7.00	1.90
IMP-A-13	13	7.00	1.90
IMP-A-14	14	7.00	1.90
IMP-A-15	15	7.00	1.90
IMP-A-16	16	7.00	1.90

6.3mm (1/4) DRIVE SOCKET IMPACT

SAE

HEX

1/4
DRIVE
IMPACT

Cr-Mo

Code	Sizes (SAE)	AED	(US\$)
IMP-A-3/16A	3/16	7.00	1.90
IMP-A-1/4A	1/4	7.00	1.90
IMP-A-5/16A	5/16	7.00	1.90
IMP-A-3/8A	3/8	7.00	1.90
IMP-A-7/16A	7/16	7.00	1.90
IMP-A-1/2A	1/2	7.00	1.90
IMP-A-9/16A	9/16	7.00	1.90
IMP-A-5/8A	5/8	7.00	1.90

6.3mm (1/4) DRIVE ALLEN SOCKET IMPACT

MM

1/4
DRIVE
IMPACT

Cr-Mo

Code	Size	AED	(US\$)
IMP-A-ASH3	3	32.55	8.84
IMP-A-ASH4	4	32.55	8.84
IMP-A-ASH5	5	32.55	8.84
IMP-A-ASH6	6	32.55	8.84

6.3mm (1/4) DRIVE ALLEN SOCKET IMPACT

SAE

1/4
DRIVE
IMPACT

Cr-Mo

Code	Size	AED	(US\$)
IMP-A-ASH 1/4A	1/4	32.55	8.84
IMP-A-ASH 1/8A	1/8	32.55	8.84
IMP-A-ASH 5/16A	5/16	32.55	8.84
IMP-A-ASH 5/32A	5/32	32.55	8.84
IMP-A-ASH 3/16A	3/16	32.55	8.84
IMP-A-ASH 3/8A	3/8	32.55	8.84
IMP-A-ASH 7/16A	7/16	32.55	8.84
IMP-A-ASH 7/32A	7/32	32.55	8.84



9.5mm (3/8) DRIVE SOCKETS IMPACT

9.5mm (3/8) DRIVE SOCKETS IMPACT



LENGTH 28MM

Code	Size (mm)	AED	(US\$)
IMP-B-6	6	7.00	1.90
IMP-B-7	7	7.00	1.90
IMP-B-8	8	7.00	1.90
IMP-B-9	9	7.00	1.90
IMP-B-10	10	7.00	1.90
IMP-B-11	11	7.00	1.90
IMP-B-12	12	7.00	1.90
IMP-B-13	13	7.00	1.90
IMP-B-14	14	7.00	1.90
IMP-B-15	15	7.00	1.90
IMP-B-16	16	7.00	1.90
IMP-B-17	17	11.20	3.04
IMP-B-18	18	11.20	3.04
IMP-B-19	19	11.20	3.04
IMP-B-20	20	13.30	3.61
IMP-B-21	21	13.30	3.61
IMP-B-22	22	13.30	3.61
IMP-B-24	24	13.30	3.61

LONG LENGTH 63MM

Code	Size (mm)	AED	(US\$)
IMP-B-6D	6	10.50	2.85
IMP-B-7D	7	10.50	2.85
IMP-B-8D	8	10.50	2.85
IMP-B-9D	9	10.50	2.85
IMP-B-10D	10	10.50	2.85
IMP-B-11D	11	10.50	2.85
IMP-B-12D	12	10.50	2.85
IMP-B-13D	13	10.50	2.85
IMP-B-14D	14	10.50	2.85
IMP-B-15D	15	10.50	2.85
IMP-B-16D	16	10.50	2.85
IMP-B-17D	17	14.00	3.80
IMP-B-18D	18	14.00	3.80
IMP-B-19D	19	14.00	3.80
IMP-B-20D	20	17.50	4.75
IMP-B-21D	21	17.50	4.75
IMP-B-22D	22	17.50	4.75
IMP-B-24D	24	28.00	7.60



Code	Sizes (SAE)	AED	(US\$)
IMP-B-1/4A	1/4	10.50	2.85
IMP-B-9/32A	9/32	10.50	2.85
IMP-B-5/16A	5/16	10.50	2.85
IMP-B-11/32A	11/32	10.50	2.85
IMP-B-3/8A	3/8	10.50	2.85
IMP-B-7/16A	7/16	10.50	2.85
IMP-B-1/2A	1/2	10.50	2.85
IMP-B-9/16A	9/16	10.50	2.85
IMP-B-5/8A	5/8	10.50	2.85
IMP-B-11/16A	11/16	12.60	3.42
IMP-B-3/4A	3/4	12.60	3.42
IMP-B-13/16A	13/16	15.40	4.18
IMP-B-7/8A	7/8	15.40	4.18
IMP-B-15/16A	15/16	19.60	5.32

9.5mm (3/8) DRIVE ALLEN SOCKET IMPACT



Code	Size	AED	(US\$)
IMP-B-ASH3	3	28.00	7.60
IMP-B-ASH4	4	28.00	7.60
IMP-B-ASH5	5	28.00	7.60
IMP-B-ASH6	6	28.00	7.60
IMP-B-ASH8	8	31.50	8.55
IMP-B-ASH10	10	33.60	9.12
IMP-B-ASH13	13	35.00	9.50
IMP-B-ASH15	15	35.00	9.50



Code	Size	AED	(US\$)
IMP-B-ASH 1/8A	1/8	28.00	7.60
IMP-B-ASH 5/32A	5/32	28.00	7.60
IMP-B-ASH 3/16A	3/16	28.00	7.60
IMP-B-ASH 7/32A	7/32	28.00	7.60
IMP-B-ASH 1/4A	1/4	28.00	7.60
IMP-B-ASH 5/16A	5/16	28.00	7.60
IMP-B-ASH 3/8A	3/8	33.60	9.12

12.5MM (1/2) DRIVE IMPACT SOCKET



LENGTH 38MM



LONG LENGTH 78MM

Code	Sizes (mm)	AED	(US\$)
IMP-N-7	7	7.70	2.09
IMP-N-8	8	7.70	2.09
IMP-N-9	9	7.70	2.09
IMP-N-10	10	7.70	2.09
IMP-N-11	11	7.70	2.09
IMP-N-12	12	7.70	2.09
IMP-N-13	13	7.70	2.09
IMP-N-14	14	7.70	2.09
IMP-N-15	15	8.05	2.19
IMP-N-16	16	8.40	2.28
IMP-N-17	17	8.61	2.34
IMP-N-18	18	8.75	2.38
IMP-N-19	19	8.75	2.38
IMP-N-20	20	10.50	2.85
IMP-N-21	21	10.50	2.85
IMP-N-22	22	11.20	3.04
IMP-N-23	23	12.60	3.42
IMP-N-24	24	12.74	3.46
IMP-N-25	25	17.64	4.79
IMP-N-26	26	15.40	4.18
IMP-N-27	27	18.9	5.13
IMP-N-28	28	21.00	5.70
IMP-N-29	29	22.40	6.08
IMP-N-30	30	22.40	6.08
IMP-N-31	31	24.50	6.65
IMP-N-32	32	23.10	6.27
IMP-N-33	33	31.50	8.55
IMP-N-34	34	31.50	8.55
IMP-N-35	35	35.00	9.50
IMP-N-36	36	35.00	9.50
IMP-N-38	38	35.00	9.50
IMP-N-41	41	49.00	13.30
IMP-N-46	46	56.00	15.20

Code	Sizes (mm)	AED	(US\$)
IMP-N-7D	7	12.25	3.33
IMP-N-8D	8	12.25	3.33
IMP-N-9D	9	12.25	3.33
IMP-N-10D	10	12.25	3.33
IMP-N-11D	11	12.25	3.33
IMP-N-12D	12	12.60	3.42
IMP-N-13D	13	12.60	3.42
IMP-N-14D	14	12.60	3.42
IMP-N-15D	15	12.95	3.52
IMP-N-16D	16	12.95	3.52
IMP-N-17D	17	14.70	3.99
IMP-N-18D	18	14.70	3.99
IMP-N-19D	19	14.70	3.99
IMP-N-20D	20	16.80	4.56
IMP-N-21D	21	16.80	4.56
IMP-N-22D	22	17.85	4.85
IMP-N-23D	23	20.30	5.51
IMP-N-24D	24	19.60	5.32
IMP-N-25D	25	26.60	7.22
IMP-N-26D	26	25.20	6.84
IMP-N-27D	27	25.20	6.84
IMP-N-28D	28	25.20	6.84
IMP-N-29D	29	35.00	9.50
IMP-N-30D	30	30.10	8.17
IMP-N-31D	31	42.00	11.40
IMP-N-32D	32	32.20	8.74
IMP-N-33D	33	42.00	11.40
IMP-N-34D	34	42.00	11.40
IMP-N-35D	35	52.50	14.25
IMP-N-36D	36	52.50	14.25
IMP-N-38D	38	59.50	16.15
IMP-N-41D	41	77.00	20.90
IMP-N-46D	46	84.00	22.80

12.5MM (1/2) DRIVE BI-HEX IMPACT SOCKET

1/2
DRIVE
IMPACT

Cr-Mo

MM

BIHEX

LONG LENGTH
90MM

Code	Sizes (mm)	AED	(US\$)
IMP-N-7 BH	7	12.25	3.33
IMP-N-8 BH	8	12.25	3.33
IMP-N-9 BH	9	12.25	3.33
IMP-N-10 BH	10	12.25	3.33
IMP-N-11BH	11	12.25	3.33
IMP-N-12 BH	12	12.60	3.42
IMP-N-13 BH	13	12.60	3.42
IMP-N-14 BH	14	12.60	3.42
IMP-N-15 BH	15	12.95	3.52
IMP-N-16 BH	16	12.95	3.52
IMP-N-17 BH	17	14.70	3.99
IMP-N-18 BH	18	14.70	3.99
IMP-N-19 BH	19	14.70	3.99
IMP-N-20 BH	20	16.80	4.56
IMP-N-21 BH	21	16.80	4.56
IMP-N-22 BH	22	17.85	4.85
IMP-N-23 BH	23	20.30	5.51
IMP-N-24 BH	24	19.60	5.32
IMP-N-25 BH	25	26.60	7.22
IMP-N-26 BH	26	25.20	6.84
IMP-N-27 BH	27	25.20	6.84
IMP-N-28 BH	28	25.20	6.84
IMP-N-29 BH	29	35.00	9.50
IMP-N-30 BH	30	30.10	8.17
IMP-N-31 BH	31	42.00	11.40
IMP-N-32 BH	32	32.20	8.74
IMP-N-33 BH	33	42.00	11.40
IMP-N-34 BH	34	42.00	11.40
IMP-N-35 BH	35	52.50	14.25
IMP-N-36 BH	36	52.50	14.25
IMP-N-38 BH	38	59.50	16.15
IMP-N-41 BH	41	77.00	20.90
IMP-N-46 BH	46	84.00	22.80



12.5MM (1/2) DRIVE DEEP IMPACT SOCKET

1/2 DRIVE IMPACT	Cr-Mo	SAE	HEX	LONG LENGTH 78MM
------------------------	-------	-----	-----	---------------------

Code	Sizes (SAE)	AED	(US\$)
IMP-N3/8AD	3/8	14.00	3.80
IMP-N7/16AD	7/16	14.00	3.80
IMP-N1/2AD	1/2	14.00	3.80
IMP-N9/16AD	9/16	14.00	3.80
IMP-N5/8AD	5/8	14.00	3.80
IMP-N11/16AD	11/16	14.00	3.80
IMP-N3/4AD	3/4	14.00	3.80
IMP-N13/16AD	13/16	14.00	3.80
IMP-N7/8AD	7/8	14.00	3.80
IMP-N15/16AD	15/16	17.50	4.75
IMP-N1AD	1	24.50	6.65
IMP-N1.1/16AD	1.1/16	24.50	6.65
IMP-N1.1/8AD	1.1/8	28.00	7.60
IMP-N1.3/16AD	1.3/16	28.00	7.60
IMP-N1.1/4AD	1.1/4	28.00	7.60
IMP-N1.5/16AD	1.5/16	35.00	9.50
IMP-N1.3/8AD	1.3/8	49.00	13.30
IMP-N1.7/16AD	1.7/16	56.00	15.20
IMP-N1.1/2AD	1.1/2	63.00	17.10



IMPACT SOCKETRY

12.5mm (1/2) DRIVE IMPACT SPLINE SOCKET

1/2 DRIVE IMPACT	Cr-Mo	MM
------------------------	-------	----

Code	Size (mm)	AED	(US\$)
IMP-N-SSM5	5	31.08	8.44
IMP-N-SSM6	6	31.08	8.44
IMP-N-SSM8	8	31.08	8.44
IMP-N-SSM9	9	31.08	8.44
IMP-N-SSM10	10	31.08	8.44
IMP-N-SSM12	12	31.08	8.44
IMP-N-SSM13	13	31.08	8.44
IMP-N-SSM14	14	31.08	8.44
IMP-N-SSM16	16	31.08	8.44
IMP-N-SSM18	18	31.08	8.44
IMP-N-SSM20	20	49.00	13.30
IMP-N-SSM22	22	52.50	14.25
IMP-N-SSM24	24	59.50	16.15



12.5MM (1/2) DRIVE IMPACT TORX

1/2 DRIVE IMPACT	Cr-Mo	MM
------------------------	-------	----

Code	Size (mm)	AED	(US\$)
IMP-N-T15	15	31.08	8.44
IMP-N-T20	20	31.08	8.44
IMP-N-T25	25	31.08	8.44
IMP-N-T30	30	31.08	8.44
IMP-N-T35	35	31.08	8.44
IMP-N-T40	40	31.08	8.44
IMP-N-T45	45	31.08	8.44
IMP-N-T50	50	31.08	8.44
IMP-N-T55	55	31.08	8.44
IMP-N-T60	60	35.28	9.58
IMP-N-T70	70	35.28	9.58
IMP-N-T80	80	49.00	13.30
IMP-N-T90	90	56.00	15.20
IMP-N-T100	100	63.00	17.10



12.5mm (1/2) DRIVE IMPACT ALLEN SOCKET



Code	Size (mm)	AED	(US\$)
IMP-N-ASH4	4	28.56	7.75
IMP-N-ASH5	5	28.56	7.75
IMP-N-ASH6	6	28.56	7.75
IMP-N-ASH7	7	28.56	7.75
IMP-N-ASH8	8	28.56	7.75
IMP-N-ASH9	9	28.56	7.75
IMP-N-ASH10	10	28.56	7.75
IMP-N-ASH11	11	33.18	9.01
IMP-N-ASH12	12	33.18	9.01
IMP-N-ASH13	13	33.18	9.01
IMP-N-ASH14	14	33.18	9.01
IMP-N-ASH15	15	33.18	9.01
IMP-N-ASH16	16	33.18	9.01
IMP-N-ASH17	17	39.90	10.83
IMP-N-ASH18	18	39.90	10.83
IMP-N-ASH19	19	39.90	10.83
IMP-N-ASH20	20	50.40	13.68
IMP-N-ASH21	21	46.20	12.54
IMP-N-ASH22	22	56.00	15.20
IMP-N-ASH24	24	63.00	17.10
IMP-N-ASH27	27	77.00	20.90
IMP-N-ASH30	30	91.00	24.70

12.5mm (1/2) DRIVE IMPACT ALLEN SOCKET



Code	Sizes (SAE)	AED	(US\$)
IMP-N-ASH3/16A	3/16	37.80	10.26
IMP-N-ASH7/32A	7/32	37.80	10.26
IMP-N-ASH1/4A	1/4	37.80	10.26
IMP-N-ASH 5/32A	5/32	37.80	10.26
IMP-N-ASH 5/16A	5/16	37.80	10.26
IMP-N-ASH 3/8A	3/8	39.90	10.83
IMP-N-ASH 7/16A	7/16	39.90	10.83
IMP-N-ASH 1/2A	1/2	42.00	11.40
IMP-N-ASH 9/16A	9/16	46.20	12.54
IMP-N-ASH 5/8A	5/8	50.40	13.68
IMP-N-ASH 11/16A	11/16	50.40	13.68
IMP-N-ASH 3/4A	3/4	58.80	15.96



12.5MM (1/2) DRIVE SWIVEL IMPACT SOCKET



Code	Size (mm)	AED	(US\$)
IMP-N-SIS 10	10	66.50	18.05
IMP-N-SIS 11	11	66.50	18.05
IMP-N-SIS 12	12	66.50	18.05
IMP-N-SIS 13	13	66.50	18.05
IMP-N-SIS 14	14	66.50	18.05
IMP-N-SIS 15	15	66.50	18.05
IMP-N-SIS 16	16	66.50	18.05
IMP-N-SIS 17	17	66.50	18.05
IMP-N-SIS 18	18	70.00	19.00
IMP-N-SIS 19	19	70.00	19.00
IMP-N-SIS 20	20	73.50	19.95
IMP-N-SIS 21	21	73.50	19.95
IMP-N-SIS 22	22	73.50	19.95
IMP-N-SIS 23	23	73.50	19.95
IMP-N-SIS 24	24	73.50	19.95

12.5MM (1/2) DRIVE SWIVEL IMPACT SOCKET



Code	Size (mm)	AED	(US\$)
IMP-N-SIS 10D	10	73.50	19.95
IMP-N-SIS 11D	11	73.50	19.95
IMP-N-SIS 12D	12	73.50	19.95
IMP-N-SIS 13D	13	73.50	19.95
IMP-N-SIS 14D	14	73.50	19.95
IMP-N-SIS 15D	15	73.50	19.95
IMP-N-SIS 16D	16	73.50	19.95
IMP-N-SIS 17D	17	73.50	19.95
IMP-N-SIS 18D	18	80.50	21.85
IMP-N-SIS 19D	19	80.50	21.85
IMP-N-SIS 20D	20	80.50	21.85
IMP-N-SIS 21D	21	80.50	21.85
IMP-N-SIS 22D	22	80.50	21.85
IMP-N-SIS 23D	23	80.50	21.85
IMP-N-SIS 24D	24	80.50	21.85



Code	Sizes (SAE)	AED	(US\$)
IMP-N-SIS 5/16A	5/16	93.10	25.27
IMP-N-SIS 3/8A	3/8	93.10	25.27
IMP-N-SIS 7/16A	7/16	93.10	25.27
IMP-N-SIS 1/2A	1/2	93.10	25.27
IMP-N-SIS 9/16A	9/16	93.10	25.27
IMP-N-SIS 5/8A	5/8	93.10	25.27
IMP-N-SIS 11/16A	11/16	93.10	25.27
IMP-N-SIS 3/4A	3/4	93.10	25.27
IMP-N-SIS 13/16A	13/16	102.90	27.93
IMP-N-SIS 7/8A	7/8	102.90	27.93
IMP-N-SIS 15/16A	15/16	102.90	27.93
IMP-N-SIS 1A	1	102.90	27.93
IMP-N-SIS 1.1/16A	1.1/16	102.90	27.93
IMP-N-SIS 1.1/8A	1.1/8	112.70	30.59
IMP-N-SIS 1.3/16A	1.3/16	112.70	30.59
IMP-N-SIS 1.1/4A	1.1/4	112.70	30.59



Code	Sizes (SAE)	AED	(US\$)
IMP-N-SIS 5/16AD	5/16	102.90	27.93
IMP-N-SIS 3/8AD	3/8	102.90	27.93
IMP-N-SIS 7/16AD	7/16	102.90	27.93
IMP-N-SIS 1/2AD	1/2	102.90	27.93
IMP-N-SIS 9/16AD	9/16	102.90	27.93
IMP-N-SIS 5/8AD	5/8	102.90	27.93
IMP-N-SIS 11/16AD	11/16	102.90	27.93
IMP-N-SIS 3/4AD	3/4	102.90	27.93
IMP-N-SIS 13/16AD	13/16	112.70	30.59
IMP-N-SIS 7/8AD	7/8	112.70	30.59
IMP-N-SIS 15/16AD	15/16	112.70	30.59
IMP-N-SIS 1AD	1	112.70	30.59
IMP-N-SIS 1.1/16AD	1.1/16	112.70	30.59
IMP-N-SIS 1.1/8AD	1.1/8	122.50	33.25
IMP-N-SIS 1.3/16AD	1.3/16	122.50	33.25
IMP-N-SIS 1.1/4AD	1.1/4	122.50	33.25

19mm (3/4) DRIVE IMPACT SOCKETS (HEAVY DUTY)



LENGTH 56MM

Code	Size (mm)	AED	(US\$)
IMP-C-14H	14	31.08	8.44
IMP-C-15H	15	31.08	8.44
IMP-C-16H	16	31.08	8.44
IMP-C-17H	17	28.00	7.60
IMP-C-18H	18	28.00	7.60
IMP-C-19H	19	28.00	7.60
IMP-C-20H	20	30.10	8.17
IMP-C-21H	21	29.75	8.08
IMP-C-22H	22	29.75	8.08
IMP-C-23H	23	35.00	9.50
IMP-C-24H	24	30.80	8.36
IMP-C-25H	25	35.00	9.50
IMP-C-26H	26	35.00	9.50
IMP-C-27H	27	31.50	8.55
IMP-C-28H	28	35.00	9.50
IMP-C-29H	29	38.50	10.45
IMP-C-30H	30	35.00	9.50
IMP-C-31H	31	39.90	10.83
IMP-C-32H	32	35.00	9.50
IMP-C-33H	33	35.00	9.50
IMP-C-34H	34	35.00	9.50
IMP-C-35H	35	35.00	9.50
IMP-C-36H	36	36.40	9.88
IMP-C-37H	37	46.20	12.54
IMP-C-38H	38	42.00	11.40
IMP-C-39H	39	46.20	12.54
IMP-C-40H	40	46.20	12.54
IMP-C-41H	41	47.25	12.83
IMP-C-42H	42	54.60	14.82
IMP-C-43H	43	54.60	14.82
IMP-C-44H	44	63.00	17.10
IMP-C-45H	45	63.00	17.10
IMP-C-46H	46	54.60	14.82
IMP-C-47H	47	70.00	19.00
IMP-C-48H	48	70.00	19.00
IMP-C-49H	49	77.00	20.90
IMP-C-50H	50	73.50	19.95
IMP-C-51H	51	91.00	24.70
IMP-C-52H	52	91.00	24.70
IMP-C-53H	53	98.00	26.60
IMP-C-54H	54	98.00	26.60
IMP-C-55H	55	84.00	22.80
IMP-C-56H	56	91.00	24.70
IMP-C-57H	57	98.00	26.60
IMP-C-58H	58	98.00	26.60
IMP-C-59H	59	105.00	28.50
IMP-C-60H	60	105.00	28.50
IMP-C-65H	65	126.00	34.20
IMP-C-70H	70	140.00	38.00
IMP-C-75H	75	224.00	60.80



19mm (3/4) DRIVE IMPACT SOCKETS (HEAVY DUTY)

**3/4
DRIVE
IMPACT** **Cr-Mo** **MM** **HEX** **LONG**

**LONG
LENGTH 90MM**

Code	Size (mm)	AED	(US\$)
IMP-C-14HD	14	50.40	13.68
IMP-C-15HD	15	50.40	13.68
IMP-C-16HD	16	50.40	13.68
IMP-C-17HD	17	50.40	13.68
IMP-C-18HD	18	50.40	13.68
IMP-C-19HD	19	50.40	13.68
IMP-C-20HD	20	54.60	14.82
IMP-C-21HD	21	50.40	13.68
IMP-C-22HD	22	50.40	13.68
IMP-C-23HD	23	50.40	13.68
IMP-C-24HD	24	50.40	13.68
IMP-C-25HD	25	56.00	15.20
IMP-C-26HD	26	56.00	15.20
IMP-C-27HD	27	56.00	15.20
IMP-C-28HD	28	56.00	15.20
IMP-C-29HD	29	59.50	16.15
IMP-C-30HD	30	59.50	16.15
IMP-C-31HD	31	77.00	20.90
IMP-C-32HD	32	63.00	17.10
IMP-C-33HD	33	63.00	17.10
IMP-C-34HD	34	63.00	17.10
IMP-C-35HD	35	66.50	18.05
IMP-C-36HD	36	66.50	18.05
IMP-C-37HD	37	91.00	24.70
IMP-C-38HD	38	77.00	20.90
IMP-C-39HD	39	91.00	24.70
IMP-C-40HD	40	91.00	24.70
IMP-C-41HD	41	91.00	24.70
IMP-C-42HD	42	105.00	28.50
IMP-C-43HD	43	105.00	28.50
IMP-C-44HD	44	126.00	34.20
IMP-C-45HD	45	126.00	34.20
IMP-C-46HD	46	105.00	28.50
IMP-C-47HD	47	126.00	34.20
IMP-C-48HD	48	126.00	34.20
IMP-C-49HD	49	126.00	34.20
IMP-C-50HD	50	112.00	30.40
IMP-C-51HD	51	154.00	41.80
IMP-C-52HD	52	154.00	41.80
IMP-C-53HD	53	168.00	45.60
IMP-C-54HD	54	168.00	45.60
IMP-C-55HD	55	147.00	39.90
IMP-C-56HD	56	154.00	41.80
IMP-C-57HD	57	175.00	47.50
IMP-C-58HD	58	175.00	47.50
IMP-C-59HD	59	182.00	49.40
IMP-C-60HD	60	193.20	52.44
IMP-C-65HD	65	224.00	60.80
IMP-C-70HD	70	266.00	72.20
IMP-C-75HD	75	399.00	108.30



19MM (3/4) DRIVE SWIVEL IMPACT SOCKET

3/4
DRIVE
IMPACT

Cr-Mo

MM

HEX

Code	Size (mm)	AED	(US\$)
IMP-C-SIS 17	17	164.50	44.65
IMP-C-SIS 19	19	164.50	44.65
IMP-C-SIS 20	20	164.50	44.65
IMP-C-SIS 21	21	164.50	44.65
IMP-C-SIS 22	22	164.50	44.65
IMP-C-SIS 23	23	164.50	44.65
IMP-C-SIS 24	24	164.50	44.65
IMP-C-SIS 25	25	164.50	44.65
IMP-C-SIS 26	26	164.50	44.65
IMP-C-SIS 27	27	164.50	44.65
IMP-C-SIS 28	28	164.50	44.65
IMP-C-SIS 29	29	164.50	44.65
IMP-C-SIS 30	30	164.50	44.65
IMP-C-SIS 31	31	164.50	44.65
IMP-C-SIS 32	32	164.50	44.65
IMP-C-SIS 33	33	199.50	54.15
IMP-C-SIS 34	34	199.50	54.15
IMP-C-SIS 35	35	199.50	54.15
IMP-C-SIS 36	36	199.50	54.15
IMP-C-SIS 37	37	199.50	54.15
IMP-C-SIS 38	38	199.50	54.15
IMP-C-SIS 39	39	224.00	60.80
IMP-C-SIS 40	40	224.00	60.80
IMP-C-SIS 41	41	224.00	60.80
IMP-C-SIS 42	42	224.00	60.80
IMP-C-SIS 43	43	224.00	60.80
IMP-C-SIS 44	44	224.00	60.80
IMP-C-SIS 45	45	224.00	60.80
IMP-C-SIS 46	46	224.00	60.80



Code	Sizes (SAE)	AED	(US\$)
IMP-C-SIS 11/16A	11/16	213.85	58.05
IMP-C-SIS 3/4A	3/4	213.85	58.05
IMP-C-SIS 13/16A	13/16	213.85	58.05
IMP-C-SIS 7/8A	7/8	213.85	58.05
IMP-C-SIS 15/16A	15/16	213.85	58.05
IMP-C-SIS 1A	1	213.85	58.05
IMP-C-SIS 1.1/16A	1.1/16	213.85	58.05
IMP-C-SIS 1.1/8A	1.1/8	213.85	58.05
IMP-C-SIS 1.3/16A	1.3/16	213.85	58.05
IMP-C-SIS 1.1/4A	1.1/4	213.85	58.05
IMP-C-SIS 1.5/16A	1.5/16	259.35	70.40
IMP-C-SIS 1.3/8A	1.3/8	259.35	70.40
IMP-C-SIS 1.7/16A	1.7/16	259.35	70.40
IMP-C-SIS 1.1/2A	1.1/2	213.85	58.05
IMP-C-SIS 1.9/16A	1.9/16	291.20	79.04
IMP-C-SIS 1.5/8A	1.5/8	259.35	70.40
IMP-C-SIS 1.11/16A	1.11/16	291.20	79.04
IMP-C-SIS 1.3/4A	1.3/4	291.20	79.04
IMP-C-SIS 1.13/16A	1.13/16	291.20	79.04
IMP-C-SIS 1.7/8A	1.7/8	291.20	79.04

19MM (3/4) DRIVE BI-HEX IMPACT SOCKETS (HEAVY DUTY)

3/4
DRIVE
IMPACT

Cr-Mo

MM

BI-HEX

LENGTH 56MM

Code	Size (mm)	AED	(US\$)
IMP-C-17BH	17	50.40	13.68
IMP-C-18BH	18	50.40	13.68
IMP-C-19BH	19	50.40	13.68
IMP-C-20BH	20	54.60	14.18
IMP-C-21BH	21	50.40	13.68
IMP-C-22BH	22	50.40	13.68
IMP-C-23BH	23	50.40	13.68
IMP-C-24BH	24	50.40	13.68
IMP-C-25BH	25	75.60	20.52
IMP-C-26BH	26	75.60	20.52
IMP-C-27BH	27	75.60	20.52
IMP-C-28BH	28	75.60	20.52
IMP-C-29BH	29	75.60	20.52
IMP-C-30BH	30	75.60	20.52
IMP-C-31BH	31	79.80	21.66



LENGTH 56MM

Code	Size (mm)	AED	(US\$)
IMP-C-32BH	32	79.80	21.66
IMP-C-33BH	33	79.80	21.66
IMP-C-34BH	34	84.00	22.80
IMP-C-35BH	35	84.00	22.80
IMP-C-36BH	36	88.20	23.94
IMP-C-37BH	37	88.20	23.94
IMP-C-38BH	38	88.20	23.94
IMP-C-40BH	40	110.46	29.98
IMP-C-41BH	41	119.28	32.38
IMP-C-46BH	46	128.10	34.77
IMP-C-50BH	50	163.80	44.46
IMP-C-55BH	55	176.40	47.88
IMP-C-60BH	60	193.20	52.44
IMP-C-65BH	65	201.60	54.72
IMP-C-70BH	70	285.60	77.52

19mm 3/4 IMPACT DRIVE SOCKETS



Black Finish
Manufactured from chrome molybdenum steel



LENGTH 90MM

LENGTH 90MM

Code	Sizes	AED	(US\$)
IMP-C-11/16A	11/16	58.80	15.96
IMP-C-3/4A	3/4	58.80	15.96
IMP-C-13/16A	13/16	58.80	15.96
IMP-C-7/8A	7/8	58.80	15.96
IMP-C-15/16A	15/16	58.80	15.96
IMP-C-1A	1	92.40	25.08
IMP-C-1.1/16A	1.1/16	92.40	25.08
IMP-C-1.1/8A	1.1/8	92.40	25.08
IMP-C-1.3/16A	1.3/16	92.40	25.08
IMP-C-1.1/4A	1.1/4	96.60	26.22
IMP-C-1.5/16A	1.5/16	96.60	26.22
IMP-C-1.3/8A	1.3/8	100.80	27.36
IMP-C-1.7/16A	1.7/16	105.00	28.50
IMP-C-1.1/2A	1.1/2	105.00	28.50
IMP-C-1.5/8A	1.5/8	147.00	39.90
IMP-C-1.11/16A	1.11/16	163.80	44.46
IMP-C-1.3/4A	1.3/4	163.80	44.46
IMP-C-1.13/16A	1.13/16	172.20	46.74
IMP-C-1.7/8A	1.7/8	176.40	47.88
IMP-C-2A	2	226.80	61.56

Code	Sizes	AED	(US\$)
IMP-C-2.1/16A	2.1/16	226.80	61.56
IMP-C-2.1/8A	2.1/8	226.80	61.56
IMP-C-2.3/16A	2.3/16	226.80	61.56
IMP-C-2.1/4A	2.1/4	226.80	61.56
IMP-C-2.3/8A	2.3/8	252.00	68.40
IMP-C-2.7/16A	2.7/16	252.00	68.40
IMP-C-2.1/2A	2.1/2	252.00	68.40
IMP-C-2.9/16A	2.9/16	260.40	70.68
IMP-C-2.5/8A	2.5/8	260.40	70.68
IMP-C-2.3/4A	2.3/4	352.80	95.76
IMP-C-2.15/16A	2.15/16	352.80	95.76
IMP-C-3A	3	483.00	131.10
IMP-C-3.1/8A	3.1/8	483.00	131.10
IMP-C-3.1/4A	3.1/4	483.00	131.10
IMP-C-3.3/8A	3.3/8	672.00	182.40
IMP-C-3.1/2A	3.1/2	714.00	193.80
IMP-C-3.3/4A	3.3/4	756.00	205.20
IMP-C-3.7/8A	3.7/8	798.00	216.60
IMP-C-4A	4	924.00	250.80
-	-	-	-

19mm 3/4 IMPACT DRIVE SOCKETS



Code	Size (WW)	AED	(US\$)
IMP-C-7/16W	7/16	67.20	18.24
IMP-C-1/2W	1/2	67.20	18.24
IMP-C-9/16W	9/16	67.20	18.24
IMP-C-5/8W	5/8	67.20	18.24
IMP-C-11/16W	11/16	67.20	18.24
IMP-C-3/4W	3/4	84.00	22.80
IMP-C-7/8W	7/8	84.00	22.80
IMP-C-1W	1	168.00	45.60
IMP-C-1.1/8W	1.1/8	201.60	54.72
IMP-C-1.1/4W	1.1/4	201.60	54.72



IMPACT ALLEN SOCKET 19mm (3/4) DRIVE



Code	Size (mm)	AED	(US\$)
IMP-C-ASH8	8	54.60	14.82
IMP-C-ASH10	10	54.60	14.82
IMP-C-ASH12	12	54.60	14.82
IMP-C-ASH13	13	54.60	14.82
IMP-C-ASH14	14	54.60	14.82
IMP-C-ASH15	15	54.60	14.82
IMP-C-ASH16	16	54.60	14.82
IMP-C-ASH17	17	54.60	14.82
IMP-C-ASH18	18	54.60	14.82
IMP-C-ASH19	19	54.60	14.82
IMP-C-ASH21	21	54.60	14.82
IMP-C-ASH22	22	54.60	14.82
IMP-C-ASH24	24	63.00	17.10
IMP-C-ASH27	27	70.00	19.00
IMP-C-ASH30	30	77.00	20.90
IMP-C-ASH32	32	84.00	22.80
IMP-C-ASH36	36	98.00	26.60



IMPACT ALLEN SOCKET 19mm (3/4) DRIVE



Code	Size	AED	(US\$)
IMP-C-ASH 1/2A	1/2	75.60	20.52
IMP-C-ASH 9/16A	9/16	75.60	20.52
IMP-C-ASH 5/8A	5/8	75.60	20.52
IMP-C-ASH 11/16A	11/16	75.60	20.52
IMP-C-ASH 3/4A	3/4	75.60	20.52
IMP-C-ASH 13/16A	13/16	75.60	20.52
IMP-C-ASH 7/8A	7/8	75.60	20.52
IMP-C-ASH 15/16A	15/16	75.60	20.52
IMP-C-ASH 1.1/16A	1.1/16	79.80	21.66
IMP-C-ASH 1.3/16A	1.3/16	84.00	22.80
IMP-C-ASH 1.1/4A	1.1/4	92.40	25.08

25mm (1) DRIVE IMPACT SOCKETS (HEAVY DUTY)

1 DRIVE IMPACT	Cr-Mo	MM	HEX	LENGTH 90MM
-------------------------------	--------------	-----------	------------	--------------------

Code	Size (mm)	AED	(US\$)
IMP-D-17H	17	46.20	12.54
IMP-D-18H	18	46.20	12.54
IMP-D-19H	19	46.20	12.54
IMP-D-20H	20	46.20	12.54
IMP-D-21H	21	46.20	12.54
IMP-D-22H	22	46.20	12.54
IMP-D-23H	23	56.00	15.20
IMP-D-24H	24	46.20	12.54
IMP-D-25H	25	63.00	17.10
IMP-D-26H	26	70.00	19.00
IMP-D-27H	27	46.20	12.54
IMP-D-28H	28	46.20	12.54
IMP-D-29H	29	70.00	19.00
IMP-D-30H	30	46.20	12.54
IMP-D-31H	31	67.20	18.24
IMP-D-32H	32	46.20	12.54
IMP-D-33H	33	54.60	14.82
IMP-D-34H	34	54.60	14.82
IMP-D-35H	35	54.60	14.82
IMP-D-36H	36	48.30	13.11
IMP-D-37H	37	67.20	18.24
IMP-D-38H	38	52.92	14.36
IMP-D-39H	39	75.60	20.52
IMP-D-40H	40	92.40	25.08
IMP-D-41H	41	75.60	20.52
IMP-D-42H	42	105.00	28.50
IMP-D-43H	43	105.00	28.50
IMP-D-44H	44	105.00	28.50
IMP-D-45H	45	105.00	28.50
IMP-D-46H	46	92.40	25.08
IMP-D-47H	47	126.00	34.20
IMP-D-48H	48	126.00	34.20
IMP-D-49H	49	126.00	34.20
IMP-D-50H	50	100.80	27.36
IMP-D-51H	51	126.00	34.20
IMP-D-52H	52	126.00	34.20
IMP-D-53H	53	126.00	34.20
IMP-D-54H	54	126.00	34.20
IMP-D-55H	55	121.80	33.06
IMP-D-56H	56	147.00	39.90
IMP-D-57H	57	147.00	39.90
IMP-D-58H	58	147.00	39.90
IMP-D-59H	59	147.00	39.90
IMP-D-60H	60	134.40	36.48
IMP-D-63H	63	210.00	57.00
IMP-D-65H	65	168.00	45.60
IMP-D-70H	70	210.00	57.00
IMP-D-75H	75	260.40	70.68
IMP-D-80H	80	294.00	79.80
IMP-D-85H	85	378.00	102.60
IMP-D-90H	90	462.00	125.40
IMP-D-95H	95	504.00	136.80
IMP-D-100H	100	546.00	148.20
IMP-D-105H	105	588.00	159.60
IMP-D-110H	110	630.00	171.00
IMP-D-115H	115	756.00	205.20
IMP-D-120H	120	840.00	228.00



25mm (1) DRIVE IMPACT SOCKETS(HEAVY DUTY)

1 DRIVE IMPACT	Cr-Mo	MM	BI-HEX	LENGTH 70MM
-------------------------------	--------------	-----------	---------------	--------------------

Code	Size (mm)	AED	(US\$)
IMP-D-17BH	17	63.00	17.10
IMP-D-18BH	18	63.00	17.10
IMP-D-19BH	19	63.00	17.10
IMP-D-20BH	20	63.00	17.10
IMP-D-21BH	21	63.00	17.10
IMP-D-22BH	22	63.00	17.10
IMP-D-23BH	23	63.00	17.10
IMP-D-24BH	24	63.00	17.10
IMP-D-25BH	25	63.00	17.10
IMP-D-26BH	26	63.00	17.10
IMP-D-27BH	27	63.00	17.10
IMP-D-28BH	28	63.00	17.10
IMP-D-29BH	29	63.00	17.10
IMP-D-30BH	30	63.00	17.10
IMP-D-31BH	31	94.50	25.65
IMP-D-32BH	32	63.00	17.10
IMP-D-33BH	33	75.60	20.52
IMP-D-34BH	34	75.60	20.52
IMP-D-35BH	35	75.60	20.52
IMP-D-36BH	36	69.30	18.81
IMP-D-37BH	37	100.80	27.36
IMP-D-38BH	38	75.60	20.52
IMP-D-39BH	39	113.40	30.78
IMP-D-40BH	40	138.60	37.62
IMP-D-41BH	41	107.10	29.07
IMP-D-42BH	42	107.10	29.07
IMP-D-43BH	43	157.50	42.75
IMP-D-44BH	44	157.50	42.75
IMP-D-45BH	45	157.50	42.75
IMP-D-46BH	46	132.30	35.91
IMP-D-47BH	47	132.30	35.91
IMP-D-48BH	48	189.00	51.30
IMP-D-49BH	49	189.00	51.30
IMP-D-50BH	50	144.90	39.33
IMP-D-51BH	51	189.00	51.30
IMP-D-52BH	52	189.00	51.30
IMP-D-53BH	53	189.00	51.30
IMP-D-54BH	54	189.00	51.30
IMP-D-55BH	55	176.40	47.88
IMP-D-56BH	56	220.50	59.85
IMP-D-57BH	57	220.50	59.85
IMP-D-58BH	58	220.50	59.85
IMP-D-59BH	59	220.50	59.85
IMP-D-60BH	60	195.30	53.01
IMP-D-63BH	63	294.00	79.80
IMP-D-65BH	65	195.30	53.01
IMP-D-70BH	70	315.00	85.50
IMP-D-75BH	75	390.60	106.02
IMP-D-80BH	80	441.00	119.70
IMP-D-85BH	85	567.00	153.90
IMP-D-90BH	90	693.00	188.10
IMP-D-95BH	95	756.00	205.20
IMP-D-100BH	100	819.00	222.30
IMP-D-105BH	105	882.00	239.40
IMP-D-110BH	110	945.00	256.50
IMP-D-115BH	115	1071.00	290.70
IMP-D-120BH	120	1155.00	313.50



25mm (1) DRIVE IMPACT SOCKETS (HEAVY DUTY)

1 DRIVE IMPACT	Cr-Mo	MM	HEX	LONG LENGTH 150MM
Code	Size (mm)	AED	(US\$)	
IMP-D-17HD	17	86.80	23.56	
IMP-D-18HD	18	86.80	23.56	
IMP-D-19HD	19	86.80	23.56	
IMP-D-20HD	20	86.80	23.56	
IMP-D-21HD	21	86.80	23.56	
IMP-D-22HD	22	86.80	23.56	
IMP-D-23HD	23	86.80	23.56	
IMP-D-24HD	24	86.80	23.56	
IMP-D-25HD	25	86.80	23.56	
IMP-D-26HD	26	86.80	23.56	
IMP-D-27HD	27	86.80	23.56	
IMP-D-28HD	28	86.80	23.56	
IMP-D-29HD	29	86.80	23.56	
IMP-D-30HD	30	86.80	23.56	
IMP-D-31HD	31	117.60	31.92	
IMP-D-32HD	32	86.80	23.56	
IMP-D-33HD	33	86.80	23.56	
IMP-D-34HD	34	103.95	28.22	
IMP-D-35HD	35	103.95	28.22	
IMP-D-36HD	36	103.95	28.22	
IMP-D-37HD	37	135.10	36.67	
IMP-D-38HD	38	108.85	29.55	
IMP-D-39HD	39	157.15	42.66	
IMP-D-40HD	40	157.15	42.66	
IMP-D-41HD	41	149.80	40.66	
IMP-D-42HD	42	217.35	59.00	
IMP-D-43HD	43	183.40	49.78	
IMP-D-44HD	44	241.50	65.55	
IMP-D-45HD	45	241.50	65.55	
IMP-D-46HD	46	203.00	55.10	
IMP-D-47HD	47	203.00	55.10	
IMP-D-48HD	48	260.75	70.78	
IMP-D-49HD	49	260.75	70.78	
IMP-D-50HD	50	207.90	56.43	
IMP-D-51HD	51	260.75	70.78	
IMP-D-52HD	52	260.75	70.78	
IMP-D-53HD	53	260.75	70.78	
IMP-D-54HD	54	260.75	70.78	
IMP-D-55HD	55	251.30	68.21	
IMP-D-56HD	56	304.50	82.65	
IMP-D-57HD	57	304.50	82.65	
IMP-D-58HD	58	304.50	82.65	
IMP-D-59HD	59	338.10	91.77	
IMP-D-60HD	60	270.55	73.44	
IMP-D-63HD	63	434.70	117.99	
IMP-D-65HD	65	338.10	91.77	
IMP-D-70HD	70	434.70	117.99	
IMP-D-75HD	75	531.30	144.21	
IMP-D-80HD	80	603.75	163.88	
IMP-D-85HD	85	782.60	212.42	
IMP-D-90HD	90	966.00	262.20	
IMP-D-95HD	95	986.65	267.81	
IMP-D-100HD	100	1062.60	288.42	
IMP-D-105HD	105	1159.20	314.64	
IMP-D-110HD	110	1352.40	367.08	
IMP-D-115HD	115	1497.30	406.41	
IMP-D-120HD	120	1593.90	432.63	



25mm (1) IMPACT DRIVE SOCKETS

1 DRIVE IMPACT	Cr-Mo	SAE	HEX	LENGTH 90MM
----------------------	-------	-----	-----	-------------

Code	Sizes (SAE)	AED	(US\$)
IMP-D-3/4A	3/4	94.50	25.65
IMP-D-13/16A	13/16	94.50	25.65
IMP-D-7/8A	7/8	94.50	25.65
IMP-D-15/16A	15/16	94.50	25.65
IMP-D-1A	1	94.50	25.65
IMP-D-1.1/16A	1.1/16	94.50	25.65
IMP-D-1.1/8A	1.1/8	94.50	25.65
IMP-D-1.3/16A	1.3/16	94.50	25.65
IMP-D-1.1/4A	1.1/4	94.50	25.65
IMP-D-1.5/16A	1.5/16	84.00	22.80
IMP-D-1.3/8A	1.3/8	84.00	22.80
IMP-D-1.7/16A	1.7/16	84.00	22.80
IMP-D-1.1/2A	1.1/2	84.00	22.80
IMP-D-1.5/8A	1.5/8	113.40	30.78
IMP-D-1.11/16A	1.11/16	168.00	45.60
IMP-D-1.3/4A	1.3/4	168.00	45.60
IMP-D-1.13/16A	1.13/16	176.40	47.88
IMP-D-1.7/8A	1.7/8	201.60	54.72
IMP-D-2A	2	201.60	54.72
IMP-D-2.1/16A	2.1/16	201.60	54.72
IMP-D-2.1/8A	2.1/8	201.60	54.72
IMP-D-2.3/16A	2.3/16	201.60	54.72
IMP-D-2.1/4A	2.1/4	235.20	63.84
IMP-D-2.5/16A	2.5/16	235.20	63.84
IMP-D-2.3/8A	2.3/8	235.20	63.84
IMP-D-2.7/16A	2.7/16	260.40	70.68
IMP-D-2.1/2A	2.1/2	260.40	70.68
IMP-D-2.9/16A	2.9/16	260.40	70.68
IMP-D-2.5/8A	2.5/8	260.40	70.68
IMP-D-2.11/16A	2.11/16	336.00	91.20
IMP-D-2.3/4A	2.3/4	336.00	91.20
IMP-D-2.13/16A	2.13/16	357.00	96.90
IMP-D-2.7/8A	2.7/8	378.00	102.60
IMP-D-2.15/16A	2.15/16	399.00	108.30
IMP-D-3A	3	415.80	112.86
IMP-D-3.1/8A	3.1/8	462.00	125.40
IMP-D-3.1/4A	3.1/4	588.00	159.60
IMP-D-3.3/8A	3.3/8	588.00	159.60
IMP-D-3.1/2A	3.1/2	735.00	199.50
IMP-D-3.3/4A	3.3/4	798.00	216.60
IMP-D-3.7/8A	3.7/8	861.00	233.70
IMP-D-4A	4	882.00	239.40



25mm (1) IMPACT DRIVE DEEP SOCKETS



1 DRIVE IMPACT	Cr-Mo	SAE	LONG LENGTH 150MM
----------------------	-------	-----	----------------------

Code	Sizes (SAE)	AED	(US\$)
IMP-D-15/16AD	15/16	67.20	18.24
IMP-D-1.1/8AD	1.1/8	67.20	18.24
IMP-D-1.3/16AD	1.3/16	67.20	18.24
IMP-D-1.1/4AD	1.1/4	67.20	18.24
IMP-D-1.7/16AD	1.7/16	75.60	20.52
IMP-D-1.1/2AD	1.1/2	75.60	20.52
IMP-D-1.5/8AD	1.5/8	75.60	20.52
IMP-D-1.13/16AD	1.13/16	159.60	43.32
IMP-D-2.3/16AD	2.3/16	189.00	51.30
IMP-D-2.3/8AD	2.3/8	210.00	57.00
IMP-D-2.9/16AD	2.9/16	252.00	68.40
IMP-D-2.3/4AD	2.3/4	294.00	79.80
IMP-D-2.15/16AD	2.15/16	357.00	96.90
IMP-D-3.1/8AD	3.1/8	588.00	159.60
IMP-D-3.3/8AD	3.3/8	672.00	182.40
IMP-D-3.9/16AD	3.9/16	756.00	205.20
IMP-D-3.3/4AD	3.3/4	924.00	250.80
IMP-D-3.15/16AD	3.15/16	966.00	262.20

IMPACT ALLEN SOCKET 25mm (1) DRIVE



1 DRIVE IMPACT	Cr-Mo	MM
----------------------	-------	----

Code	Size (mm)	AED	(US\$)
IMP-D-ASH12	12	126.00	34.20
IMP-D-ASH14	14	126.00	34.20
IMP-D-ASH17	17	126.00	34.20
IMP-D-ASH18	18	126.00	34.20
IMP-D-ASH19	19	140.00	38.00
IMP-D-ASH21	21	140.00	38.00
IMP-D-ASH22	22	140.00	38.00
IMP-D-ASH24	24	168.00	45.60
IMP-D-ASH27	27	182.00	49.40
IMP-D-ASH30	30	210.00	57.00
IMP-D-ASH32	32	224.00	60.80
IMP-D-ASH34	34	238.00	64.60
IMP-D-ASH36	36	252.00	68.40
IMP-D-ASH41	41	287.00	77.90
IMP-D-ASH42	42	294.00	79.80
IMP-D-ASH46	46	322.00	87.40

25mm (1) IMPACT DRIVE SOCKETS

1 DRIVE IMPACT	Cr-Mo	WW	LENGTH 90MM
----------------------	-------	----	-------------

Code	Sizes (WW)	Bolt Size	AED	(US\$)
IMP-D-3/4W	3/4	(for 7/8 Bolt)	67.20	18.24
IMP-D-7/8W	7/8	(for 1 Bolt)	84.00	22.80
IMP-D-1W	1	(for 1.1/8 Bolt)	168.00	45.60
IMP-D-1.1/8W	1.1/8	(for 1-1/4 Bolt)	210.00	57.00
IMP-D-1.1/4W	1.1/4	(for 1.3/8 Bolt)	210.00	57.00
IMP-D-1.3/8W	1-3/8	(for 1-1/2 Bolt)	231.00	62.70
IMP-D-1.1/2W	1.1/2	(for 1.5/8 Bolt)	273.00	74.10
IMP-D-1.5/8W	1.5/8	(for 1.3/4 Bolt)	336.00	91.20
IMP-D-1.3/4W	1.3/4	(for 1.7/8 Bolt)	399.00	108.30
IMP-D-1-7/8W	1-7/8	(for 2 Bolt)	462.00	125.40
IMP-D-2W	2	(for 2.1/8 Bolt)	546.00	148.20

IMPACT ALLEN SOCKET 25mm (1) DRIVE

1 DRIVE IMPACT	Cr-Mo	SAE
----------------------	-------	-----

Code	Size	AED	(US\$)
IMP-D-ASH3/8A	3/8	154.00	41.80
IMP-D-ASH9/16A	9/16	154.00	41.80
IMP-D-ASH5/8A	5/8	154.00	41.80
IMP-D-ASH3/4A	3/4	154.00	41.80
IMP-D-ASH15/16A	15/16	210.00	57.00
IMP-D-ASH1A	1	231.00	62.70
IMP-D-ASH1.1/16A	1.1/16	266.00	72.20
IMP-D-ASH1.1/8A	1.1/8	280.00	76.00

25MM (1) DRIVE SWIVEL IMPACT SOCKET




Code	Sizes	AED	(US\$)
IMP-D-SIS 24	24	210.00	57.00
IMP-D-SIS 26	26	210.00	57.00
IMP-D-SIS 27	27	210.00	57.00
IMP-D-SIS 29	29	210.00	57.00
IMP-D-SIS 30	30	210.00	57.00
IMP-D-SIS 32	32	210.00	57.00
IMP-D-SIS 33	33	224.00	60.80
IMP-D-SIS 34	34	224.00	60.80
IMP-D-SIS 35	35	224.00	60.80
IMP-D-SIS 36	36	224.00	60.80
IMP-D-SIS 38	38	224.00	60.80
IMP-D-SIS 41	41	249.90	67.83
IMP-D-SIS 42	42	249.90	67.83
IMP-D-SIS 43	43	249.90	67.83
IMP-D-SIS 44	44	249.90	67.83
IMP-D-SIS 45	45	249.90	67.83
IMP-D-SIS 46	46	249.90	67.83
IMP-D-SIS 47	47	249.90	67.83
IMP-D-SIS 48	48	249.90	67.83
IMP-D-SIS 50	50	249.90	67.83

25MM (1) DRIVE SWIVEL IMPACT SOCKET



Code	Sizes	AED	(US\$)
IMP-D-SIS 7/8A	7/8	294.00	79.80
IMP-D-SIS 15/16A	15/16	294.00	79.80
IMP-D-SIS 1.1/16A	1.1/16	294.00	79.80
IMP-D-SIS 1.1/8A	1.1/8	294.00	79.80
IMP-D-SIS 1.3/16A	1.3/16	294.00	79.80
IMP-D-SIS 1.1/4A	1.1/4	294.00	79.80
IMP-D-SIS 1.5/16A	1.5/16	313.60	85.12
IMP-D-SIS 1.3/8	1.3/8	313.60	85.12
IMP-D-SIS 1.7/16A	1.7/16	313.60	85.12
IMP-D-SIS 1.1/2A	1.1/2	313.60	85.12
IMP-D-SIS 1.9/16A	1.9/16	349.86	94.96
IMP-D-SIS 1.5/8A	1.5/8	349.86	94.96
IMP-D-SIS 1.11/16A	1.11/16	349.86	94.96
IMP-D-SIS 1.3/4A	1.3/4	349.86	94.96
IMP-D-SIS 1.13/16A	1.13/16	349.86	94.96
IMP-D-SIS 1.7/8A	1.7/8	349.86	94.96
IMP-D-SIS 1.15/16A	1.15/16	349.86	94.96
IMP-D-SIS 2A	2	349.86	94.96

1-1/2 DRIVE IMPACT SOCKETS (HEAVY DUTY)



**1.1/2
DRIVE
IMPACT** **Cr-Mo** **MM** **HEX**

Code	Size (mm)	Length (in mm)	AED	(US\$)
IMP-E-30	30	90	112.00	30.40
IMP-E-32	32	90	112.00	30.40
IMP-E-36	36	90	110.88	30.10
IMP-E-38	38	95	138.60	37.62
IMP-E-41	41	95	178.08	48.34
IMP-E-42	42	95	222.60	60.42
IMP-E-43	43	95	222.60	60.42
IMP-E-46	46	100	222.60	60.42
IMP-E-47	47	100	252.00	68.40
IMP-E-48	48	100	277.20	75.24
IMP-E-50	50	100	277.20	75.24
IMP-E-52	52	100	289.80	78.66
IMP-E-54	54	100	302.40	82.08
IMP-E-55	55	100	306.60	83.22
IMP-E-56	56	100	310.80	84.36
IMP-E-58	58	100	321.72	87.32
IMP-E-60	60	100	331.80	90.06
IMP-E-65	65	100	388.15	105.36
IMP-E-70	70	100	445.20	120.84

Code	Size (mm)	Length (in mm)	AED	(US\$)
IMP-E-75	75	100	499.80	135.66
IMP-E-80	80	100	499.80	135.66
IMP-E-85	85	110	529.20	143.64
IMP-E-90	90	110	638.40	173.28
IMP-E-95	95	110	663.60	180.12
IMP-E-100	100	110	756.00	205.20
IMP-E-105	105	110	840.00	228.00
IMP-E-110	110	110	924.00	250.80
IMP-E-115	115	120	1008.00	273.80
IMP-E-120	120	120	1092.00	296.40
IMP-E-125	125	120	1176.00	319.20
IMP-E-130	130	130	1260.00	342.00
IMP-E-135	135	130	1344.00	364.80
IMP-E-140	140	140	1428.00	387.60
IMP-E-145	145	140	1512.00	410.40
IMP-E-150	150	150	1680.00	456.00
IMP-E-155	155	150	1806.00	490.20
IMP-E-160	160	160	2100.00	570.00

IMPACT ALLEN SOCKET (1.1/2) DRIVE

**1.1/2
DRIVE
IMPACT** **Cr-Mo** **MM**

Code	Size (mm)	AED	(US\$)
IMP-E-ASH36	36	423.64	114.99
IMP-E-ASH38	38	445.69	120.97
IMP-E-ASH41	41	492.45	133.67
IMP-E-ASH46	46	569.59	154.60
IMP-E-ASH50	50	630.00	171.00
IMP-E-ASH55	55	738.22	200.37
IMP-E-ASH60	60	800.59	217.30
IMP-E-ASH65	65	866.25	235.17
IMP-E-ASH70	70	933.45	253.37
IMP-E-ASH75	75	1000.09	271.45
IMP-E-ASH80	80	1066.80	289.56
IMP-E-ASH85	85	1134.00	307.80
IMP-E-ASH90	90	1200.64	325.89
IMP-E-ASH95	95	1267.84	344.13
IMP-E-ASH100	100	1333.99	362.08




1-1/2 DRIVE IMPACT SOCKET (HEAVY DUTY)



Code	Size (Sae)	AED	(US\$)
IMP-E-1.3/8A	1.3/8	213.15	57.86
IMP-E-1.7/16A	1.7/16	218.40	59.28
IMP-E-1.1/2A	1.1/2	229.25	62.23
IMP-E-1.5/8A	1.5/8	251.30	68.21
IMP-E-1.11/16A	1.11/16	252.00	68.40
IMP-E-1.3/4A	1.3/4	262.36	71.21
IMP-E-1.13/16A	1.13/16	283.92	77.06
IMP-E-1.7/8A	1.7/8	294.00	79.80
IMP-E-1.15/16A	1.15/16	299.67	81.34
IMP-E-2A	2	316.61	85.94
IMP-E-2.1/16A	2.1/16	338.17	91.79
IMP-E-2.3/16A	2.3/16	354.48	96.22
IMP-E-2.1/4A	2.1/4	364.00	98.80
IMP-E-2.5/16A	2.5/16	376.32	102.14
IMP-E-2.3/8A	2.3/8	382.20	103.74
IMP-E-2.7/16A	2.7/16	420.00	114.00
IMP-E-2.9/16A	2.9/16	442.05	119.99
IMP-E-2.5/8A	2.5/8	578.90	157.13
IMP-E-2.3/4A	2.3/4	578.90	157.13
IMP-E-2.13/16A	2.13/16	578.90	157.13
IMP-E-2.15/16A	2.15/16	578.90	157.13
IMP-E-3A	3	578.90	157.13
IMP-E-3.1/8A	3.1/8	632.80	171.76
IMP-E-3.3/8A	3.3/8	770.00	209.00
IMP-E-3.1/2A	3.1/2	848.75	230.38
IMP-E-3.3/4A	3.3/4	982.45	266.67
IMP-E-3.7/8A	3.7/8	1080.45	293.27
IMP-E-4.1/8A	4.1/8	1288.00	349.60
IMP-E-4.1/4A	4.1/4	1288.00	349.60
IMP-E-4.1/2A	4.1/2	1592.85	432.35
IMP-E-4.5/8A	4.5/8	1664.60	451.82

2-1/2 DRIVE IMPACT SOCKETS (HEAVY DUTY)



2.1/2 DRIVE IMPACT **Cr-Mo** **MM** **HEX**

Code	Size (mm)	AED	(US\$)
IMP-F-60	60	1050.00	285.00
IMP-F-65	65	1050.00	285.00
IMP-F-70	70	1120.00	304.00
IMP-F-75	75	1120.00	304.00
IMP-F-80	80	1190.00	323.00
IMP-F-85	85	1400.00	380.00
IMP-F-90	90	1680.00	456.00
IMP-F-95	95	1820.00	494.00
IMP-F-100	100	1960.00	532.00
IMP-F-105	105	2030.00	551.00
IMP-F-110	110	2100.00	570.00
IMP-F-115	115	2380.00	646.00
IMP-F-120	120	2590.00	703.00
IMP-F-125	125	2730.00	741.00
IMP-F-130	130	3220.00	874.00
IMP-F-135	135	3500.00	950.00
IMP-F-140	140	3920.00	1064.00
IMP-F-145	145	4200.00	1140.00
IMP-F-150	150	4550.00	1235.00
IMP-F-155	155	4900.00	1330.00
IMP-F-160	160	5600.00	1520.00
IMP-F-165	165	6300.00	1710.00
IMP-F-170	170	6650.00	1805.00
IMP-F-175	175	7000.00	1900.00
IMP-F-180	180	7560.00	2052.00

2.1/2 DRIVE IMPACT **Cr-Mo** **SAE** **HEX**

Code	Size (Sae)	AED	(US\$)
IMP-F-2.1/2A	2.1/2	910.00	247.00
IMP-F-2.9/16A	2.9/16	910.00	247.00
IMP-F-2.1/4A	2.1/4	910.00	247.00
IMP-F-2.3/8A	2.3/8	911.75	247.48
IMP-F-2.7/16A	2.7/16	927.71	251.81
IMP-F-2.9/16A	2.9/16	938.49	254.73
IMP-F-2.5/8A	2.5/8	938.49	254.73
IMP-F-2.3/4A	2.3/4	982.52	266.68
IMP-F-2.11/16A	2.11/16	1008.00	273.60
IMP-F-2.13/16A	2.13/16	1009.61	274.04
IMP-F-2.7/8A	2.7/8	1029.00	279.30
IMP-F-2.15/16A	2.15/16	1031.80	280.06
IMP-F-3A	3	1031.80	280.06
IMP-F-3.1/8A	3.1/8	1058.26	287.24
IMP-F-3.1/4A	3.1/4	1260.00	342.00
IMP-F-3.1/2A	3.1/2	1484.56	402.95
IMP-F-3.3/4	3.3/4	1669.64	453.19
IMP-F-3.7/8A	3.7/8	1724.80	468.16
IMP-F-4A	4	1890.00	513.00
IMP-F-4.1/4A	4.1/4	1909.60	518.32
IMP-F-4.1/2A	4.1/2	2128.56	577.75
IMP-F-4.5/8A	4.5/8	2247.77	610.11
IMP-F-5A	5	2695.56	731.65
IMP-F-5.1/4A	5.1/4	2837.45	770.17
IMP-F-5.3/8A	5.3/8	3137.40	851.58
IMP-F-5.5/8A	5.5/8	3502.10	950.57
IMP-F-5.3/4A	5.3/4	3928.40	1066.28
IMP-F-6A	6	4365.55	1184.94
IMP-F-6.1/8A	6.1/8	4693.85	1274.05
IMP-F-6.1/4A	6.1/4	5147.45	1397.17

IMPACT SOCKETERY

SPARK PLUG IMPACT



Special Alloy Steel

Code	Size (mm)	AED	(US\$)
IMP-SP16	16	28.00	7.60
IMP-SP21	21	32.20	8.74

IMPACT EXTENSION BAR (BOTH SIDE FEMALE)



Code	Drive	Length (mm)	AED	(US\$)
IMP-D-EBF	1	75	105.00	28.50

IMPACT RATCHET HANDLE

Code	Drive	Type	AED	(US\$)
IMP- N-RR	1/2	REVERSIBLE	154.00	41.80
IMP- C-RR	3/4	REVERSIBLE	245.00	66.50
IMP- D-RR	1	REVERSIBLE	770.00	209.00
IMP- D-RNR	1	NON – REVERSIBLE	560.00	152.00
IMP- E-RNR	1-1/2	NON – REVERSIBLE	2030.00	551.00



IMPACT UNIVERSAL JOINT

Code	Drive	AED	(US\$)
IMP-UJ-B 3/8	3/8	46.90	12.73
IMP-UJ-N 1/2	1/2	70.00	19.00
IMP-UJ-C 3/4	3/4	161.00	43.70
IMP-UJ-D 1	1	364.00	98.80
IMP-UJ-E 1.1/2	1.1/2	980.00	266.00



IMPACT EXTENSION BAR

Black Finish

Code	Drive	Length (mm)	AED	(US\$)
IMP-B-EB3	3/8	75	21.00	5.70
IMP-B-EB4	3/8	100	28.00	7.60
IMP-B-EB6	3/8	150	31.50	8.55
IMP-B-EB8	3/8	200	35.00	9.50
IMP-B-EB10	3/8	250	42.00	11.40
IMP-B-EB12	3/8	300	49.00	13.30
IMP-A-EB2	1/4	55	25.90	7.03
IMP-A-EB4	1/4	100	35.00	9.50
IMP-A-EB6	1/4	150	45.50	12.35
IMP-N-EB3	1/2	75	28.00	7.60
IMP-N-EB4	1/2	100	35.00	9.50
IMP-N-EB5	1/2	125	38.50	10.45
IMP-N-EB6	1/2	150	45.50	12.35
IMP-N-EB8	1/2	200	49.00	13.30
IMP-N-EB10	1/2	250	52.50	14.25
IMP-N-EB12	1/2	300	59.50	16.15
IMP-C-EB8	3/4	200	77.00	20.90
IMP-C-EB210	3/4	210	140.00	38.00
IMP-C-EB12	3/4	300	105.00	28.50
IMP-C-EB16	3/4	400	119.00	32.30
IMP-D-EB8	1	200	154.00	41.80
IMP-D-EB12	1	300	189.00	51.30
IMP-D-EB16	1	400	210.00	57.00
IMP-D-EB32	1	800	455.00	123.50
IMP-E-EB8	1-1/2	200	308.00	83.60
IMP-E-EB10	1-1/2	250	490.00	133.00
IMP-E-EB12	1-1/2	300	392.00	106.40
IMP-E-EB16	1-1/2	400	504.00	136.80
IMP-E-EB20	1-1/2	500	980.00	266.00
IMP-F-EB12	2-1/2	300	2100.00	570.00
IMP-F-EB15	2-1/2	380	2170.00	589.00
IMP-F-EB16	2-1/2	400	2660.00	722.00
IMP-F-EB20	2-1/2	510	2800.00	760.00



IMPACT L-HANDLE

Code	Drive	Length (mm)	AED	(US\$)
IMP-N-LH7	1/2	165	38.50	10.45
IMP-N-LH8	1/2	200	52.50	14.25
IMP-N-LH210	1/2	210	56.00	15.20
IMP-N-LH10	1/2	250	63.00	17.10
IMP-N-LH12	1/2	300	77.00	20.90
IMP-N-LH18	1/2	450	140.00	38.00
IMP-C-LH12	3/4	300	70.00	19.00
IMP-C-LH18	3/4	450	168.00	45.60
IMP-D-LH14	1	350	98.00	26.60
IMP-D-LH24	1	600	385.00	104.50
IMP-F-LH32	2-1/2	800	2030.00	551.00



IMPACT SOCKETS ADAPTORS

Code	Size	AED	(US\$)
IMP-SA 1/2Fx3/8M	1/2Fx3/8M	23.10	6.27
IMP-SA 3/8Fx1/2M	3/8Fx1/2M	23.10	6.27
IMP-SA 1/2Fx3/4M	1/2Fx3/4M	31.50	8.55
IMP-SA 3/4Fx1/2M	3/4Fx1/2M	45.50	12.35
IMP-SA 3/4Fx1M	3/4Fx1M	77.00	20.90
IMP-SA 3/4Mx1F	3/4Mx1F	92.40	25.08
IMP-SA 1-1/2Fx1M	1-1/2Fx1M	203.00	55.10
IMP-SA 1-1/2Mx1F	1-1/2Mx1F	140.00	38.00
IMP-SA 1-1/2Mx2.1/2F	1-1/2Mx2.1/2F	770.00	209.00
IMP-SA 2-1/2Mx1-1/2F	2-1/2Mx1-1/2F	385.00	104.50



BIT HOLDER IMPACT TYPE

Special Alloy Steel

Code	Size	AED	(US\$)
IMP-BH3/8	3/8 Drive x 1/4 Hex	14.00	3.80
IMP-BH1/2	1/2 Drive x 1/4 Hex	15.40	4.18



IMPACT SLIDING T - HANDLE

Code	Drive	AED	(US\$)
IMP-TH-B	3/8	35.00	9.50
IMP-TH-A	1/4	39.90	10.83
IMP-TH-N	1/2	49.00	13.30
IMP-TH-C	3/4	140.00	38.00
IMP-TH-D	1	350.00	95.00
IMP-TH-E	1-1/2	1120.00	304.00
IMP-TH-F	2-1/2	1960.00	532.00



1/4 DRIVE SOCKET SET



Blow
moulded
case
or
Metal Box

1/4
DRIVE

MM

HEX

Code	Contents	AED	(US\$)
SOCKET SET DN-2462	Regular Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm Bit Sockets(Hex) : 3, 4, 5, 6, 7, 8 mm Bit Sockets (Star) : T10, T15, T20, T25, T30, T40 Bit Sockets (Slotted) : 4, 5.5, 7 mm Bit Sockets (Phillips) : PH-1, PH2, PH3 Bit Sockets (Pozidrive) : PZ1, PZ2, PZ3 KEY WRENCH : 1.27, 1.5, 2, 2.5 mm Extension Bar : 50mm & 100mm Sliding T-Handle : 115mm Universal Joint Round Ratchet Handle with Quick Release Flexible Extension Bit Adaptor 46 Pcs. (Socket & Accessories)	154.00	41.80
Code	Contents	AED	(US\$)
SOCKET SET A-SA23	Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14 1/4 Adaptor Torx bit Sockets : T20, T25, T30, T40 Accessories : T Handle Extension Bar 50mm, 100mm Universal Joint Swivel Handle or L Handle Ratchet Handle 17 SOCKETS & 6 ACCESSORIES	154.00	41.80

10mm (3/8) DRIVE SOCKET SETS



3/8
DRIVE

MM

HEX

Code	Contents	AED	(US\$)
SOCKET SET B-12M	Socket Spanners : 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Reversible Ratchet Handle 12 Pcs. (10 Sockets & 1 Accessory + Plastic Hanger)	147.00	39.90
SOCKET SET B-20M	Sockets : 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22 Spark Plug 21 Accessories : T Handle Extension Bar 75mm, 150mm Universal Joint or L Handle Swivel Handle Ratchet Handle 14 Sockets & 6 Accessories (Plastic or Metal Box)	238.00	64.60

E- SOCKET SET - 9 PCS SET (BMC / METAL BOX)



1/2
DRIVE

MM

Code	Contents	AED	(US\$)
E-9M-HP	E10, E11, E12, E14, E16, E18, E20, E22 & E24 (Hanger Packing)	75.60	20.52
E-9M-BP	E10, E11, E12, E14, E16, E18, E20, E22 & E24 (BMC / METAL BOX)	79.80	21.66

ALLEN SOCKET SET - 8 PCS SET (BMC / METAL BOX)



1/2
DRIVE

MM

Code	Contents	AED	(US\$)
ALN-8M-HP	4H, 5H, 6H, 8H, 10H, 12H, 14H & 17H (Hanger Packing)	75.60	20.52
ALN-8M-BP	4H, 5H, 6H, 8H, 10H, 12H, 14H & 17H (BMC / METAL BOX)	79.80	21.66

**TORX SOCKET SET - 8 PCS SET
 (BMC / METAL BOX)**



**1/2
DRIVE** **MM**

Code	Contents	AED	(US\$)
T-8M-HP	T20, T25, T27, T30, T35, T40, T45 & T50 (Hanger Packing)	79.80	21.66
T-8M-BP	T20, T25, T27, T30, T35, T40, T45 & T50 (BMC / METAL BOX)	88.20	23.94

**TORX BIT & E- SOCKET SET - 19 PCS SET
 (BMC / METAL BOX)**



**1/2
DRIVE** **MM**

Code	Contents	AED	(US\$)
T-ES-19M	Torx Sockets : T20, T25, T27, T30, T40, T45, T50, T55, T60 & T70 E- Sockets : E10, E11, E12, E14, E16, E18, E20, E22 & E24	192.50	52.25

12.5mm (1/2) DRIVE SOCKET SETS



Chrome Vanadium Steel

Available in Metal Box Packing

Code HEX	Code BI-HEX	SETS	AED	(US\$)
		Contents		
DN-S31H	DN-S31BH	6 Sockets & 1 Accessories Socket Spanners : 11, 14, 17, 19, 22, 24mm L-Handle : 300mm	63.00	17.10
DN-15M-H	DN-15M-BH	11 Sockets & 4 Accessories Socket Spanners : 10 - 32mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm Reversible Ratchet Handle with Quick Release	231.00	62.70
DN-18M-H	DN-18M-BH	14 Sockets & 4 Accessories Socket Spanners: 8 - 22mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm L- Handle or Universal Joint	168.00	45.60
DN-19M-H	DN-19M-BH	19 Sockets & 3 Accessories Socket Spanners : 8 - 32mm Extension Bar : Small, Big Sliding T-Handle : 300mm	266.00	72.20
DN-24M-H METAL	DN-24M-BH METAL	19 Sockets & 5 Accessories Socket Spanners : 11 - 32mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm L- Handle or Universal Joint Reversible Ratchet Handle with Quick Release	315.00	85.50
DN-27M-H METAL	DN-27M-BH METAL	22 Sockets & 5 Accessories Socket Spanners : 8 - 32mm Extension Bar : 125, 250mm Sliding T-Handle : 300mm L- Handle or Universal Joint Reversible Ratchet Handle with Quick Release	336.00	91.20
DN-S11XL-H	DN-S11XL-BH	22 Sockets & 5 Accessories Socket Spanners : 8 - 34mm Extension Bar : 125, 250mm Sliding T-Handle : 300mm Universal Joint or L Handle Ratchet Handle	385.00	104.50

12.5mm (1/2) DRIVE HEX & BI-HEX SOCKET SET



Code HEX	Code BI-HEX	Contents	AED	(US\$)
DN-24M-H BMC	DN-24M-BH BMC	18 Sockets & 6 Accessories Socket Spanners : 8 - 32mm Extension Bar : 125mm, 250mm Sliding T-Handle : 300mm Spark Plug: 16 or 21mm Reversible Ratchet (72 Teeth) L- Handle or Universal Joint	315.00	85.50
DN-27M-H BMC	DN-27M-BH BMC	20 Sockets & 7 Accessories Socket Spanners : 8 - 32mm Extension Bar : 125mm, 250mm Sliding T-Handle : 300mm Spark Plug: 16 & 21mm Reversible Ratchet (72 Teeth) L- Handle or Universal Joint	336.00	91.20

12.5mm (1/2) DRIVE SOCKET SET



Triple Chrome Plated
 Chrome Vanadium Steel



Code HEX	Code BI-HEX	Contents	AED	(US\$)
DN-15W-H 	DN-15W-BH	Socket Spanners :10 Sockets 3/16B.S to 3/4B.S (WW Sizes) Extension Bar : 125, 250mm Sliding T-Handle L-Handle Reversible Ratchet Handle with Quick Release 10 SOCKETS & 5 ACCESSORIES	210.00	57.00
Code HEX	Code BI-HEX	Contents	AED	(US\$)
DN-13SAE-H 	DN-13SAE-BH	Socket Spanners : 3/8 - 1-1/4 SAE Extension Bar Reversible Ratchet Handle with Quick Release 13 Pcs (10 Sockets, 2 Accessories & 1Plastic Hanger)	196.00	53.20
Code HEX	Code BI-HEX	Contents	AED	(US\$)
DN-15SAE-H 	DN-15SAE-BH	Socket Spanners :10 Sockets 3/8 - 1-1/4 SAE Extension Bar : 125, 250mm Sliding T-Handle L-Handle Reversible Ratchet Handle with Quick Release 10 Sockets & 5 Accessories	231.00	62.70

12.5mm (1/2) DRIVE DEEP SOCKET SET



1/2 DRIVE MM HEX BIHEX LONG SERIES

Code HEX	Code BI-HEX	Contents	AED	(US\$)
DN-11M-HD	DN-11M-BHD	Sockets : 8,10, 12, 13, 14, 16, 17, 18, 19, 21, & 24mm (BMC / METAL BOX) 11 Deep Sockets	147.00	39.90
DN-24M-HD	DN-24M-BHD	Socket Spanners : 10 - 32mm Extension Bar : 125mm , 250mm Sliding T-Handle Reversible Ratchet Handle Swivel Handle L- Handle / Universal Joint 18 Sockets & 6 Accessories	441.00	119.70

IMPACT SOCKET SET 12.5MM (1/2) DRIVE



Blow
moulded
case
or Metal Box

1/2
DRIVE

MM

Cr-Mo

Code	Contents	AED	(US\$)
IMP-DN-9M	Socket Spanners : 8 - 27mm 9 Sockets	161.00	43.70
Code	Contents	AED	(US\$)
IMP-DN-10M27	Socket Spanners : 10 - 27mm 10 Sockets	175.00	47.50
Code	Contents	AED	(US\$)
IMP-DN-10M32	Socket Spanners : 8 - 32mm 10 Sockets	171.50	46.55
Code	Contents	AED	(US\$)
IMP-DN-15M	Socket Spanners : 8 - 32mm 15 Sockets	210.00	57.00

IMPACT SOCKET SET 12.5MM (1/2) DRIVE



1/2
DRIVE **MM** **Cr-Mo**

Code	Contents	AED	(US\$)
IMP-DN-24M	Socket Spanners : 8 - 32mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm L- Handle / Universal Joint Reversible Ratchet Handle with Quick Release 19 Sockets + 5 Accessories	560.00	152.00
Code	Contents	AED	(US\$)
IMP-DN-32M	(IMPACT) Socket Spanners :8 - 32mm/Spark Plug (26 Sockets) Hex & Bi-Hex Extension Bar : 125mm 250mm Sliding T-Handle Reversible Ratchet Handle with Quick Release Universal Joint or L Handle Adapter Plastic Box or Metal Box (6 Accessories)	833.00	226.10

IMPACT TORX SOCKET SET - 8 PCS SET



Blow
moulded
case
or Metal Box

1/2
DRIVE

MM

Code	Contents	AED	(US\$)
IMP-T-8M	T30, T40, T45, T50, T55, T60, T70 & T80	280.00	76.00

IMPACT SPLINE SOCKET SET - 8 PCS SET

1/2
DRIVE

MM

Code	Contents	AED	(US\$)
IMP-SPS-8M	M5, M6, M8, M10, M12, M14, M16 & M18	196.00	53.20

IMPACT ALLEN SOCKET SET

1/2
DRIVE

MM

Code	Contents	No. of Pcs	AED	(US\$)
IMP-ALN-8M	5H, 6H, 8H, 10H, 12H, 14H, 17H & 19H	8 Pcs	231.00	62.70
IMP-ALN-9M	5H, 6H, 7H, 8H, 10H, 12H, 14H, 17H & 19H	9 Pcs	252.00	68.40

**DEEP / LONG IMPACT SOCKET SET
12.5MM (1/2) DRIVE**



**1/2
DRIVE** **MM**

Cr-Mo **Long
Series**

Code	Contents	AED	(US\$)
IMP-DN-32MD	26 Sockets & 6 Accessories (IMPACT) Socket Spanners : 8 - 32mm/Spark Plug (26 Sockets) Hex & Bi-Hex Extension Bar : 125mm & 250mm Sliding T-Handle Reversible Ratchet Handle with Quick Release Universal Joint Adapter Plastic Box	1036.00	281.20

**HEX DEEP / LONG IMPACT SOCKET SET
12.5MM (1/2) DRIVE**



**BLOW MOULDED CASE
OR
METAL BOX**

**1/2
DRIVE** **MM**

Cr-Mo **Long
Series**

Code	Contents	AED	(US\$)
IMP-DN-12MD	12 Sockets Deep / Long (IMPACT) Socket Spanners : 8 - 32mm	210.00	57.00
IMP-DN-15MD	15 Sockets Deep / Long (IMPACT) Socket Spanners : 8 - 32mm	245.00	66.50
Code	Contents	AED	(US\$)
IMP-DN-24MD	Deep / Long (IMPACT) Socket Spanners : 8 - 32mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm L- Handle / Universal Joint Ratchet Handle 19 Sockets & 5 Accessories	770.00	209.00

19mm (3/4) DRIVE SOCKET SETS



**3/4
DRIVE** **SAE**

Code HEX	Code BI-HEX	Contents	AED	(US\$)
C-21AH	C-21ABH	Socket Spanners : 3/4 - 2 SAE (16 Sockets) Extension Bar : Small, Medium, Big / L Handle Sliding T Handle Reversible Ratchet Handle 16 Sockets & 5 Accessories (Blow moulded case or Metal Box)	1120.00	304.00

19mm (3/4) DRIVE SOCKET SETS 19 to 50mm



**3/4
DRIVE** **MM**

Code HEX	Code BI-HEX	Contents	AED	(US\$)
C-21MH	C-21MBH	Socket Spanners : 19 - 50mm Extension Bar : Small & Big / L Handle Sliding T Handle Ratchet Handle 16 Sockets & 4 Accessories (Blow moulded case or Metal Box)	910.00	247.00

19mm (3/4) DRIVE SOCKET SETS



3/4
DRIVE

MM

HEX
BIHEX

Code HEX	Code BI-HEX	Contents	AED	(US\$)
C-14MH	C-14MBH	10 Sockets & 4 Accessories Socket Spanners : 22 - 50mm Extension Bar : 100 & 200mm Sliding T-Handle : 500mm Ratchet handle	665.00	180.50
C-14MHBB	C-14MBHBB	10 Sockets & 4 Accessories Socket Spanners : 22 - 50mm Extension Bar : 100 & 200mm Sliding T-Handle : 500mm Ratchet Handle	770.00	209.00

19mm (3/4) DRIVE IMPACT SOCKET SET



**3/4
DRIVE**

Code	Contents	AED	(US\$)
IMP-C-27MA	22 Sockets & 5 Accessories (MM + SAE) Impact Socket Spanners : 22 - 50mm (10 Sockets) 7/8SAE - 2 SAE (12 Sockets) (56mm Regular Length) Extension Bar Small Extension Bar Big Sliding T-Handle or L Handle Ratchet Handle Adaptor	1540.00	418.00
Code	Contents	AED	(US\$)
IMP-C-14M	10 Sockets & 4 Accessories Impact Socket Spanners : 22 - 50mm(10 Sockets) (56mm Regular Length) Extension Bar Small Extension Bar Big Sliding T-Handle or L Handle Ratchet Handle	910.00	247.00
Code	Contents	AED	(US\$)
IMP-C-21M	16 Sockets & 5 Accessories Impact Socket Spanners : 19 - 50mm (16 Sockets) (56mm Regular Length) Extension Bar Small Extension Bar Big Sliding T-Handle or L Handle Universal Impact Adaptor Ratchet handle	1190.00	323.00

19mm (3/4) DRIVE IMPACT SOCKET SET
3/4 - 2 SAE (90mm Length)



**3/4
DRIVE**

Code	Contents	AED	(US\$)
IMP-C-21AD SAE	16 Sockets & 5 Accessories + Box Socket Spanners : 3/4 - 2 SAE (16 Sockets) (90mm Long Length) Extension Bar Small, Medium, Big Sliding T-Handle or L Handle Ratchet handle	1610.00	437.00

19mm (3/4) DRIVE HEX IMPACT SOCKET SET
1/2 - 1.1/4 WW (90mm Length)



**3/4
DRIVE**

Code	Contents	AED	(US\$)
IMP-C-15WD WW	10 Sockets & 5 Accessories Socket Spanners : 7/16 - 1.1/4WW (10 Sockets) (90mm Long Length) Extension Bar Small, Medium, Big Sliding T-Handle or L Handle Ratchet handle	1610.00	437.00

25mm (1) DRIVE SOCKET SET



1
DRIVE

Code	Sizes	AED	(US\$)
D-15MH MM	Socket Spanner : 36 - 80mm (11 Sockets) Sliding T-Handle Extension Bar Small Extension Bar Big Ratchet Handle	2520.00	684.00
Code	Sizes	AED	(US\$)
D-14A SAE	10 Sockets & 4 Accessories Socket Spanners : 1.1/4 - 3 SAE (10 Sockets) Extension Bar Small Extension Bar Big Sliding T-Handle Ratchet handle	3710.00	1007.00

25mm (1) DRIVE IMPACT SOCKET SET



Code	Sizes	AED	(US\$)
IMP-D-14M 	10 Sockets & 4 Accessories Impact Sockets (10 Sizes) Sockets: 36 to 80mm (90mm Length) Sliding T-Handle or L handle Extension Bar Small, Extension Bar Big Ratchet Handle	2730.00	741.00
Code	Sizes	AED	(US\$)
IMP-D-14A 	10 Sockets & 4 Accessories Socket Spanners : 1.1/4 - 3 SAE Extension Bar Small, Big Sliding T-Handle or L Handle Ratchet handle	3990.00	1083.00
Code	Sizes	AED	(US\$)
IMP-D-14W 	10 Sockets & 4 Accessories Socket Spanners : 3/4 - 2 WW Extension Bar Small, Big Sliding T-Handle or L Handle Ratchet handle	3990.00	1083.00

HEX ALLEN KEY - SHORT PATTERN



Chrome Vanadium Steel
Black Finish

Code	Size (mm)	AED	(US\$)
AK0.72	0.72	0.63	0.17
AK1.27	1.27	0.63	0.17
AK1.5	1.5	0.56	0.15
AK2	2	0.56	0.15
AK2.5	2.5	0.56	0.15
AK3	3	0.56	0.15
AK4	4	0.91	0.25
AK5	5	1.05	0.29
AK5.5	5.5	1.68	0.46
AK6	6	1.47	0.40
AK7	7	2.45	0.67
AK8	8	2.45	0.67
AK9	9	3.64	0.99
AK10	10	3.99	1.08
AK11	11	8.05	2.19
AK12	12	7.35	2.00
AK13	13	11.90	3.23
AK14	14	10.50	2.85
AK15	15	23.10	6.27
AK16	16	23.10	6.27
AK17	17	17.50	4.75
AK18	18	36.05	9.79
AK19	19	25.20	6.84
AK20	20	63.00	17.10

Chamfered Heads
Proper Heat Treatment 48-52 HRc

Code	Size (mm)	AED	(US\$)
AK21	21	70.00	19.00
AK22	22	56.00	15.20
AK23	23	119.00	32.30
AK24	24	63.00	17.10
AK25	25	154.00	41.80
AK26	26	154.00	41.80
AK27	27	105.00	28.50
AK28	28	203.00	55.10
AK29	29	203.00	55.10
AK30	30	126.00	34.20
AK32	32	182.00	49.40
AK34	34	310.80	84.36
AK36	36	247.80	67.26
AK38	38	378.00	102.60
AK41	41	420.00	114.00
AK46	46	630.00	171.00
AK50	50	840.00	228.00
AK55	55	1512.00	410.40
AK60	60	1715.00	465.50
AK65	65	3024.00	820.80
AK70	70	3780.00	1026.00
AK75	75	4536.00	1231.20
AK80	80	5544.00	1504.80

HEX ALLEN KEY SET - SHORT PATTERN

Chrome Vanadium Steel
Black Finish
Chamfered Heads
Proper Heat Treatment 48-52 HRc
Sliding Box Packing/ Blister Packing

Code	Contents	AED	(US\$)
DN-KM9V - BL (BLISTER PACKING)	9 Pcs. Set (mm) 1.5,2,2.5,3,4,5,6,8,10	14.70	3.99
DN-KM9V (BOX PACKING)	9 Pcs. Set (mm) 1.5,2,2.5,3,4,5,6,8,10	14.70	3.99



HEX ALLEN KEY - SHORT PATTERN



SAE

Code	Size American SAE	AED	(US\$)
AK 1/16 A	1/16	0.56	0.15
AK 5/64 A	5/64	0.56	0.15
AK 3/32 A	3/32	0.56	0.15
AK 1/8 A	1/8	0.56	0.15
AK 5/32 A	5/32	0.77	0.21
AK 3/16 A	3/16	1.12	0.30
AK 7/32 A	7/32	1.19	0.32
AK 1/4 A	1/4	1.75	0.48
AK 5/16 A	5/16	2.38	0.65
AK 3/8 A	3/8	3.99	1.08
AK 7/16 A	7/16	6.72	1.82
AK 1/2 A	1/2	7.98	2.17
AK 9/16 A	9/16	10.50	2.85
AK 5/8 A	5/8	15.40	4.18
AK 3/4 A	3/4	28.00	7.60
AK 7/8 A	7/8	60.20	16.34
AK 1 A	1	73.50	19.95
AK 1.1/8 A	1.1/8	182.00	49.40
AK 1.1/4 A	1.1/4	245.00	66.50

HEX ALLEN KEY SET - SHORT PATTERN

Chrome Vanadium Steel
 Black Finish
 Chamfered Heads
 Proper Heat Treatment 48-52 HRc
 Sliding Box Packing/ Blister Packing

Code	Contents	AED	(US\$)
DN-KI10V - BL (BLISTER PACKING)	10 Pcs. Set (SAE) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	14.70	3.99
DN-KI10V (BOX PACKING)	10 Pcs. Set (SAE) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	14.70	3.99



HEX ALLEN KEY - LONG PATTERN



Chrome Vanadium Steel/ Special grade High Tensile Alloy Steel
 Black Finish
 Chamfered Heads
 Proper Heat Treatment 48-52 HRc

Code	Size (mm)	AED	(US\$)
AK1.5 L	1.5 Long	1.05	0.29
AK2 L	2 Long	1.19	0.32
AK2.5 L	2.5 Long	1.19	0.32
AK3 L	3 Long	1.40	0.38
AK4 L	4 Long	1.68	0.46
AK5 L	5 Long	2.45	0.67
AK6 L	6 Long	2.94	0.80
AK7 L	7 Long	4.20	1.14
AK8 L	8 Long	4.20	1.14
AK9 L	9 Long	6.30	1.71
AK10 L	10 Long	6.30	1.71
AK12 L	12 Long	12.60	3.42

Code	Size (mm)	AED	(US\$)
AK14 L	14 Long	18.90	5.13
AK17 L	17 Long	33.60	9.12
AK19 L	19 Long	42.00	11.40
AK34 L	34 Long	378.00	102.60
AK36 L	36 Long	378.00	102.60
AK50 L	50 Long	1512.00	410.40
AK55 L	55 Long	2217.60	601.92
AK60 L	60 Long	2469.60	670.32
AK65 L	65 Long	4284.00	1162.80
AK70 L	70 Long	4788.00	1299.60
AK75 L	75 Long	5796.00	1573.20
AK80 L	80 Long	6552.00	1778.40

HEX ALLEN KEY SETS - LONG PATTERN



Black Finish

Code	Contents	AED	(US\$)
AKLS9M	9 Pcs. Set (mm) Long Type 1.5,2,2.5,3,4,5,6,8,10	24.50	6.65
AKLS10A	10 Pcs. Set (SAE) Long Type 1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8	31.50	8.55

HEX ALLEN KEY SET LONG ARM (BALL TYPE)



Code	Contents	AED	(US\$)
DNKBHM9L	9 Pcs. Set (mm) {Long arm} (Ball Type) 1.5,2,2.5,3,4,5,6,8,10	42.00	11.40
DNKBHM9LB	9 Pcs. Set (mm) {Long arm} (Ball Type) 1.5,2,2.5,3,4,5,6,8,10 (Brown)	56.00	15.20

HEX ALLEN KEY SET EXTRA LONG ARM



Code	Contents	AED	(US\$)
DNXLONG9L	9 Pcs. Set (mm) {Extra Long arm} 1.5,2,2.5,3,4,5,6,8,10	46.20	12.54

ALLEN KEY (TORX)



Code	Size (mm)	AED	(US\$)
AKT-5	5	2.45	0.67
AKT-6	6	2.45	0.67
AKT-7	7	2.45	0.67
AKT-8	8	2.45	0.67
AKT-9	9	2.45	0.67
AKT-10	10	2.45	0.67
AKT-15	15	2.45	0.67
AKT-20	20	2.80	0.76
AKT-25	25	2.80	0.76
AKT-27	27	3.15	0.86
AKT-30	30	3.50	0.95
AKT-40	40	4.20	1.14
AKT-45	45	5.60	1.52
AKT-50	50	7.70	2.09

ALLEN KEY SET (TORX)



Code	Contents	AED	(US\$)
DNKTH7S (REGULAR)	7 Pcs. Set (mm) {Short Type} (Torx) T10, T15, T20, T25, T27, T30, T40	22.05	5.99
DNKTH8S (REGULAR)	8 Pcs. Set (mm) {Short Type} (Torx) T5, T6, T7, T8, T9, T10, T15, T20	21.00	5.70
DNKTH9S (REGULAR)	9 Pcs. Set (mm) {Short Type} (Torx) T10, T15, T20, T25, T27, T30, T40, T45, T50	36.40	9.88
DNKTH9L (LONG)	9 Pcs. Set (mm) {Long Type} (Torx) T10, T15, T20, T25, T27, T30, T40, T45, T50	46.20	12.54

ALLEN KEY (BROWN)



Code	Size (mm)	AED	(US\$)
AKB1.5	1.5	0.98	0.27
AKB2	2	0.98	0.27
AKB2.5	2.5	0.98	0.27
AKB3	3	1.19	0.32
AKB4	4	1.19	0.32
AKB5	5	2.10	0.57
AKB6	6	2.94	0.80
AKB7	7	5.25	1.43
AKB8	8	5.60	1.52
AKB9	9	9.45	2.57
AKB10	10	10.50	2.85
AKB12	12	14.00	3.80


Code	Size (Sae)	AED	(US\$)
AKB1/16A	1/16	0.98	0.27
AKB5/64A	5/64	0.98	0.27
AKB3/32A	3/32	0.98	0.27
AKB 1/8A	1/8	1.05	0.29
AKB5/32A	5/32	1.12	0.30
AKB3/16A	3/16	2.10	0.57
AKB7/32A	7/32	3.15	0.86
AKB 1/4A	1/4	5.25	1.43
AKB5/16A	5/16	5.60	1.52
AKB 3/8A	3/8	10.50	2.85

ALLEN KEY SET - BROWN



Code	Contents	AED	(US\$)
DNAKBS	9 Pcs. Set (mm) {Short Pattern} 1.5,2,2.5,3,4,5,6,8,10 (Brown)	26.60	7.22
DNAKBSL	9 Pcs. Set (mm) {Long Pattern} 1.5,2,2.5,3,4,5,6,8,10 (Brown)	38.50	10.45

ALLEN KEY TORX (BROWN)



**S2
MATERIAL**

Code	Size (mm)	AED	(US\$)
AKBT5	5	2.59	0.70
AKBT6	6	2.66	0.72
AKBT7	7	2.66	0.72
AKBT8	8	2.66	0.72
AKBT9	9	2.66	0.72
AKBT10	10	2.66	0.72
AKBT15	15	2.66	0.72
AKBT20	20	2.87	0.78
AKBT25	25	2.94	0.80
AKBT27	27	3.43	0.93
AKBT30	30	3.78	1.03
AKBT40	40	4.97	1.35
AKBT45	45	6.65	1.81
AKBT50	50	8.33	2.26

ALLEN KEY SET TORX - BROWN



Code	Contents	AED	(US\$)
AKBTS9M	9 Pcs. Set (mm) Torx Brown T10, 15, 20, 25, 27, 30, 40, 45, 50	49.00	13.30

ALLEN KEY LONG BALL POINT



MM

Code	Size (mm)	AED	(US\$)
AKLBPB1.5	1.5	2.52	0.68
AKLBPB2	2	2.66	0.72
AKLBPB2.5	2.5	2.94	0.80
AKLBPB3	3	3.36	0.91
AKLBPB4	4	3.57	0.97
AKLBPB5	5	4.20	1.14
AKLBPB6	6	4.55	1.24
AKLBPB7	7	7.70	2.09
AKLBPB8	8	7.00	1.90
AKLBPB9	9	11.90	3.23
AKLBPB10	10	11.90	3.23

SAE

Code	Size (Sae)	AED	(US\$)
AKLBPB1/16	1/16	2.52	0.68
AKLBPB5/64	5/64	2.66	0.72
AKLBPB3/32	3/32	2.94	0.80
AKLBPB1/8	1/8	3.36	0.91
AKLBPB5/32	5/32	3.57	0.97
AKLBPB3/16	3/16	4.20	1.14
AKLBPB7/32	7/32	4.20	1.14
AKLBPB1/4	1/4	4.55	1.24
AKLBPB5/16	5/16	6.65	1.81
AKLBPB3/8	3/8	9.80	2.66

ALLEN KEY LONG BALL POINT SETS



Code	Contents	AED	(US\$)
AKLBPBS9M	9 Pcs. Set (mm) {Long Ball Point} - Brown 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	56.00	15.20
AKLBPBS10A	10 Pcs. Set (SAE) {Long Ball Point} - Brown 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	56.00	15.20

ALLEN KEY EXTRA LONG BALL POINT (BROWN)

S2
MATERIAL



MM

SAE

Code	Size (mm)	AED	(US\$)
AKELBPB 1.5	1.5	3.64	0.99
AKELBPB 2	2	4.20	1.14
AKELBPB 2.5	2.5	4.69	1.27
AKELBPB 3	3	5.95	1.62
AKELBPB 4	4	6.65	1.81
AKELBPB 5	5	7.00	1.90
AKELBPB 6	6	8.26	2.24
AKELBPB 7	7	9.80	2.66
AKELBPB 8	8	11.20	3.04
AKELBPB 9	9	12.60	3.42
AKELBPB 10	10	14.42	3.91

Code	Size (Sae)	AED	(US\$)
AKELBPB1/16	1/16	3.64	0.99
AKELBPB5/64	5/64	4.20	1.14
AKELBPB3/32	3/32	4.69	1.27
AKELBPB1/8	1/8	5.95	1.62
AKELBPB5/32	5/32	6.65	1.81
AKELBPB3/16	3/16	7.00	1.90
AKELBPB7/32	7/32	7.63	2.07
AKELBPB1/4	1/4	8.26	2.24
AKELBPB5/16	5/16	11.20	3.04
AKELBPB3/8	3/8	14.42	3.91

ALLEN KEY EXTRA LONG BALL POINT SET (BROWN)



Code	Contents	AED	(US\$)
DNKBH10L	10 Pcs. Set (SAE) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	74.20	20.14

TWO-WAY HEX KEY WITH HANDLE



Code	Size (mm)	AED	(US\$)
TAK 1.5	1.5	5.25	1.43
TAK 2	2	5.25	1.43
TAK 2.5	2.5	5.81	1.58
TAK 3	3	6.16	1.67
TAK 4	4	6.93	1.88
TAK 5	5	8.47	2.30
TAK 5.5	5.5	10.43	2.83
TAK 6	6	12.60	3.42
TAK 7	7	22.40	6.08
TAK 8	8	15.40	4.18
TAK 9	9	22.40	6.08
TAK 10	10	28.00	7.60
TAK 12	12	45.50	12.35
TAK 14	14	56.00	15.20

TWO-WAY HEX KEYS SET WITH HANDLE

SETS			
Code	Description	AED	(US\$)
Black DN-TAKM8	T Handle Allen Keys 8 Pcs. Set (2-10mm) (Box Packing)	77.00	20.90
Black DN-TAKM9	T Handle Allen Keys 9 Pcs. Set (1.5-10mm) (Blister Packing)	88.55	24.04



TWO-WAY HEX KEY WITH HANDLE



Code	Size (Sae)	AED	(US\$)
TAK 1/16	1/16	5.81	1.58
TAK 5/64	5/64	5.81	1.58
TAK 3/32	3/32	6.16	1.67
TAK 1/8	1/8	6.16	1.67
TAK 5/32	5/32	7.70	2.09
TAK 3/16	3/16	8.47	2.30
TAK 7/32	7/32	9.24	2.51
TAK 1/4	1/4	15.40	4.18
TAK 5/16	5/16	16.94	4.60
TAK 3/8	3/8	21.98	5.97
TAK 7/16	7/16	38.50	10.45
TAK 1/2	1/2	49.00	13.30

TWO-WAY HEX KEY WITH HANDLE SET

SETS			
Code	Description	AED	(US\$)
Black DN-TAK8A	T Handle Allen Keys 8 Pcs. Set (1/16 - 3/8 SAE) (Box Packing)	86.24	23.41
Black DN-TAK10A	T Handle Allen Keys 10 Pcs. Set (1/16 - 3/8 SAE) (Blister Packing)	97.02	26.33



T-TYPE BALL POINT ALLEN KEYS-TWO WAY

**TWO WAY
BALL POINT**



Code	Size (mm)	AED	(US\$)
DN-TKB 1.5	1.5	5.81	1.58
DN-TKB 2	2	7.00	1.90
DN-TKB 2.5	2.5	8.12	2.20
DN-TKB 3	3	10.01	2.72
DN-TKB 4	4	13.09	3.55
DN-TKB 5	5	13.51	3.67
DN-TKB 5.5	5.5	14.70	3.99
DN-TKB 6	6	14.63	3.97
DN-TKB 7	7	17.15	4.66
DN-TKB 8	8	19.25	5.23
DN-TKB 9	9	22.05	5.99
DN-TKB 10	10	25.06	6.80
DN-TKB 12	12	58.10	15.77
DN-TKB 14	14	66.50	18.05

T-TYPE TORX KEYS TWO WAY

**TWO WAY
TORX**



Code	Size (mm)	AED	(US\$)
DN-TT 9	9	8.40	2.28
DN-TT 10	10	8.40	2.28
DN-TT 15	15	8.75	2.38
DN-TT 20	20	9.10	2.47
DN-TT 25	25	11.20	3.04
DN-TT 27	27	11.20	3.04
DN-TT 30	30	11.90	3.23
DN-TT 40	40	14.70	3.99
DN-TT 45	45	24.50	6.65
DN-TT 50	50	28.00	7.60
DN-TT 55	55	39.20	10.64

TWO-WAY HEX KEY WITH HANDLE BROWN- S2 MATERIAL



Code	Size (mm)	AED	(US\$)
TAKB 1.5	1.5	5.81	1.58
TAKB 2	2	5.81	1.58
TAKB 2.5	2.5	6.16	1.67
TAKB 3	3	6.79	1.84
TAKB 4	4	8.12	2.20
TAKB 5	5	10.08	2.74
TAKB 5.5	5.5	12.46	3.38
TAKB 6	6	12.32	3.34
TAKB 7	7	22.33	6.06
TAKB 8	8	28.49	7.73
TAKB 9	9	22.33	6.06
TAKB 10	10	26.95	7.32

TWO-WAY HEX KEYS SET WITH HANDLE BROWN- S2 MATERIAL

SETS			
Set No.	Description	AED	(US\$)
Brown DN-TAKM8	T Handle Allen Keys 8 Pcs. Set (Brown) (2-10mm)	101.64	27.59
Brown DN-TAKM9	T Handle Allen Keys 9 Pcs. Set (Brown) (1.5-10mm)	115.50	31.35

FLAG ALLEN KEY

Code	Size (mm)	AED	(US\$)
T-6	6	1.19	0.32
T-7	7	1.19	0.32
T-8	8	1.33	0.36
T-9	9	1.40	0.38
T-10	10	1.40	0.38
T-15	15	1.47	0.40



TAPS & ROUND DIE SETS



Complete Tap & Die Set 1/4 to 1/2 BSW

Code	SETS	AED	(US\$)
	Contents		
TRDS1/2BSW	Round Die Handle : 1', 1.1/2' O/D Tap Handle : 1/2 Capacity Tap & Dies : 1/4, 5/16, 3/8, 7/16, 1/2BSW Screw Driver : One Pc.	315.00	85.50

Complete Tap & Die Set 6mm to 12mm

Code	SETS	AED	(US\$)
	Contents		
TRDS12M	Round Die Handle : 1', 1.1/2' O/D Tap Handle : 1/2 Capacity Tap & Dies : 6, 7, 8, 10, 12 MM Screw Driver : One Pc.	315.00	85.50

Complete Tap & Die Set 6mm to 18mm

Code	SETS	AED	(US\$)
	Contents		
TRDS18M	Round Die Handle : 1', 1.1/2' O/D Tap Handle : 3/4 Capacity Tap & Dies : 6, 8, 10, 12, 14, 16, 18 MM Screw Driver : One Pc.	420.00	114.00

Complete Tap & Die Set 0 BA To 6 BA

Code	SETS	AED	(US\$)
	Contents		
TRDS6BA	Round Die Handle : 13/16 O/D Tap Handle : 1/4 Capacity Tap & Dies : 0, 1, 2, 3, 4, 5, 6 BA Screw Driver : One Pc.	280.00	76.00

Complete Tap & Die Set 0 BA To 8 BA

Code	SETS	AED	(US\$)
	Contents		
TRDS8BA	Round Die Handle : 13/16 O/D Tap Handle : 1/4 Capacity Tap & Dies : 0, 1, 2, 3, 4, 5, 6, 7, 8 BA Screw Driver : One Pc.	315.00	85.50

RATCHET DIE SET

Code	Size	AED	(US\$)
RDIE1	1/2, 3/4, 1	245.00	66.50
RDIE2	1-1/4, 1-1/2, 2	490.00	133.00
RDIE3	2-1/2 - 3	693.00	188.10
RDIE4	4	756.00	205.20
RDIE6	6	1610.00	437.00



RATCHET DIE SET SPARE CHASER

Code	Size	AED	(US\$)
RDIE1SP	1/2, 3/4, 1	70.00	19.00
RDIE2SP	1-1/4, 1-1/2, 2	154.00	41.80
RDIE3SP	2-1/2 - 3	280.00	76.00
RDIE4SP	4	588.00	159.60
RDIE6SP	6	1120.00	304.00

C-CLAMP



Drop Forged Frame
 High Quality Steel Screw With Drop Handle

Code	Size	AED	(US\$)
CCLP1259-2	55mm-2	22.68	6.16
CCLP1260-3	80mm-3	29.61	8.04
CCLP1261-4	105mm-4	41.30	11.21
CCLP1262-5	130mm-5	56.00	15.20
CCLP1263-6	155mm-6	59.85	16.25
CCLP1264-8	205mm-8	93.80	25.46
CCLP1265-10	255mm-10	204.75	55.58
CCLP1266-12	305mm-12	274.40	74.48
CCLP1267-14	355mm-14	476.00	129.20
CCLP1268-18	450mm-18	735.00	199.50

PIPE VICE- PILLAR TYPE HEAVY DUTY



Code	Size	Weight in Gms	AED	(US\$)
PVP2	1/2 to 2 - 50mm	3450	101.50	27.55
PVP3	3 - 75mm	7300	173.60	47.12
PVP4	4 - 100mm	8600	201.60	54.72

PIPE VICE- SELF LOCKING HEAVY DUTY (S.G.IRON)



Code	Size	Opening (mm)	Weight Kg	AED	(US\$)
PVSL1	1#	25mm		115.50	31.35
PVSL2	2#	60mm	3.0	154.00	41.80
PVSL3	3#	80mm	5.0	217.00	58.90
PVSL4	4#	110mm	7.0	280.00	76.00
PVSL5	5#	15-130mm	9.0	350.00	95.00
PVSL6	6#	15-165mm	11.0	406.00	110.20
PVSL8	8#	15-220mm	17.0	665.00	180.50

ALL STEEL BENCH VICE FIXED BASE



Body Made from Selected Steel

Hardened & Knurled Replaceable High Carbon Steel Jaws

Code	Item No. Size	Width of Jaws (mm)	Opening of Jaws (mm)	Depth of Jaws (mm)	Weight Kg	AED	(US\$)
BV4	100mm-4	102	110	75	8.0	255.50	69.35
BV5	125mm-5	130	135	78	9.8	322.00	87.40
BV6	150mm-6	152	155	88	13.0	378.00	102.60
BV8	200mm-8	202	210	95	21.0	623.00	169.10

SPECIAL GRADED CAST IRON / SG IRON BENCH VICE HEAVY WEIGHT PROFESSIONAL



Body Made from Selected Steel

Hardened & Knurled Replaceable High Carbon Steel Jaws

Code	Size	Width of Jaws (mm)	Opening of Jaws (mm)	Depth of Jaws (mm)	Weight Kg	AED	(US\$)
BV3CI	75mm-3	75	90	50	6.0	175.00	47.50
BV4CI	100mm-4	102	112	68	10.0	315.00	85.50
BV5CI	125mm-5	130	145	76	15.0	462.00	125.40
BV6CI	150mm-6	155	202	78	20.0	574.00	155.80
BV8CI	200mm-8	202	230	98	33.0	966.00	262.20
BV12CI	300mm-12	302	310	135	55.0	1820.00	494.00
BV16CI	400mm-16	405	415	145	75.0	2870.00	779.00

BEARING PULLER - 2 JAWS



Hardened and Tempered
 Jaws from Chrome Vanadium Steel

Code	Size	Capacity (mm)	Load Capacity (Tonne)	AED	(US\$)
BP2L4	2L-4-100mm	20-110	2.60	98.00	26.60
BP2L6	2L-6-150mm	25-160	4.40	161.00	43.70
BP2L8	2L-8-200mm	30-210	8.0	280.00	76.00
BP2L10	2L-10-250mm	30-260	8.80	490.00	133.00
BP2L12	2L-12-300mm	50-310	14.70	665.00	180.50

BEARING PULLER - 3 JAWS



Jaws from Chrome Vanadium Steel
 Hardened and Tempered


Code	Size	Capacity (mm)	Load Capacity (Tonne)	AED	(US\$)
BP3L3	3L-3-75mm	15-75	-	91.00	24.70
BP3L4	3L-4-100mm	20-110	2.60	115.50	31.35
BP3L6	3L-6-150mm	25-160	4.50	238.00	64.60
BP3L8	3L-8-200mm	30-210	8.20	462.00	125.40
BP3L10	3L-10-250mm	40-260	9.0	560.00	152.00
BP3L12	3L-12-300mm	50-320	12.50	770.00	209.00
BP3L16	3L-16-400mm	80-420	-	1260.00	342.00
BP3L20	3L-20-500mm	80-520	-	1820.00	494.00
BP3L24	3L-24-600mm	90-600	-	2100.00	570.00
BP3L28	3L-28-700mm	100-720	-	2380.00	646.00

AIR IMPACT WRENCH

Code	Size	Max. Torque	Hammer Type	Anvil Length	AED	(US\$)
AIW1/2 720	(12.7mm) 1/2	720 NM	Twin Hammer	25mm (1)	595.00	161.50
AIW1/2 850	(12.7mm) 1/2	850 NM	Twin Hammer	25mm (1)	665.00	180.50
AIW1/2 980	(12.7mm) 1/2	980 NM	Twin Hammer	25mm (1)	805.00	218.50
AIW3/4	(19mm) 3/4	1400 NM	Twin Hammer	38mm (1.5)	1302.00	353.40
AIW1	(25mm) 1	3200 NM	Pin Less Clutch	225mm (9)	1855.00	503.50



FILES (BASTARD)



Code	Size (mm)	AED	(US\$)
FF8	FLAT FILE 200 without Handle	14.00	3.80
FF10	FLAT FILE 250 without Handle	14.70	3.99
FF12	FLAT FILE 300 without Handle	23.80	6.46
HRF8	HALF ROUND FILE 200 with Handle	28.70	7.79
HRF10	HALF ROUND FILE 250 with Handle	31.50	8.55
FHP	Plastic File Handle Suitable for 200mm, 250mm, 300mm	4.90	1.33

NEEDLE FILE SET

**PVC
POUCH PACKING**

Code	Description	AED	(US\$)
NFS10	NFS 4160 (10 Pcs.)	66.50	18.05



OCTAGONAL CHISELS

Fully Forged, Induction Hardened

Code	Length mm	Cutting Edge mm	AED	(US\$)
OC101	125	9	6.86	1.86
OC102	150	16	8.61	2.34
OC104	200	22	12.74	3.46
OC105	200	25	14.77	4.01
OC106	250	30	22.40	6.08
OC107	300	32	28.00	7.60
OC108	350	32	45.50	12.35



FLAT CHISELS

Code	Length mm	Cutting Edge mm	AED	(US\$)
FC1046	150	20	9.94	2.70
FC1048	200	25	13.09	3.55
FC1059	235	25	13.79	3.74



BEVELED EDGE CHISELS

Code	Size	AED	(US\$)
WCB 06	6 (1/4)	16.52	4.48
WCB 08	8 (5/16)	16.52	4.48
WCB 10	10 (3/8)	16.52	4.48
WCB 12	12 (1/2)	16.52	4.48
WCB 19	19 (3/4)	19.74	5.36
WCB 25	25 (1)	20.51	5.57
WCB 32	32 (1.1/4)	23.38	6.35
WCB 38	38 (1.1/2)	24.15	6.56
WCB 51	51 (2)	30.59	8.30



WOOD WORKING CHISELS SET

Code	Contents	AED	(US\$)
WCBS 5	WCB 12, WCB 19, WCB 25, WCB 32 & WCB 38	112.70	30.59

CENTRE PUNCHES (ROUND) & DRIFT PUNCH

Code	Length (mm)	Shelf Carton (Packing)	AED	(US\$)
CPR1884	100	10	3.36	0.91
CPR1984	100	10	3.78	1.03
CPR1985	125	10	4.62	1.25
CPR1986	150	10	5.88	1.60
CPR1988	200	10	9.24	2.51
DP1004	100	10	3.50	0.95



CENTRE PUNCHES (HEXAGONAL)

Code	Length (mm)	AED	(US\$)
CPH6	150	5.88	1.60
CPH8	200	9.24	2.51
CPH10	250	14.00	3.80
CPH12	300	17.50	4.75



DOT PUNCHES (HEXAGONAL)

Code	Length (mm)	AED	(US\$)
DPH6	150	5.25	1.43
DPH8	200	7.00	1.90
DPH10	250	14.00	3.80
DPH12	300	17.50	4.75



LEATHER PUNCHES

Code	Length (mm)	Hole Size (mm)	AED	(US\$)
LP 3	80	3	2.80	0.76
LP 5	80	5	3.15	0.86
1786	100	6	4.20	1.14
1787	100	8	4.20	1.14
1788	100	10	4.20	1.14
LP 12	110	12	7.84	2.13
LP 13	110	13	6.65	1.81
LP 14	120	14	7.98	2.17
LP 16	120	16	11.76	3.19
LP 19	120	19	12.60	3.42
LP 22	140	22	23.80	6.46
LP 25	140	25	21.00	5.70



DRIFT, CENTER & LEATHER PUNCH SET

Code	Contents	AED	(US\$)
DCLP 7	1004, 1884, 1984, 1985, 1786, 1787, 1788	35.00	9.50
LPS 12	LP 3, LP 5, 1786, 1787, 1788, LP 12, LP 13, LP 14, LP 16, LP 19, LP 22 & LP 25	105.00	28.50



LETTER PUNCH (A to Z)

Code	Size Inch / MM	AED	(US\$)
LTP1	1/32 / 1mm	32.20	8.74
LTP1.5	1/16 / 1.5mm	32.20	8.74
LTP2	5/64 / 2mm	32.20	8.74
LTP2.5	3/32 / 2.5mm	32.20	8.74
LTP3	1/8 / 3mm	40.25	10.93
LTP4	5/32 / 4mm	40.25	10.93
LTP5	3/16 / 5mm	55.65	15.11
LTP6	1/4 / 6mm	73.50	19.95
LTP7	9/32 / 7mm	105.00	28.50
LTP8	5/16 / 8mm	105.00	28.50
LTP10	3/8 / 10mm	176.40	47.88
LTP12	1/2 / 12mm	241.50	65.55
LTP15	5/8 / 15mm	465.50	126.35
LTP19	3/4 / 19mm	539.00	146.30
LTP25	1 / 25mm	973.00	264.10



FIGURE PUNCH (1-9)

Code	Size Inch / MM	AED	(US\$)
FP1	1/32 / 1mm	10.85	2.95
FP1.5	1/16 / 1.5mm	10.85	2.95
FP2	5/64 / 2mm	10.85	2.95
FP2.5	3/32 / 2.5mm	10.85	2.95
FP3	1/8 / 3mm	13.44	3.65
FP4	5/32 / 4mm	13.44	3.65
FP5	3/16 / 5mm	18.55	5.04
FP6	1/4 / 6mm	24.50	6.65
FP7	9/32 / 7mm	35.00	9.50
FP8	5/16 / 8mm	35.00	9.50
FP10	3/8 / 10mm	59.50	16.15
FP12	1/2 / 12mm	80.50	21.85
FP15	5/8 / 15mm	154.40	42.18
FP19	3/4 / 19mm	179.55	48.73
FP25	1 / 25mm	324.10	87.97



PIN PUNCHES (HEXAGONAL)

Code	Length (mm)	AED	(US\$)
PPH8	200	7.00	1.90
PPH10	250	14.00	3.80
PPH12	300	21.00	5.70



PIN PUNCHES LONG (HEXAGONAL)

Code	Length (mm)	Sizes (mm)	AED	(US\$)
PPLH2	150	2	5.60	1.52
PPLH3	150	3	5.60	1.52
PPLH4	150	4	5.60	1.52
PPLH5	150	5	5.95	1.62
PPLH6	150	6	6.30	1.71
PPLH8	150	8	7.00	1.90
PPLHS6	150 (6 Pcs Set) (POUCH PACKING)	(2,3,4,5, 6,8mm)	42.00	11.40



PIN PUNCHES (ROUND KNURLED BODY)

Code	Length (mm)	Sizes (mm)	AED	(US\$)
PPR100-1.5	100	1.5	3.15	0.86
PPR100-2.5	100	2.5	3.15	0.86
PPR100-3	100	3	3.15	0.86
PPR100-4	100	4	3.15	0.86
PPR100-5	100	5	3.50	0.95
PPR100-5.5	100	5.5	3.50	0.95
PPR100-6	100	6	3.85	1.05
PPR100-8	100	8	4.90	1.33
PPRS100-8	100 (8 Pcs Set) (POUCH PACKING)	(1.5,2.5,3,4, 5,5.5,6,8mm)	35.00	9.50



PIN PUNCHES (ROUND KNURLED BODY)

Code	Length (mm)	Sizes (mm)	AED	(US\$)
PPR150-3	150	3	5.60	1.52
PPR150-4	150	4	5.60	1.52
PPR150-5	150	5	5.95	1.62
PPR150-6	150	6	6.30	1.71
PPR150-8	150	8	6.72	1.82
PPR150-10	150	10	8.00	2.50
PPRS150-6	150 (6 Pcs Set) (POUCH PACKING)	(3,4,5,6, 8,10mm)	38.50	10.45



PIN PUNCHES (ROUND KNURLED BODY)

Code	Length (mm)	Sizes (mm)	AED	(US\$)
PPR200-1.5	200	1.5	6.65	1.81
PPR200-2.5	200	2.5	6.65	1.81
PPR200-3	200	3	6.65	1.81
PPR200-4	200	4	6.65	1.81
PPR200-5	200	5	6.65	1.81
PPR200-5.5	200	5.5	7.70	2.09
PPR200-6	200	6	7.70	2.09
PPR200-8	200	8	7.70	2.09
PPRS200-8	200 (8 Pcs Set) (POUCH PACKING)	(2.5,3,4,5, 5.5,6,8, 10mm)	63.00	17.10



CALIPERS AND SPRING DIVIDERS

Code	Description	Size (mm)	AED	(US\$)
CI 6	Inside Caliper	150	16.80	4.56
CI 8	Inside Caliper	200	19.25	5.23
CI 10	Inside Caliper	250	24.50	6.65
CI 12	Inside Caliper	300	29.40	7.98
CO 6	Outside Caliper	150	16.80	4.56
CO 8	Outside Caliper	200	19.25	5.23
CO 10	Outside Caliper	250	24.50	6.65
CO 12	Outside Caliper	300	29.40	7.98
SD 6	Spring Divider	150	16.80	4.56
SD 8	Spring Divider	200	19.25	5.23
SD 10	Spring Divider	250	24.50	6.65
SD 12	Spring Divider	300	29.40	7.98



PLUMB BOB

Code	AED	(US\$)
PB No. 2	8.75	2.38
PB No. 5	12.25	3.33



16 Pcs. CHISEL AND PUNCH SET



Code	Contents	AED	US\$
CPS16	BPC COLD CHISEL : 3/8X5/16 X5-1/2 (9.5X8X140MM), 1/2"X7/16"X6"(12.7X11X152MM) 5/8"X15/32"X6-1/2(15.8X12X165- M2PC CENTER PUNCH 1/8"X5/16X5"(3.2X8X127MM), 3/16X7/16X6"(4.8X11%152MM), PIN PUNCH:3/32"X1/4X4- 1/4"(2.4X6.3X108MM), 1/8"X5/16"X4-3/4 5PC(3.2X8X120MM),5/32"X3/8"X 5"(4X9.5X127MM),3/16X3/8"X5- 1/4"(4.8X9.5X133MM),1/4X7/16 85-3/4"(6.3%11%146MM)3/32"X 5/16"X5-1/4"(2.4X8X133MM), 1/8~X3/8"X5-3/4"5PC TAPER PUNCH:(3.2X9.5X146MM), 5/32~X3/8~X6"(4X9.5X152MM) 3/16"X7/16"C6- 1/4"(4.8X11X159MM),1/4"X7/16" X6-3/4"(6.3X11X171MM) 1PC CHISEL PUNCH GAUGE	154.00	41.80

HACKSAW FRAME

Code	Size	Handle	AED	(US\$)
HFW6	6 - 150mm	Wooden	3.36	0.91
HFJ6	6 - 150mm	Junior	3.36	0.91
HFW12	12 - 300mm	Wooden	12.25	3.33
HFP12	12 - 300mm	Plastic	16.45	4.47
HFP12	12 - 300mm	Plastic - Adjustable	17.50	4.75
HFP12SS	12 - 300mm	6mm Steel Strip in Plastic Handle	14.70	3.99



HACKSAW BLADE

Full Hard
Blue Painted

Code	Size	Shelf Carton (Packing)	Weight (Gms) Per Pkt	AED	(US\$)
HBS	1/2x12x24TPI, 18 TPI	100	1850	0.63	0.17
HBD	Double Side 1x12x24TPI	50	1850	1.26	0.34
HBHSS	1/2X12X24TPI (HIGH SPEED STEEL)	50		6.30	1.71



JACK PLANE - SMOOTH BASE

Code	Master Carton (Packing)	Weight in Gms	AED	(US\$)
JP4	12	1700	77.00	20.90
JP5	10	2450	105.00	28.50
JP6	8	2950	123.20	33.44
JP7	6	4300	140.00	38.00

JACK PLANE BLADE

Code	Size (mm)	Shelf Carton (Packing)	AED	(US\$)
JPB45	45	10	7.00	1.90
JPB50	50	10	7.70	2.09
JPB60	60	10	8.75	2.38



BLOCK PLANE

Code	Master Carton (Packing)	Weight in Gms	AED	(US\$)
BP102	10	480	29.75	8.08
BP110	10	600	33.60	9.12



GREASE GUNS-WITH FIXED SPOUT



Code	Piston Size	Grease Holding Capacity In Gms.	AED	(US\$)
507	5/8	500 CC	52.50	14.25
510	1/2	500 CC	47.60	12.92
508	1/4	200 CC	32.20	8.74
513	5/16	200 CC	35.70	9.69
509	5/16	300 CC	35.70	9.69

OIL CAN



Code	Capacity	AED	(US\$)
OC1/4Pint	120	8.68	2.36
OC1/2 Pint	230	9.59	2.60
OC3/4Pint	350	10.50	2.85
OC1 Pint	500	11.48	3.12
OC1.1/2 Pint	700	20.65	5.61
OC2 Pint	1000	28.70	7.79

ROTARY BARREL PUMP

Code	Tube Size	Suction Tube	Product Description	AED	(US\$)
DN 201-100MM	1	Rigid	ERW Pipe on Suction & Chrome Plated on Delivery Side.	161.00	43.70



BUCKET GREASE PUMP

Heavy Duty

**Free Kit
Inside**

Free Kit Contents

Washer, PU Ring, Piston Ring, O Ring,
Brass Bush 2, Plunger Rod, Plunger,
Steel Ball, Spring, Nozzle Ring

Useful for cleaning greasing of trucks

& machinery Pump has steel construction

with cast head and solid steel pump chamber.

High Pressure hand operated portable pump.

Comes complete with 2.2 meter of high pressure
hose fitted with accessories.



Code	Capacity	AED	(US\$)
BGP501	6 Kg. without Trolley	325.50	88.35
BGP502	10 Kg. without Trolley	367.50	99.75
BGP601-T	6 Kg. with Trolley	350.00	95.00
BGP602-T	10 Kg. with Trolley	399.00	108.30
BGP603-T	15 Kg. with Trolley	455.00	123.50
BGP604-T	20 Kg. with Trolley	525.00	142.50

SPARES FOR BUCKET GREASE PUMP



Coupler Pointed Nipple Bent Nipple

Code	Product Name	Size	Packing in Box	AED	(US\$)	Code	Product Name	Size	Packing in Box	AED	(US\$)
C4J	Coupler 4 Jaw		BLISTER	3.64	0.99	GNM6ST	Grease Nipple	M6 X 1 St	100	0.35	0.10
C3J	Coupler 3 Jaw		BLISTER	3.64	0.99	GNM6B	Grease Nipple	M6 X 1 45* or 90*	100	0.77	0.21
FS7	Fixed Spout	7/175mm	10	2.73	0.74	GNM8ST	Grease Nipple	M8 X 1 St	100	0.42	0.11
FSR8	Flexible Spout (Rubber)	8/200mm	10	6.72	1.82	GNM8B	Grease Nipple	M8 X 1 45* or 90*	100	0.77	0.21
FS12	Flexible Spout	12/300mm	10	7.35	2.00	GNM10ST	Grease Nipple	M10 X 1 St	50	0.56	0.15
FS15	Flexible Spout	15/375mm	10	8.05	2.19	GNM10B	Grease Nipple	M10 X 1 45* or 90*	50	0.91	0.25
FS18	Flexible Spout	18/450mm	10	9.10	2.47	GNM10ST 1.5	Grease Nipple	M10 X 1.5 St	50	0.56	0.15
FS24	Flexible Spout	24/600mm	10	12.18	3.31	GNM10B 1.5	Grease Nipple	M10 X 1.5; 45* or 90*	50	0.91	0.25
BRK	Bucket Repair Kit		SINGLE BOX	6.65	1.81	GNM12ST	Grease Nipple	M12 X 1.75 St	25	1.33	0.36
BRKBN	Bucket Repair Kit with brass nut		SINGLE BOX	9.45	2.57	GNM12B	Grease Nipple	M12 X 1.75; 45* or 90*	25	1.68	0.46
BHP2.2	Bucket Hose Pipe	2.2 Mtr		70.00	19.00	GN1/8BSS	Grease Nipple	1/8 BSP St	50	0.56	0.15
PN	Pointed Nipple		12	2.45	0.67	GN1/8BSB	Grease Nipple	1/8 BSP 45* or 90*	50	0.91	0.25
BN	Bent Nipple		12	2.59	0.70	GN1/8NPS	Grease Nipple	1/8 NPT St	50	0.56	0.15
						GN1/8NPB	Grease Nipple	1/8 NPT 45* or 90*	50	0.98	0.27

HYDRAULIC BOTTLE JACK



A device used for lifting, pushing , spreading, bending, pressing or straightening requirements, widely used in machinery, construction, automobile industry, vehicle repair etc.

- » Compact structure, sturdiness.
- » Wide base design for stability & strength.
- » Polished Ram provides durable performance.
- » Hydraulic oil by-pass system prevents Ram from being over extended.
- » Low maintenance cost.
- » Ideal for Passenger cars, pick-up Vans, Trucks, Heavy Duty Trucks, Agriculture, Mining & Marine applications.
- » HBJ-50T Packed in Wooden Case.

Model No.	Capacity	Min. Height	Lifting Height	Adjust Height	AED	(US\$)
HBJ 2T	2 Ton	158	90	60	122.50	33.25
HBJ 4T	4 Ton	180	110	50	150.50	40.85
HBJ 6T	6 Ton	185	110	60	185.50	50.35
HBJ 8T	8 Ton	200	125	60	224.00	60.80
HBJ 10T	10 Ton	200	125	60	238.00	64.60
HBJ 12T	12 Ton	210	125	60	252.00	68.40
HBJ 16T	16 Ton	225	130	60	276.50	75.05
HBJ 20T	20 Ton	235	145	60	343.00	93.10
HBJ 32T	32 Ton	255	150		525.00	142.50
HBJ 50T	50 Ton	285	180		721.00	195.70
HBJ 75T	75 Ton				812.00	220.40
HBJ 100T	100 Ton				931.00	252.70

👉 FOR BEST RESULTS USE ENKLO-68 OIL ONLY.

MONOBLOCK VERNIER CALIPER WITH FINE ADJUSTMENT

Monoblock Type

Single piece construction gives accuracy for longer period of time


Hardened steel construction

Extra smooth slides

4 Way Measurement Inside, Outside, Depth, Step

With Fine adjustment and Locking Screw

Code	Size	AED	(US\$)
MVC6	150mm	161.00	43.70
MVC8	200mm	231.00	62.70
MVC12	300mm	420.00	114.00



DIGIMATIC VERNIER WITH METAL DISPLAY UNIT

Least Count : 0.01mm

Most Stable Microprocessor

Stainless Steel smooth slides

4 Way Measurement Inside, outside, depth, step

With Thumb lock and Bezel.

Code	Size	AED	(US\$)
DV6	0-150mm	210.00	57.00
DV8	0-200mm	287.00	77.90
DV12	0-300mm	490.00	133.00



OUTSIDE MICROMETER

Printed Marking on the Vernier Scale

Carbide Tipped Measuring Faces

With Locking Clamp and ratchet stop

Least Count : 0.01mm

Packed in ABS Box packing

Code	Size	AED	(US\$)
OM0-25	0-25mm	154.00	41.80
OM25-50	25-50mm	168.00	45.60
OM50-75	50-75mm	185.50	50.35
OM75-100	75-100mm	210.00	57.00



DIGIMATIC MICROMETER

Display data is origin data of absolute

measurement after charging battery

Carbide Tipped Measuring Faces

With Locking Clamp

Least Count : 0.001mm

Code	Size	AED	(US\$)
DM0-25	0-25mm	364.00	98.80
DM25-50	25-50mm	469.00	127.30
DM50-75	50-75mm	546.00	148.20
DM75-100	75-100mm	623.00	169.10



MEASURING TAPE (STEEL)

Precise measurement.
Tough ABS Case Body

Code	Length	AED	(US\$)
SMT-313	3 Mtr.	3.85	1.05
SMT-316	3 Mtr.	4.20	1.14
SMT-519	5 Mtr.	7.70	2.09
SMT-50 JET	50 Mtr.	94.50	25.65



FIBRE MEASURING TAPE

Precise measurement.
Tough ABS Case Body


Code	Length	AED	(US\$)
FMT-7.5M	7.5 Mtr.	9.80	2.66
FMT-10M	10 Mtr.	10.50	2.85
FMT-15M	15 Mtr.	14.00	3.80
FMT-30M	30 Mtr.	24.50	6.65
FMT-50M	50 Mtr.	70.00	19.00
FMT-100M	100 Mtr.	77.00	20.90



DRAWING INSTRUMENT (CONVERSION TABLE) (FOOT RULE)

**Pure
Stainless Steel
Only**

Code	Size	Thickness	AED	(US\$)
DI6	150mm	0.80mm	3.85	1.05
DI12	300mm	0.80mm	6.65	1.81
DI24	600mm	1.2mm	21.00	5.70
DI40	1000mm (1 Meter)	1.2mm	39.90	10.83
DI48	1200mm	1.2mm	57.40	15.58



FEELER GAUGE

**Stainless
Steel 304
Cover**

Code	Size	No. of Blades in mm	Length (mm)	AED	(US\$)
FG26-4	0.03mm to 1.00mm	26	100	31.50	8.55
FG26-6	0.03mm to 1.00mm	26	150	42.00	11.40
FG26-9	0.03mm to 1.00mm	26	225	63.00	17.10
FG26-12	0.03mm to 1.00mm	26	300	71.40	19.38



DIGITAL TORQUE WRENCHES



Item No	Drive	Torque Range N.m	Accuracy (Clockwise)	Accuracy (Anti Clockwise)	Length (mm)	AED	(US\$)
DN1406	1/4	0.3 -6	± 2%	± 3%	215	1330.00	361.00
DN1412	1/4	0.6 -12	± 2%	± 3%	215	1330.00	361.00
DN1420	1/4	1-20	± 2%	± 3%	215	1540.00	418.00
DN3830	3/8	1.5 -30	± 2%	± 3%	215	1540.00	418.00
DN3860	3/8	3-60	± 2%	± 3%	295	1540.00	418.00
DN12135	1/2	6.8 -135	± 2%	± 3%	425	2310.00	627.00
DN12200	1/2	10 -200	± 2%	± 3%	530	2450.00	665.00
DN12340	1/2	17 -340	± 2%	± 3%	660	2590.00	703.00
DN34400	3/4	20 -400	± 2%	± 3%	660	2870.00	779.00
DN34550	3/4	25-550	± 2%	± 3%	945	4620.00	1254.00
DN34850	3/4	42.5 -850	± 2%	± 3%	1200	6650.00	1805.00
DN0341000	3/4	50 -1000	± 2%	± 3%	1200	7700.00	2090.00

PLASTIC TOOL BOX WITH ORGANIZER



CODE	H (mm)	W (mm)	L (mm)	AED	(US\$)
PTBO14	175	175	350	66.50	18.05
PTBO17	200	200	425	91.00	24.70
PTBO19	225	213	475	140.00	38.00
PTBO22	275	250	550	210.00	57.00

PLASTIC TOOL BOX (PROFESSIONAL)



WATER RESISTANT WITH RUBBER PIPING/LINING TO SEAL

ITEM CODE	H (mm)	W (mm)	L (mm)	AED	(US\$)
PTB-F270	270	250	145	182.00	49.40
PTB-F340	340	295	155	231.00	62.70
PTB-F460	460	350	175	308.00	83.60
PTB-F560	560	430	220	539.00	146.30

DE NEERS[®] TOOL KIT NO.DN 0109
TWO WHEELER TOOL KIT



Code	Description	AED	(US\$)
DN 0109	Tool Kit for Two Wheeler	770.00	209.00

List of Contents	Pcs.
'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm	12
'DE NEERS' Double Open End Spanner 6x7-30x32 mm	12
'DE NEERS' Circlip Plier Internal Straight	1
'DE NEERS' Circlip Plier External Straight	1
'DE NEERS' Grip Locking Plier / Pincer 200mm	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Combination Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Water Pump Plier	1
'DE NEERS' Flat Nose Plier	1
'DE NEERS' Ball Pein Hammer	1
'DE NEERS' Soft Faced Plastic Hammer	1

List of Contents	Pcs.
'DE NEERS' Two in One Screw Drivers Big	1
'DE NEERS' Two in One Screw Drivers Small	1
'DE NEERS' Screw Drivers Flat	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Centre Punches	1
'DE NEERS' Octagonal Chisel	1
'DE NEERS' Flat File Bastard with Handle	1
'DE NEERS' Half Round File with Handle	1
'DE NEERS' Allen Key (Short Pattern) Set	9
'DE NEERS' Spark Plug Socket 16mm	1
'DE NEERS' Spark Plug Socket 21mm	1
'DE NEERS' Plastic Tool Box with Organizer	1

Total Number of Contents including Box : 54 Nos.

DE NEERS® TOOL KIT NO. DN 0202 FOR 2-WHEELER TOOL KIT



Code	Description	AED	(US\$)
DN 0202	Tool Kit for Two Wheeler	875.00	237.50

List of Contents	Pcs.
'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32mm	12
'DE NEERS' Double Open End Spanner 6x7-20x22mm	8
'DE NEERS' Double Open End Spanner 24x27mm	1
'DE NEERS' Double Open End Spanner 30x32mm	1
'DE NEERS' Combination Spanner (5 Sizes)	5
'DE NEERS' Combination Plier	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Long Needle Nose Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Circilp Plier External Bent	1
'DE NEERS' Flat Screw Drivers (4 Sizes)	4

List of Contents	Pcs.
'DE NEERS' Philips Screw Drivers (4 Sizes)	4
'DE NEERS' Allen Key Set (mm) Set	9
'DE NEERS' Allen Key T Handle (4 Sizes)	4
'DE NEERS' T-socket (6 Sizes)	6
'DE NEERS' Ball Pein Hammer	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Sockets 1/4 Drive (4 - 14mm)	10
'DE NEERS' T-Handle 1/4 Drive	1
'DE NEERS' L-Handle 1/4 Drive	1
'DE NEERS' Extension Bar 1/4 Drive (Small or Big)	2
'DE NEERS' Plastic Tool Box with Organizer	1

★ Total Number of Contents including Box : 76 Nos.



Revolution in Hand Tools

**DE NEERS® TOOL KIT NO. DN 0106
FOR LINEMAN TOOL KIT**



Product Code	Description	AED	(US\$)
DN 0106	Tool Kit for Lineman	910.00	247.00

List of Contents	Pcs.
'DE NEERS' Bi Hexagon Ring Spanner 6x7-20x22 mm	8
'DE NEERS' Double Open End Spanner 6x7-20x22 mm	8
'DE NEERS' Combination Plier	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Water Pump Plier	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Flat Screw Drivers 300 mm	1
'DE NEERS' Two in One Screw Drivers (2 Sizes)	2
'DE NEERS' Ball Pein Hammer 500 gms	1

List of Contents	Pcs.
'DE NEERS' Bolt Cutter	1
'DE NEERS' Measuring Tape Steel	1
'DE NEERS' Torch	1
Insulation Tape PVC	5
Drill Machine 10mm (DE NEERS/Bosch Brand)	1
Pocket Knife	1
Pair of Hand Gloves	1
Testing Holder	1
'DE NEERS' Tool Box	1

★Total Number of Contents including Tool Box : 38 Nos.

LEATHER - TOOL APRON/BELT



Code	Contents	AED	(US\$)
LTA11	11 Pockets	51.10	13.87

LEATHER - TOOL ROUSTER



Code	Contents	AED	(US\$)
LTR4	4 Pockets	63.00	17.10

ELECTRICIAN TOOL KIT (IN TETRON POUCH PACKING)

Code	Contents	AED	(US\$)
ETK	Combiantion Plier 200mm Tester 813 Two in One Screw Driver DN-904 Wire Stripper	35.00	9.50



DE NEERS®

Revolution in Hand Tools

NON SPARKING TOOLS

Non Sparking tools are made up of Non-ferrous materials and hence reduce the risk of the spark being created while the tool is in use. Non-sparking tools protect against both fire and explosion in the dynamic environment that may contain flammable solvents/liquids, flammable vapours, flammable dusts or residues. When working in the confined spaces and areas where flammable gases or dust are present using a Non-Sparking tool is the best course of action.

Available in ALUMINIUM BRONZE

Chemical Composition, Other Mechanical & Physical Properties of Non-Sparking Tools Material Aluminum Bronze

Properties	Parameters	Aluminum Bronze				
		Cu	Al	Ni	Fe	Mn
Chemical Properties	Min. %	86	9	4	1	-
	Max. %	93	12	6	3	1.5
Physical Properties	Density Weight	8.10 g/cm ³				
	Magnetic Properties	1.1				
	Dilation Coefficient	0.000015%				
	Electricity Conductivity	8/12				
Mechanical Properties	Strength N/mm ²	782-989				
	Yield Point N/mm ²	450-550				
	Hardness Brinell	229/291				

Available in Beryllium Copper

Chemical Composition, Other Mechanical & Physical Properties of Non-Sparking Tools Material Beryllium Copper

Properties	Parameters	Beryllium Copper	
Chemical Properties	Min. %	Be: 1.5~1.7%	
	Max. %	1.8~2.3%	
Physical Properties		Co+Ni: over 0.2%	
		Co+Ni+Fe: below 1.2%	
		Cu+Be+ Co+Ni+Fe: over 99.0%	
	Density Weight	8.60 g/cm ³	
Mechanical Properties	Magnetic Properties	0.25	
	Dilation Coefficient	0.000012%	
	Electricity Conductivity	6/8	
	Strength N/mm ²	1117-1326	
	Yield Point N/mm ²	840-880	
	Hardness Brinell	283-365	

We have always followed a policy of “Quality Oriented, Customer focus, Continuous Improvement”. The Idea of enterprise & perseverance to work hard to explore the spirit of focus on the explosion-proof NON SPARKING TOOLS



DOUBLE OPEN END SPANNERS

NON
SPARKING



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-D/E 6x7	6x7	68.04	18.47
NS-A-D/E 8x9	8x9	75.60	20.52
NS-A-D/E 8x10	8x10	113.40	30.78
NS-A-D/E 10x11	10x11	83.16	22.57
NS-A-D/E 10x12	10x12	180.60	49.02
NS-A-D/E 11x13	11x13	180.60	49.02
NS-A-D/E 12x13	12x13	116.76	31.69
NS-A-D/E 12x14	12x14	222.60	60.42
NS-A-D/E 13x17	13x17	273.00	74.10
NS-A-D/E 14x15	14x15	147.00	39.90
NS-A-D/E 14x17	14x17	298.20	80.94
NS-A-D/E 16x17	16x17	155.40	42.18
NS-A-D/E 17x19	17x19	298.20	80.94
NS-A-D/E 18x19	18x19	218.40	59.28
NS-A-D/E 18x20	18x20	298.20	80.94
NS-A-D/E 19x22	19x22	331.80	90.06
NS-A-D/E 20x22	20x22	256.20	69.54
NS-A-D/E 21x23	21x23	267.96	72.73
NS-A-D/E 21x26	21x26	630.00	171.00
NS-A-D/E 22x24	22x24	378.00	102.60
NS-A-D/E 24x26	24x26	415.80	112.86
NS-A-D/E 24x27	24x27	424.20	115.14
NS-A-D/E 25x28	25x28	457.80	124.26
NS-A-D/E 27x30	27x30	579.60	157.32
NS-A-D/E 27x32	27x32	739.20	200.64
NS-A-D/E 30x32	30x32	634.20	172.14
NS-A-D/E 30x36	30x36	1008.00	273.60
NS-A-D/E 32x34	32x34	789.60	214.32
NS-A-D/E 32x36	32x36	823.20	223.44
NS-A-D/E 34x36	34x36	882.00	239.40
NS-A-D/E 36x41	36x41	966.00	262.20
NS-A-D/E 41x46	41x46	1209.60	328.32
NS-A-D/E 46x50	46x50	1302.00	353.40
NS-A-D/E 50x55	50x55	1579.20	428.64
NS-A-D/E 55x60	55x60	1806.00	490.20
NS-A-D/E 60x65	60x65	2259.60	613.32
NS-A-D/E 65x70	65x70	2604.00	706.80
NS-A-D/E 70x75	70x75	3066.00	833.00
NS-A-D/E 75x80	75x80	3654.00	991.80
NS-A-D/E 75x85	75x85	4359.60	1183.32

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-D/E 6x7	6x7	136.50	37.05
NS-B-D/E 8x9	8x9	141.05	38.29
NS-B-D/E 8x10	8x10	227.50	61.75
NS-B-D/E 10x11	10x11	172.90	46.93
NS-B-D/E 10x12	10x12	309.40	83.98
NS-B-D/E 11x13	11x13	227.50	61.75
NS-B-D/E 12x13	12x13	227.50	61.75
NS-B-D/E 12x14	12x14	446.00	121.03
NS-B-D/E 13x17	13x17	565.00	153.14
NS-B-D/E 14x15	14x15	282.10	76.57
NS-B-D/E 14x17	14x17	536.90	145.73
NS-B-D/E 16x17	16x17	332.15	90.16
NS-B-D/E 17x19	17x19	495.95	134.62
NS-B-D/E 18x19	18x19	455.00	123.50
NS-B-D/E 18x20	18x20	455.00	123.50
NS-B-D/E 19x22	19x22	646.10	176.00
NS-B-D/E 20x22	20x22	491.40	133.38
NS-B-D/E 21x23	21x23	518.70	140.79
NS-B-D/E 21x26	21x26	1351.70	366.80
NS-B-D/E 22x24	22x24	696.15	188.96
NS-B-D/E 24x26	24x26	900.90	244.53
NS-B-D/E 24x27	24x27	800.80	217.36
NS-B-D/E 25x28	25x28	873.60	237.12
NS-B-D/E 27x30	27x30	1183.00	321.10
NS-B-D/E 27x32	27x32	1519.70	412.49
NS-B-D/E 30x32	30x32	1214.85	329.75
NS-B-D/E 30x36	30x36	2252.25	611.33
NS-B-D/E 32x34	32x34	1601.60	434.72
NS-B-D/E 32x36	32x36	1574.30	427.31
NS-B-D/E 34x36	34x36	1574.30	427.31
NS-B-D/E 36x41	36x41	2024.75	549.58
NS-B-D/E 41x46	41x46	2306.85	626.15
NS-B-D/E 46x50	46x50	2417.87	656.28
NS-B-D/E 50x55	50x55	3321.50	901.55
NS-B-D/E 55x60	55x60	3822.00	1037.40
NS-B-D/E 60x65	60x65	4504.50	1222.65
NS-B-D/E 65x70	65x70	5341.70	1449.89
NS-B-D/E 70x75	70x75	6297.20	1709.24
NS-B-D/E 75x80	75x80	7593.95	2061.22
NS-B-D/E 75x85	75x85	9282.00	2519.40

DOUBLE OPEN END SPANNERS



Code	Size (WW)	AL-BR	
		AED	(US\$)
NS-A-D/E1/4 x 5/16 W	1/4 x 5/16	415.80	112.86
NS-A-D/E5/16 x 7/16 W	5/16 x 7/16	550.20	149.34
NS-A-D/E7/16 x 9/16 W	7/16 x 9/16	630.00	171.00
NS-A-D/E9/16 x 11/16 W	9/16 x 11/16	915.60	248.52
Code	Size (SAE)	AL-BR	
		AED	(US\$)
NS-A-D/E5/8 x 3/4 A	5/8 x 3/4	630.00	171.00
NS-A-D/E1.1/8 x 1.1/4 A	1.1/8 x 1.1/4	756.00	205.20

Code	Size (WW)	BE-CU	
		AED	(US\$)
NS-B-D/E1/4 x 5/16 W	1/4 x 5/16	837.20	227.24
NS-B-D/E5/16 x 7/16 W	5/16 x 7/16	1064.70	288.99
NS-B-D/E7/16 x 9/16 W	7/16 x 9/16	1351.35	366.80
NS-B-D/E9/16 x 11/16 W	9/16 x 11/16	1911.00	518.70
Code	Size (SAE)	BE-CU	
		AED	(US\$)
NS-B-D/E5/8 x 3/4 A	5/8 x 3/4	1410.50	382.85
NS-B-D/E1.1/8 x 1.1/4 A	1.1/8 x 1.1/4	1688.05	458.19

DOUBLE OPEN END SPANNERS SETS



SETS				
Code	Pcs.Per Set	Sizes	AL-BR	
			AED	(US\$)
NS-A-D/E12/8M	8	6x7 to 20x22mm	1225.00	332.50
NS-A-D/E12/9M	9	8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24, 24x27 & 30x32mm	2933.00	796.10
NS-A-D/E12/10M	10	6x7 to 24x27mm	1883.00	511.10
NS-A-D/E12/100M	10	6x7 to 30x32mm	2257.50	612.75
NS-A-D/E12/12M	12	6x7 to 30x32mm (Pouch Packing)	2975.00	807.50

SETS				
Code	Pcs.Per Set	Sizes	BE-CU	
			AED	(US\$)
NS-B-D/E12/8M	8	6x7 to 20x22mm	3024.00	820.80
NS-B-D/E12/9M	9	8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24, 24x27 & 30x32mm	5705.00	1548.50
NS-B-D/E12/10M	10	6x7 to 24x27mm	3766.00	1022.20
NS-B-D/E12/100M	10	6x7 to 30x32mm	4480.00	1216.00
NS-B-D/E12/12M	12	6x7 to 30x32mm (Pouch Packing)	5803.00	1575.10

DE NEERS®
Revolution in Hand Tools
RING SPANNERS

NON SPARKING



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-R/S 6x7	6x7	67.20	18.24
NS-A-R/S 7x9	7x9	100.80	27.36
NS-A-R/S 8x9	8x9	83.16	22.57
NS-A-R/S 8x10	8x10	117.60	31.92
NS-A-R/S 10x11	10x11	96.60	26.22
NS-A-R/S 10x12	10x12	166.32	45.14
NS-A-R/S 12x13	12x13	126.00	34.20
NS-A-R/S 12x14	12x14	221.76	60.19
NS-A-R/S 14x15	14x15	147.00	39.90
NS-A-R/S 14x17	14x17	277.20	75.24
NS-A-R/S 16x17	16x17	169.68	46.06
NS-A-R/S 17x19	17x19	260.40	70.68
NS-A-R/S 18x19	18x19	214.20	58.14
NS-A-R/S 18x20	18x20	260.40	70.68
NS-A-R/S 19x22	19x22	327.60	88.92
NS-A-R/S 20x22	20x22	256.20	69.54
NS-A-R/S 21x23	21x23	273.00	74.10
NS-A-R/S 21x26	21x26	688.80	186.96
NS-A-R/S 22x24	22x24	369.60	100.32
NS-A-R/S 24x26	24x26	415.80	112.86
NS-A-R/S 24x27	24x27	436.80	118.56
NS-A-R/S 25x28	25x28	466.62	126.65
NS-A-R/S 27x30	27x30	621.60	168.72
NS-A-R/S 27x32	27x32	755.16	204.97
NS-A-R/S 30x32	30x32	655.20	177.84
NS-A-R/S 32x34	32x34	924.00	250.80
NS-A-R/S 32x36	32x36	907.20	246.24
NS-A-R/S 34x36	34x36	1352.40	367.08
NS-A-R/S 36x41	36x41	1470.00	399.00
NS-A-R/S 41x46	41x46	1621.20	440.04
NS-A-R/S 46x50	46x50	1890.00	513.00
NS-A-R/S 50x55	50x55	2142.00	581.40
NS-A-R/S 55x60	55x60	2604.00	706.80
NS-A-R/S 60x65	60x65	2772.00	752.40
NS-A-R/S 65x70	65x70	2940.00	798.00
NS-A-R/S 70x75	70x75	3108.00	843.60
NS-A-R/S 75x80	75x80	3696.00	1003.20

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-R/S 6x7	6x7	141.05	38.29
NS-B-R/S 7x9	7x9	227.50	61.75
NS-B-R/S 8x9	8x9	163.80	44.46
NS-B-R/S 8x10	8x10	227.50	61.75
NS-B-R/S 10x11	10x11	186.55	50.64
NS-B-R/S 10x12	10x12	336.70	91.39
NS-B-R/S 12x13	12x13	236.60	64.22
NS-B-R/S 12x14	12x14	450.45	122.27
NS-B-R/S 14x15	14x15	291.20	79.04
NS-B-R/S 14x17	14x17	527.80	143.26
NS-B-R/S 16x17	16x17	327.60	88.92
NS-B-R/S 17x19	17x19	473.20	128.44
NS-B-R/S 18x19	18x19	427.70	116.09
NS-B-R/S 18x20	18x20	461.37	125.23
NS-B-R/S 19x22	19x22	618.80	167.96
NS-B-R/S 20x22	20x22	509.60	138.32
NS-B-R/S 21x23	21x23	564.20	153.14
NS-B-R/S 21x26	21x26	1237.60	335.92
NS-B-R/S 22x24	22x24	759.85	206.25
NS-B-R/S 24x26	24x26	900.90	244.53
NS-B-R/S 24x27	24x27	900.90	244.53
NS-B-R/S 25x28	25x28	910.00	250.00
NS-B-R/S 27x30	27x30	1151.15	350.00
NS-B-R/S 27x32	27x32	1519.70	450.00
NS-B-R/S 30x32	30x32	1355.90	368.03
NS-B-R/S 32x34	32x34	1865.50	507.00
NS-B-R/S 32x36	32x36	1856.40	503.88
NS-B-R/S 34x36	34x36	2807.35	762.00
NS-B-R/S 36x41	36x41	2980.25	808.93
NS-B-R/S 41x46	41x46	3367.00	913.90
NS-B-R/S 46x50	46x50	4440.80	1205.36
NS-B-R/S 50x55	50x55	4613.70	1252.29
NS-B-R/S 55x60	55x60	5118.75	1389.38
NS-B-R/S 60x65	60x65	5232.50	1420.25
NS-B-R/S 65x70	65x70	5400.85	1465.95
NS-B-R/S 70x75	70x75	6900.00	1900.00
NS-B-R/S 75x80	75x80	7826.200	2124.20

DE NEERS®

Revolution in Hand Tools

RING SPANNERS

NON SPARKING



Code	Size (WW)	AL-BR	
		AED	(US\$)
NS-A-R/S1/4 x 5/16W	1/4 x 5/16	403.20	109.44
NS-A-R/S5/16 x 7/16W	5/16 x 7/16	529.20	143.64
NS-A-R/S7/16 x 9/16W	7/16 x 9/16	688.80	186.96
NS-A-R/S9/16 x 11/16W	9/16 x 11/16	924.00	250.80
Code	Size (SAE)	AL-BR	
		AED	(US\$)
NS-A-R/S11/16 x 3/4A	11/16 x 3/4 A	1008.00	273.60

Code	Size (WW)	BE-CU	
		AED	(US\$)
NS-B-R/S1/4 x 5/16 W	1/4 x 5/16	718.90	195.13
NS-B-R/S5/16 x 7/16 W	5/16 x 7/16	928.20	251.94
NS-B-R/S7/16 x 9/16 W	7/16 x 9/16	1237.60	335.92
NS-B-R/S9/16 x 11/16 W	9/16 x 11/16	1801.80	489.06
Code	Size (SAE)	BE-CU	
		AED	(US\$)
NS-B-R/S11/16 x 3/4 A	11/16 x 3/4 A	2024.75	549.58

RING SPANNERS SETS



SETS				
Code	Pcs.Per Set	Sizes	AL-BR	
			AED	(US\$)
NS-A-R/S13/8M	8	6x7 to 20x22mm	1801.80	489.06
NS-A-R/S13/10M	10	6x7 to 24x27mm	2520.00	684.00
NS-A-R/S13/100M	10	6x7 to 30x32mm	2797.20	759.24
NS-A-R/S13/1000M	10	8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24, 24x27, 27x30 to 30x32mm	3570.00	969.00
NS-A-R/S13/12M	12	6x7 to 30x32mm (Pouch Packing)	3395.00	921.50

SETS				
Code	Pcs.Per Set	Sizes	BE-CU	
			AED	(US\$)
NS-B-R/S13/8M	8	6x7 to 20x22mm	3185.00	864.50
NS-B-R/S13/10M	10	6x7 to 24x27mm	4095.00	1111.50
NS-B-R/S13/100M	10	6x7 to 30x32mm	5313.00	1442.10
NS-B-R/S13/1000M	10	8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24, 24x27, 27x30 to 30x32mm	7052.50	1914.25
NS-B-R/S13/12M	12	6x7 to 30x32mm (Pouch Packing)	6685.00	1814.50

COMBINATION SPANNERS

NON SPARKING



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CS6	6	96.60	26.22
NS-A-CS7	7	109.20	29.64
NS-A-CS8	8	126.00	34.20
NS-A-CS9	9	138.60	37.62
NS-A-CS10	10	151.20	41.04
NS-A-CS11	11	163.80	44.46
NS-A-CS12	12	180.60	49.02
NS-A-CS13	13	184.80	50.16
NS-A-CS14	14	193.20	52.44
NS-A-CS15	15	205.80	55.86
NS-A-CS16	16	214.20	58.14
NS-A-CS17	17	222.60	60.42
NS-A-CS18	18	235.20	63.84
NS-A-CS19	19	239.40	65.00
NS-A-CS20	20	256.20	69.54
NS-A-CS21	21	285.60	77.52
NS-A-CS22	22	294.00	79.80
NS-A-CS23	23	315.00	85.50
NS-A-CS24	24	348.60	94.62
NS-A-CS25	25	386.40	104.88
NS-A-CS26	26	428.40	116.28
NS-A-CS27	27	487.20	132.24
NS-A-CS28	28	512.40	139.08
NS-A-CS29	29	558.60	151.62
NS-A-CS30	30	600.60	163.02
NS-A-CS31	31	634.20	172.14
NS-A-CS32	32	667.80	181.26
NS-A-CS34	34	781.20	212.04
NS-A-CS36	36	923.16	250.57
NS-A-CS38	38	1083.60	294.12
NS-A-CS41	41	1175.16	318.97
NS-A-CS46	46	1470.00	399.00
NS-A-CS50	50	1554.00	421.80
NS-A-CS55	55	2100.00	570.00
NS-A-CS60	60	2520.00	684.00
NS-A-CS65	65	3024.00	820.80

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CS6	6	186.55	50.64
NS-B-CS7	7	213.85	58.05
NS-B-CS8	8	236.60	64.22
NS-B-CS9	9	268.45	72.87
NS-B-CS10	10	295.75	80.28
NS-B-CS11	11	336.70	91.39
NS-B-CS12	12	354.90	96.33
NS-B-CS13	13	391.30	106.21
NS-B-CS14	14	404.95	109.92
NS-B-CS15	15	418.60	118.00
NS-B-CS16	16	464.10	125.97
NS-B-CS17	17	482.30	130.91
NS-B-CS18	18	477.75	129.68
NS-B-CS19	19	500.50	135.85
NS-B-CS20	20	518.70	140.79
NS-B-CS21	21	536.90	145.73
NS-B-CS22	22	564.20	153.14
NS-B-CS23	23	682.50	185.25
NS-B-CS24	24	691.60	187.72
NS-B-CS25	25	737.10	200.07
NS-B-CS26	26	809.90	219.83
NS-B-CS27	27	928.80	266.76
NS-B-CS28	28	973.70	264.29
NS-B-CS29	29	1119.30	303.81
NS-B-CS30	30	1137.50	308.75
NS-B-CS31	31	1173.90	318.63
NS-B-CS32	32	1228.50	333.45
NS-B-CS34	34	1628.90	442.13
NS-B-CS36	36	1911.00	518.70
NS-B-CS38	38	2247.70	610.09
NS-B-CS41	41	2475.20	671.84
NS-B-CS46	46	3034.85	823.75
NS-B-CS50	50	3367.00	913.90
NS-B-CS55	55	4641.00	1259.70
NS-B-CS60	60	5369.00	1457.30
NS-B-CS65	65	6279.00	1704.30



Revolution in Hand Tools

COMBINATION SPANNERS



NON SPARKING

Code	Size (SAE)	AL-BR	
		AED	(US\$)
NS-A-CS1/4 A	1/4	159.60	43.32
NS-A-CS5/16 A	5/16	159.60	43.32
NS-A-CS3/8 A	3/8	210.00	57.00
NS-A-CS7/16 A	7/16	210.00	57.00
NS-A-CS1/2 A	1/2	252.00	68.40
NS-A-CS9/16 A	9/16	260.40	70.68
NS-A-CS19/32 A	19/32	289.80	78.66
NS-A-CS5/8 A	5/8	319.20	86.64
NS-A-CS11/16 A	11/16	352.80	95.76
NS-A-CS3/4 A	3/4	352.80	95.76
NS-A-CS7/8 A	7/8	420.00	114.00
NS-A-CS15/16A	15/16	478.80	129.96
NS-A-CS1 A	1	529.20	143.64
NS-A-CS1.1/8 A	1.1/8	764.40	207.48
NS-A-CS1.5/16 A	1.5/16	1066.80	289.56

Code	Size (SAE)	BE-CU	
		AED	(US\$)
NS-B-CS1/4 A	1/4	282.10	76.57
NS-B-CS5/16 A	5/16	300.30	81.51
NS-B-CS3/8 A	3/8	391.30	106.21
NS-B-CS7/16 A	7/16	391.30	106.21
NS-B-CS1/2 A	1/2	555.10	150.67
NS-B-CS9/16 A	9/16	555.10	150.67
NS-B-CS19/32 A	19/32	564.20	153.14
NS-B-CS5/8 A	5/8	682.50	185.25
NS-B-CS11/16 A	11/16	682.50	185.25
NS-B-CS3/4 A	3/4	682.50	185.25
NS-B-CS7/8 A	7/8	800.80	217.36
NS-B-CS15/16A	15/16	955.50	259.35
NS-B-CS1 A	1	1064.70	288.99
NS-B-CS1.1/8 A	1.1/8	1574.30	427.31
NS-B-CS1.5/16 A	1.5/16	2265.90	615.03

COMBINATION SPANNER SET



SETS				
Code	Pcs.Per Set	Sizes	AL-BR	
			AED	(US\$)
NS-A-14/11	11	8,10,12,14,17,19, 22,24,27,30 & 32mm	3511.20	953.04
NS-A-14/12	12	6-14, 17, 19, 22mm	2100.00	570.00

SETS				
Code	Pcs.Per Set	Sizes	BE-CU	
			AED	(US\$)
NS-B-14/11	11	8,10,12,14,17,19, 22,24,27,30 & 32mm	7780.50	2111.85
NS-B-14/12	12	6-14, 17, 19, 22mm	5232.50	1420.25

SINGLE OPEN END SPANNERS



NON
SPARKING

Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-S/E 8	8	90.72	24.62
NS-A-S/E 10	10	105.00	28.50
NS-A-S/E 12	12	130.20	35.34
NS-A-S/E 14	14	159.60	43.32
NS-A-S/E 17	17	197.40	53.58
NS-A-S/E 19	19	235.20	63.84
NS-A-S/E 22	22	277.20	75.24
NS-A-S/E 24	24	323.40	87.28
NS-A-S/E 27	27	369.60	100.32
NS-A-S/E 30	30	407.40	110.58
NS-A-S/E 32	32	436.80	118.56
NS-A-S/E 34	34	475.00	128.82
NS-A-S/E 36	36	491.40	133.38
NS-A-S/E 38	38	520.80	141.36
NS-A-S/E 41	41	537.60	145.92
NS-A-S/E 46	46	672.00	182.40
NS-A-S/E 50	50	768.60	208.62
NS-A-S/E 55	55	861.00	233.70
NS-A-S/E 60	60	1029.00	279.30
NS-A-S/E 65	65	1276.80	346.56
NS-A-S/E 70	70	1520.40	412.68
NS-A-S/E 75	75	1696.80	460.56

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-S/E 8	8	182.00	49.40
NS-B-S/E 10	10	209.30	56.81
NS-B-S/E 12	12	254.80	69.16
NS-B-S/E 14	14	332.15	90.16
NS-B-S/E 17	17	354.90	96.33
NS-B-S/E 19	19	450.95	122.27
NS-B-S/E 22	22	536.90	145.73
NS-B-S/E 24	24	609.70	165.49
NS-B-S/E 27	27	682.50	185.25
NS-B-S/E 30	30	746.20	202.54
NS-B-S/E 32	32	809.90	219.83
NS-B-S/E 34	34	873.60	237.12
NS-B-S/E 36	36	905.45	245.77
NS-B-S/E 38	38	1023.75	277.80
NS-B-S/E 41	41	1073.80	291.46
NS-B-S/E 46	46	1237.60	335.92
NS-B-S/E 50	50	1419.60	385.92
NS-B-S/E 55	55	1565.20	424.84
NS-B-S/E 60	60	1865.50	507.00
NS-B-S/E 65	65	2334.15	633.56
NS-B-S/E 70	70	3094.00	839.80
NS-B-S/E 75	75	3266.90	886.73

SINGLE RING SPANNER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SRS32	32	1075.20	291.84
NS-A-SRS36	36	1495.20	405.84

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SRS32	32	1974.70	535.99
NS-B-SRS36	36	2720.90	738.53

SINGLE BENT RING SPANNER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SBRS30	30	1024.80	278.16
NS-A-SBRS32	32	1302.00	353.40
NS-A-SBRS36	36	1579.20	428.64
NS-A-SBRS41	41	1864.80	506.16
NS-A-SBRS46	46	2142.00	581.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SBRS30	30	1883.70	511.29
NS-B-SBRS32	32	2411.50	654.55
NS-B-SBRS36	36	2839.20	770.64
NS-B-SBRS41	41	3458.00	938.60
NS-B-SBRS46	46	3994.90	1084.33

CONSTRUCTION RING SPANNER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CRS30	30	1117.20	303.24
NS-A-CRS32	32	1209.60	328.32
NS-A-CRS36	36	1671.60	453.72
NS-A-CRS41	41	2049.60	556.32

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CRS30	30	2081.17	564.89
NS-B-CRS32	32	2216.55	601.64
NS-B-CRS36	36	2980.25	808.93
NS-B-CRS41	41	3640.00	988.00

SLOGGING / HAMMERING RING SPANNER

NON
SPARKING



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SR17	17	200.00	55.00
NS-A-SR18	18	223.86	60.76
NS-A-SR19	19	230.00	62.00
NS-A-SR22	22	241.15	65.46
NS-A-SR24	24	282.10	76.57
NS-A-SR26	26	400.40	108.68
NS-A-SR27	27	327.60	88.92
NS-A-SR28	28	359.45	97.57
NS-A-SR30	30	382.20	103.74
NS-A-SR32	32	418.60	113.62
NS-A-SR34	34	464.10	125.97
NS-A-SR36	36	495.95	134.62
NS-A-SR38	38	596.05	161.79
NS-A-SR40	40	750.00	210.00
NS-A-SR41	41	737.10	200.07
NS-A-SR42	42	810.00	225.00
NS-A-SR45	45	860.00	240.00
NS-A-SR46	46	832.65	226.01
NS-A-SR50	50	955.50	259.35
NS-A-SR52	52	1201.20	326.04
NS-A-SR55	55	1164.80	316.16
NS-A-SR60	60	1255.80	340.86
NS-A-SR65	65	1346.80	365.56
NS-A-SR70	70	1492.40	405.08
NS-A-SR75	75	1683.50	456.95
NS-A-SR80	80	1810.90	491.53
NS-A-SR85	85	2184.00	592.80
NS-A-SR90	90	2349.60	632.32
NS-A-SR95	95	2993.90	812.63
NS-A-SR100	100	3294.20	894.14
NS-A-SR105	105	3412.50	926.25
NS-A-SR110	110	4258.80	1155.96
NS-A-SR115	115	6097.00	1654.90
NS-A-SR120	120	6643.00	1803.10
NS-A-SR125	125	7735.00	2099.50
NS-A-SR130	130	8500.00	2300.00
NS-A-SR135	135	8918.00	2420.60
NS-A-SR140	140	10101.00	2741.70
NS-A-SR145	145	10920.00	2964.00

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SR17	17	400.00	108.00
NS-B-SR18	18	431.20	117.04
NS-B-SR19	19	470.00	128.00
NS-B-SR22	22	480.20	130.34
NS-B-SR24	24	539.00	146.30
NS-B-SR26	26	817.32	221.84
NS-B-SR27	27	607.60	164.92
NS-B-SR28	28	695.80	188.86
NS-B-SR30	30	695.80	188.86
NS-B-SR32	32	823.20	223.44
NS-B-SR34	34	862.40	234.08
NS-B-SR36	36	1029.00	279.30
NS-B-SR38	38	1089.76	295.79
NS-B-SR40	40	1450.00	400.00
NS-B-SR41	41	1391.00	378.00
NS-B-SR42	42	1850.00	550.00
NS-B-SR45	45	2100.00	650.00
NS-B-SR46	46	1800.00	485.00
NS-B-SR50	50	1850.00	550.00
NS-B-SR52	52	2665.60	723.52
NS-B-SR55	55	2119.74	575.36
NS-B-SR60	60	2241.26	608.34
NS-B-SR65	65	2483.32	674.04
NS-B-SR70	70	2665.60	723.52
NS-B-SR75	75	3088.96	838.43
NS-B-SR80	80	3270.26	887.64
NS-B-SR85	85	3969.00	1077.30
NS-B-SR90	90	4596.20	1247.54
NS-B-SR95	95	5512.50	1496.25
NS-B-SR100	100	6174.00	1675.80
NS-B-SR105	105	7874.30	2137.31
NS-B-SR110	110	9084.60	2465.82
NS-B-SR115	115	12250.00	3325.00
NS-B-SR120	120	13500.00	3500.00
NS-B-SR125	125	14535.36	3945.31
NS-B-SR130	130	15746.64	4274.09
NS-B-SR135	135	17563.56	4767.25
NS-B-SR140	140	19502.00	5293.40
NS-B-SR145	145	20678.00	5612.60

SLOGGING / HAMMERING OPEN ENDED SPANNERS



NON SPARKING

Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SO17	17	200.00	55.00
NS-A-SO18	18	212.94	57.80
NS-A-SO19	19	212.94	57.80
NS-A-SO22	22	213.85	58.05
NS-A-SO24	24	241.15	65.46
NS-A-SO26	26	285.00	78.00
NS-A-SO27	27	291.20	79.04
NS-A-SO28	28	360.36	97.81
NS-A-SO29	29	376.74	102.26
NS-A-SO30	30	382.20	103.74
NS-A-SO32	32	436.80	118.56
NS-A-SO34	34	527.80	143.26
NS-A-SO36	36	546.00	148.20
NS-A-SO38	38	591.50	160.55
NS-A-SO41	41	673.40	182.78
NS-A-SO42	42	820.00	225.00
NS-A-SO45	45	900.00	250.00
NS-A-SO46	46	837.20	227.24
NS-A-SO50	50	946.40	256.88
NS-A-SO52	52	1200.00	350.00
NS-A-SO55	55	1160.00	325.00
NS-A-SO56	56	1277.64	346.79
NS-A-SO60	60	1419.60	385.32
NS-A-SO63	63	1465.10	397.67
NS-A-SO65	65	1592.50	432.25
NS-A-SO70	70	1810.90	491.53
NS-A-SO75	75	2038.40	560.00
NS-A-SO76	76	2500.00	685.00
NS-A-SO80	80	2548.00	691.60
NS-A-SO85	85	3276.00	889.20
NS-A-SO90	90	3400.00	921.31
NS-A-SO95	95	4095.00	1111.50
NS-A-SO100	100	4732.00	1284.40
NS-A-SO105	105	5915.00	1605.50
NS-A-SO110	110	6097.00	1700.00
NS-A-SO115	115	6643.00	1810.00
NS-A-SO120	120	7189.00	1960.00
NS-A-SO125	125	7735.00	2099.50
NS-A-SO130	130	8372.00	2272.40
NS-A-SO135	135	9009.00	2445.30
NS-A-SO140	140	10101.00	2741.70
NS-A-SO145	145	10920.00	2964.00
NS-A-SO2.3/4A	2.3/4A	2074.80	563.16

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SO17	17	410.00	110.00
NS-B-SO18	18	455.70	123.69
NS-B-SO19	19	455.70	123.69
NS-B-SO22	22	455.70	123.69
NS-B-SO24	24	455.70	123.69
NS-B-SO26	26	578.20	156.94
NS-B-SO27	27	578.20	156.94
NS-B-SO28	28	735.00	199.50
NS-B-SO29	29	784.00	212.80
NS-B-SO30	30	785.00	213.00
NS-B-SO32	32	842.80	228.76
NS-B-SO34	34	1019.20	276.64
NS-B-SO36	36	1029.00	279.30
NS-B-SO38	38	1087.80	295.26
NS-B-SO41	41	1274.00	345.80
NS-B-SO42	42	1600.00	550.00
NS-B-SO45	45	1700.00	600.00
NS-B-SO46	46	1514.10	410.97
NS-B-SO50	50	1754.20	476.14
NS-B-SO52	52	2361.80	641.06
NS-B-SO55	55	2249.10	610.47
NS-B-SO56	56	2484.30	674.31
NS-B-SO60	60	2484.30	674.31
NS-B-SO63	63	2842.00	771.40
NS-B-SO65	65	3028.20	821.94
NS-B-SO70	70	3390.80	920.36
NS-B-SO75	75	3822.00	1037.40
NS-B-SO76	76	4800.00	1320.00
NS-B-SO80	80	4783.00	1299.00
NS-B-SO85	85	5512.50	1496.25
NS-B-SO90	90	6115.20	1659.84
NS-B-SO95	95	7492.10	2033.57
NS-B-SO100	100	9084.60	2465.82
NS-B-SO105	105	11564.00	3138.80
NS-B-SO110	110	11564.00	3138.80
NS-B-SO115	115	12152.00	3298.40
NS-B-SO120	120	13318.20	3614.94
NS-B-SO125	125	13916.00	3777.20
NS-B-SO130	130	16954.00	4601.80
NS-B-SO135	135	16954.00	4601.80
NS-B-SO140	140	18776.80	5096.56
NS-B-SO145	145	21197.40	5753.58

SLOGGING BOX BENT WRENCH



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SBW30	30	831.60	225.72
NS-A-SBW32	32	949.20	257.64
NS-A-SBW36	36	1092.00	296.40
NS-A-SBW41	41	1579.20	428.64
NS-A-SBW46	46	1743.00	473.10

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SBW 30	30	1451.45	393.97
NS-B-SBW 32	32	1697.15	460.65
NS-B-SBW 36	36	1992.90	540.93
NS-B-SBW 41	41	2811.90	763.23
NS-B-SBW 46	46	3116.75	845.98

VALVE SQUARE SPANNER



Code	Size (LxDxK)	AL-BR	
		AED	(US\$)
NS-A-VSS	200x18x12	1176.00	319.20

	Size (LxDxK)	BE-CU	
		AED	(US\$)
NS-B-VSS	200x18x12	1924.65	522.41

TUBULAR BOX SPANNERS



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-TB6x7	6x7	348.60	94.62
NS-A-TB8x9	8x9	390.60	106.02
NS-A-TB10x11	10x11	466.20	126.54
NS-A-TB12x13	12x13	558.60	151.62
NS-A-TB14x15	14x15	701.40	190.38
NS-A-TB16x17	16x17	1003.80	272.46
NS-A-TB18x19	18x19	1302.00	353.40
NS-A-TB20x22	20x22	1554.00	421.80
NS-A-TB21x23	21x23	1890.00	513.00
NS-A-TB24x27	24x27	2226.00	604.20
NS-A-TB25x28	25x28	2646.00	718.20
NS-A-TB30x32	30x32	2982.00	809.40

CHAIN PIPE WRENCH



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CPW 100	100	4850.30	1316.51
NS-A-CPW 150	150	5262.53	1428.40
NS-A-CPW 200	200	9090.90	2467.53
NS-A-CPW 300	300	9568.65	2597.21

HOOK WRENCH



Code	Size (mm)	Length (mm)	AL-BR	
			AED	(US\$)
NS-A-HW19-50	19-50	162	688.80	186.96
NS-A-HW32-75	32-75	205	739.20	200.64
NS-A-HW50-120	50-120	288	1138.20	308.94
NS-A-HW115-170	115-170	310	1948.80	528.96

Code	Size (mm)	Length (mm)	BE-CU	
			AED	(US\$)
NS-B-HW19-50	19-50	162	1190.00	325.00
NS-B-HW32-75	32-75	205	1330.00	365.00
NS-B-HW50-120	50-120	288	2240.00	610.00
NS-B-HW115-170	115-170	310	3800.00	1030.00

TORQUE WRENCH



Code	Drive	Size (mm)	Torque (N.m)	AL-BR	
				AED	(US\$)
NS-A-TR290	1/4	290	5-25	9309.30	2526.81
NS-B-TR360	3/8	360	5-50	10665.20	2894.84
NS-N-TR405	1/2	405	10-100	12362.35	3355.50
NS-N-TR500	1/2	500	20-200	14123.20	3833.44
NS-N-TR595	1/2	595	60-260	14514.50	3939.65
NS-C-TR1040	3/4	1040	150-670	48930.70	13281.19
NS-D-TR1253	1	1253	200-900	49999.00	14444.00

ADJUSTABLE WRENCH

NON
SPARKING



Code	Size (mm)	Opening Capacity (mm)	AL-BR	
			AED	(US\$)
NS-A-AW4	100	13	291.20	79.04
NS-A-AW6	150	18	382.20	103.74
NS-A-AW8	200	24	509.60	138.32
NS-A-AW10	250	30	637.00	172.90
NS-A-AW12	300	36	828.10	224.77
NS-A-AW15	375	46	1274.00	345.80
NS-A-AW18	450	55	1619.80	439.66
NS-A-AW24	600	65	2821.00	765.70

Code	Size (mm)	Opening Capacity (mm)	BE-CU	
			AED	(US\$)
NS-B-AW4	100	13	666.40	180.88
NS-B-AW6	150	18	735.00	199.50
NS-B-AW8	200	24	911.40	247.38
NS-B-AW10	250	30	1151.50	312.55
NS-B-AW12	300	36	1577.80	428.26
NS-B-AW15	375	46	2391.20	650.00
NS-B-AW18	450	55	2998.80	813.96
NS-B-AW24	600	65	5512.50	1496.25

PIPE WRENCH



Code	Size (mm)	Opening Capacity (mm)	AL-BR	
			AED	(US\$)
NS-A-PW8	200	25	532.35	144.50
NS-A-PW10	250	30	596.05	161.79
NS-A-PW12	300	40	750.75	203.78
NS-A-PW14	350	50	900.90	244.53
NS-A-PW18	450	60	1346.80	365.56
NS-A-PW24	600	75	2065.70	560.69
NS-A-PW36	900	125	3940.30	1069.51
NS-A-PW48	1200	150	6188.00	1679.60

Code	Size (mm)	Opening Capacity (mm)	BE-CU	
			AED	(US\$)
NS-B-PW8	200	25	896.70	243.39
NS-B-PW10	250	30	1097.60	297.92
NS-B-PW12	300	40	1274.00	345.80
NS-B-PW14	350	50	1695.40	460.18
NS-B-PW18	450	60	2440.20	662.34
NS-B-PW24	600	75	3694.60	1002.82
NS-B-PW36	900	125	6923.70	1879.29
NS-B-PW48	1200	150	11172.00	3032.40

SCREW DRIVER SLOTTED ⊕



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SD-50	3 x 50	84.63	22.97
NS-A-SD-75	3 x 75	90.09	24.46
NS-A-SD-3x100	3 x 100	110.00	29.00
NS-A-SD-4x100	4 x 100	110.00	29.00
NS-A-SD-5x100	5 x 100	110.00	29.00
NS-A-SD-3x125	3 x 125	132.00	36.00
NS-A-SD-6x125	6 x 125	132.00	36.00
NS-A-SD-150	6 x 150	150.15	40.76
NS-A-SD-200	8 x 200	172.90	46.93
NS-A-SD-250	9 x 250	227.50	61.75
NS-A-SD-300	10 x 300	282.10	76.57
NS-A-SD-350	11 x 350	373.10	101.27
NS-A-SD-400	12 x 400	409.50	111.15
NS-A-SD-450	13 x 450	445.90	121.03

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SD-50	3 x 50	156.80	43.00
NS-B-SD-75	3 x 75	166.60	45.22
NS-B-SD-3x100	3 x 100	205.00	58.00
NS-B-SD-4x100	4 x 100	205.00	58.00
NS-B-SD-5x100	5 x 100	205.00	58.00
NS-B-SD-3x125	3 x 125	255.00	69.00
NS-B-SD-6x125	6 x 125	255.00	69.00
NS-B-SD-150	6 x 150	274.40	74.48
NS-B-SD-200	8 x 200	333.20	90.44
NS-B-SD-250	9 x 250	470.40	127.68
NS-B-SD-300	10 x 300	578.20	156.94
NS-B-SD-350	11 x 350	695.80	188.86
NS-B-SD-400	12 x 400	823.20	223.44
NS-B-SD-450	13 x 450	862.40	234.08

SCREW DRIVER PHILIPS ⊕



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SD 50P	50	84.63	22.97
NS-A-SD 75P	75	90.09	24.46
NS-A-SD 100P	100	110.00	29.00
NS-A-SD 125P	125	132.00	36.00
NS-A-SD 150P	150	150.15	40.76
NS-A-SD 200P	200	172.90	46.93
NS-A-SD 250P	250	227.50	61.75
NS-A-SD 300P	300	282.10	76.57
NS-A-SD 350P	350	373.10	101.27
NS-A-SD 400P	400	409.50	111.15
NS-A-SD 450P	450	445.90	121.03

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SD 50P	50	156.80	43.00
NS-B-SD 75P	75	166.60	45.22
NS-B-SD 100P	100	205.00	58.00
NS-B-SD 125P	125	255.00	69.00
NS-B-SD 150P	150	274.40	74.48
NS-B-SD 200P	200	333.20	90.44
NS-B-SD 250P	250	470.40	127.68
NS-B-SD 300P	300	578.20	156.44
NS-B-SD 350P	350	695.80	188.86
NS-B-SD 400P	400	823.20	223.44
NS-B-SD 450P	450	862.40	234.08

DE NEERS®

Revolution in Hand Tools

POZI DRIVE SCREW DRIVER ⊕



Code	Size	AL-BR	
		AED	(US\$)
NS-A-SD 50PZ	0x50mm	109.20	29.64
NS-A-SD 75PZ	1x75mm	145.60	39.52
NS-A-SD 100PZ	2x100mm	218.40	59.28
NS-A-SD 150PZ	3x150mm	245.70	66.69
NS-A-SD 200PZ	4x200mm	282.10	76.57

Code	Size	BE-CU	
		AED	(US\$)
NS-B-SD 50PZ	0x50mm	235.20	63.84
NS-B-SD 75PZ	1x75mm	245.00	66.50
NS-B-SD 100PZ	2x100mm	308.70	83.79
NS-B-SD 150PZ	3x150mm	470.40	127.68
NS-B-SD 200PZ	4x200mm	499.80	135.66

STUBBY SLOTTED SCREWDRIVER



Code	Size	AL-BR	
		AED	(US\$)
NS-A-STB3	3x36mm	193.20	52.44
NS-A-STB4	4x36mm	226.80	61.56
NS-A-STB5	5x36mm	303.00	82.00
NS-A-STB6	6x36mm	310.80	84.36

Code	Size	BE-CU	
		AED	(US\$)
NS-B-STB3	3x36mm	288.00	78.00
NS-B-STB4	4x36mm	428.00	118.00
NS-B-STB5	5x36mm	568.00	158.00
NS-B-STB6	6x36mm	598.00	168.00

NUT DRIVER



Code	Size	AL-BR	
		AED	(US\$)
NS-A-ND7	7mm	403.20	109.44
NS-A-ND10	10mm	436.80	118.56
NS-A-ND13	13mm	512.40	139.08
NS-A-ND5/32A	5/32A	579.60	157.32

Code	Size	BE-CU	
		AED	(US\$)
NS-B-ND7	7mm	900.90	244.53
NS-B-ND10	10mm	905.45	245.77
NS-B-ND13	13mm	1119.30	303.81
NS-B-ND5/32A	5/32A	1210.30	328.51

DE NEERS®

Revolution in Hand Tools

CENTRE PUNCH



NON SPARKING

Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CPN16x100	16x100	151.20	41.04
NS-A-CPN10x130	10x130	163.80	44.46
NS-A-CPN6x12x150	6x12x150	151.20	41.04
NS-A-CPN13x150	13x150	163.80	44.46
NS-A-CPN14x150	14x150	180.60	49.02
NS-A-CPN16x150	16x150	210.00	59.00
NS-A-CPN17x150	17x150	273.00	74.10
NS-A-CPN18x160	18x160	268.80	72.96
NS-A-CPN10x16x175	10x16x175	352.80	95.75
NS-A-CPN14x180	14x180	193.20	52.44
NS-A-CPN18x200	18x200	352.80	95.76
NS-A-CPN18x250	18x250	369.60	100.32
NS-A-CPN18x300	18x300	722.40	196.08
NS-A-CPN18x400	18x400	812.00	220.40
NS-A-CPN20x250	20x250	520.80	141.36
NS-A-CPN20x300	20x300	739.20	200.64
NS-A-CPN20x500	20x500	932.40	253.08
NS-A-CPN21x250	21x250	646.80	175.56
NS-A-CPN21x300	21x300	781.20	212.04
NS-A-CPN25x300	25x300	781.20	212.04

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CPN16x100	16x100	282.10	76.57
NS-B-CPN10x130	10x130	332.15	90.16
NS-B-CPN6x12x150	6x12x150	291.20	79.04
NS-B-CPN13x150	13x150	336.70	91.39
NS-B-CPN14x150	14x150	354.90	96.33
NS-B-CPN16x150	16x150	282.10	80.00
NS-B-CPN17x150	17x150	573.30	155.61
NS-B-CPN18x160	18x160	500.50	135.85
NS-B-CPN10x16x175	10x16x175	646.10	175.37
NS-B-CPN14x180	14x180	400.40	108.68
NS-B-CPN18x200	18x200	641.55	174.14
NS-B-CPN18x250	18x250	746.20	202.54
NS-B-CPN18x300	18x300	1456.00	395.20
NS-B-CPN18x400	18x400	1638.00	444.60
NS-B-CPN20x250	20x250	964.60	261.82
NS-B-CPN20x300	20x300	1492.40	405.08
NS-B-CPN20x500	20x500	2020.20	548.34
NS-B-CPN21x250	21x250	1351.35	366.80
NS-B-CPN21x300	21x300	1683.50	456.95
NS-B-CPN25x300	25x300	1456.00	395.20

CHISEL



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CO150x12	150x12	121.80	33.06
NS-A-CO150x14	150x14	155.40	42.18
NS-A-CO160x14	160x14	134.40	36.48
NS-A-CO160x16	160x16	146.16	39.67
NS-A-CO160x18	160x18	196.56	53.35
NS-A-CO200x16	200x16	201.60	54.72
NS-A-CO250x16	250x16	235.20	63.84
NS-A-CO200x18	200x18	257.04	69.77
NS-A-CO200x19	200x19	327.60	88.92
NS-A-CO200x20	200x20	252.00	68.40
NS-A-CO300x19	300x19	487.20	132.24
NS-A-CO100x22	100x22	344.40	93.48
NS-A-CO150x22	150x22	436.80	118.56
NS-A-CO200x22	200x22	604.80	164.16
NS-A-CO250x24	250x24	445.20	120.84
NS-A-CO300x24	300x24	616.00	167.20
NS-A-CO300x25	300x25	714.00	193.80
NS-A-CO500x25	500x25	1024.80	278.16
NS-A-CO400x27	400x27	1117.20	303.24

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CO150x12	150x12	227.50	61.75
NS-B-CO150x14	150x14	327.60	88.92
NS-B-CO160x14	160x14	309.40	83.98
NS-B-CO160x16	160x16	354.90	96.33
NS-B-CO160x18	160x18	445.90	121.03
NS-B-CO200x16	200x16	445.90	121.03
NS-B-CO250x16	250x16	462.00	125.40
NS-B-CO200x18	200x18	564.20	153.14
NS-B-CO200x19	200x19	609.70	165.49
NS-B-CO200x20	200x20	482.30	130.91
NS-B-CO300x19	300x19	955.50	259.35
NS-B-CO100x22	100x22	682.50	185.25
NS-B-CO150x22	150x22	800.80	217.36
NS-B-CO200x22	200x22	1119.30	303.81
NS-B-CO250x24	250x24	864.50	234.65
NS-B-CO300x24	300x24	1355.90	368.03
NS-B-CO300x25	300x25	1501.50	407.55
NS-B-CO500x25	500x25	2083.90	565.63
NS-B-CO400x27	400x27	2247.70	610.09

Note : Chisels available in Flat, Round & Hex.

Note : Chisels available in Flat, Round & Hex.

HAMMER BALL PEIN WITH FIBREGLASS HANDLE



Code	Weight (gms)	AL-BR	
		AED	(US\$)
NS-A-H230	230	126.00	34.20
NS-A-H340	340	176.40	47.88
NS-A-H450	450	243.60	66.12
NS-A-H680	680	369.60	100.32
NS-A-H910	910	495.60	134.52
NS-A-H1130	1130	621.60	168.72

Code	Weight (gms)	BE-CU	
		AED	(US\$)
NS-B-H230	230	236.60	64.22
NS-B-H340	340	336.70	91.39
NS-B-H450	450	455.00	123.50
NS-B-H680	680	682.50	185.25
NS-B-H910	910	937.30	254.41
NS-B-H1130	1130	1164.80	316.16

CROSS PEIN HAMMER WITH FIBREGLASS HANDLE



Code	Weight (gms)	AL-BR	
		AED	(US\$)
NS-A-H500	500	512.40	139.08
NS-A-H900	900	798.00	216.60

Code	Weight (gms)	BE-CU	
		AED	(US\$)
NS-B-H500	500	1001.00	271.70
NS-B-H900	900	1501.50	407.55

SLEDGE HAMMER WITH FIBREGLASS HANDLE



Code	Weight (gms)	AL-BR	
		AED	(US\$)
NS-A-SH450	450	235.20	63.84
NS-A-SH1000	1000	498.96	135.43
NS-A-SH1400	1400	688.80	186.96
NS-A-SH1500	1500	730.80	198.36
NS-A-SH1800	1800	873.60	237.12
NS-A-SH2000	2000	1008.00	273.60
NS-A-SH2500	2500	1209.60	328.32
NS-A-SH2700	2700	1285.20	348.84
NS-A-SH3000	3000	1612.80	437.76
NS-A-SH4000	4000	2100.00	570.00
NS-A-SH5000	5000	2486.40	674.88
NS-A-SH6000	6000	3049.20	827.64
NS-A-SH7200	7200	3522.96	956.23
NS-A-SH8000	8000	3926.16	1065.67
NS-A-SH9100	9100	4351.20	1181.04
NS-A-SH10000	10000	4704.00	1276.80

Code	Weight (gms)	BE-CU	
		AED	(US\$)
NS-B-SH450	450	427.70	116.09
NS-B-SH1000	1000	900.90	244.53
NS-B-SH1400	1400	1264.90	343.33
NS-B-SH1500	1500	1355.90	368.03
NS-B-SH1800	1800	2047.50	555.75
NS-B-SH2000	2000	2047.50	555.75
NS-B-SH2500	2500	2247.70	610.09
NS-B-SH2700	2700	2757.30	748.41
NS-B-SH3000	3000	2870.00	779.00
NS-B-SH4000	4000	4004.00	1086.80
NS-B-SH5000	5000	4686.50	1272.05
NS-B-SH6000	6000	5642.00	1531.40
NS-B-SH7200	7200	6650.00	1805.00
NS-B-SH8000	8000	8098.09	2198.05
NS-B-SH9100	9100	8772.40	2381.08
NS-B-SH10000	10000	9100.00	2470.00

						BE-CU	
						AED	(US\$)
NS-A-CH230	230	226.80	61.56	NS-B-CH230	230	410.00	112.00
NS-A-CH450	450	378.00	102.60	NS-B-CH450	450	699.00	189.00
NS-A-CH680	680	546.00	148.20	NS-B-CH680	680	969.00	269.00
NS-A-CH910	910	646.80	175.56	NS-B-CH910	910	1169.00	319.00

NYLON HAMMER

Code	Weight (gms)	AL-BR	
		AED	(US\$)
NS-A-NH1000	1000	714.00	193.80

S TYPE NEEDLE

Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-STN6	6X130	722.40	196.08



L TYPE NEEDLE

Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-LTN6	6X275	739.20	200.64



CHAIN HOIST

Code	Capacity Lifting (Ton)	AL-BR	
		AED	(US\$)
NS-A-CH 0.5	0.5	21621.60	5868.72
NS-A-CH 1	1	24948.00	6771.60
NS-A-CH 1.5	1.5	30284.10	8219.97
NS-A-CH 2	2	34966.50	9499.05
NS-A-CH 3	3	42688.80	11586.96
NS-A-CH 5	5	50452.50	13694.25
NS-A-CH 10	10	120304.80	32654.16
NS-A-CH 16	16	228967.20	62148.24



TROLLEY FOR CHAIN HOIST (PULL TYPE)

Code	Capacity Lifting (ton)	AL-BR	
		AED	(US\$)
NS-A-TCH 0.5	0.5	29106.00	8000.00
NS-A-TCH 1	1	34000.00	9500.00
NS-A-TCH 2	2	39000.00	10800.00
NS-A-TCH 3	3	53000.00	14200.00
NS-A-TCH 5	5	76000.00	20000.00
NS-A-TCH 10	10	115000.00	31000.00
NS-A-TCH 16	16	150000.00	41000.00



HACKSAW FRAME



Code	Size	AL-BR	
		AED	(US\$)
NS-A-HF16	16-500mm	945.00	256.50

Code	Size	BE-CU	
		AED	(US\$)
NS-B-HF16	16-500mm	1747.20	474.24

HACKSAW BLADE



Code	Size	BE-CU	
		AED	(US\$)
NS-B-SHB12	12x1/2	327.60	88.92

HACKSAW FRAME (BRASS)



Code	Size	BRASS	
		AED	(US\$)
NS-HF12B	12-300mm	595.00	161.50

HAND SAW



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-HNS35	35x700mm	1974.00	535.80

DE NEERS®

Revolution in Hand Tools

WEDGE FLANGE



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-WF10x50x100	10x50x100	243.60	66.12
NS-A-WF13x25x150	13x25x150	302.40	82.08
NS-A-WF12x50x200	12x50x200	411.60	111.72
NS-A-WF30x40x250	30x40x250	1050.00	285.00
NS-A-WF40x40x200	40x40x200	1302.00	353.40
NS-A-WF40x50x300	40x50x300	1747.20	474.24
NS-A-WF8x2x3/4	8x2x3/4	1323.00	359.10
NS-A-WF235x300	235x300	2142.00	581.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-WF10x50x100	10x50x100	400.40	108.68
NS-B-WF13x25x150	13x25x150	536.90	145.73
NS-B-WF12x50x200	12x50x200	737.10	200.07
NS-B-WF30x40x250	30x40x250	1983.80	538.46
NS-B-WF40x40x200	40x40x200	2320.50	629.45
NS-B-WF40x50x300	40x50x300	3376.10	916.37
NS-B-WF8x2x3/4	8x2x3/4	2757.30	748.41
NS-B-WF235x300	235x300	4116.00	1117.20

AXE



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-AH340	82 x145 x 340mm	1251.60	339.72

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-AH340	82 x145 x 340mm	2229.50	605.15

FIREMAN AXE



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-FH1000	1000 Gms	1008.00	273.60

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-FH1000	1000 Gms	2016.00	547.20

PUTTY SCRAPER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-PSCR 25x200	25x200	504.00	136.80
NS-A-PSCR 50x200	50x200	567.00	153.90
NS-A-PSCR 75x200	75x200	595.00	161.50
NS-A-PSCR 100x200	100x200	637.00	172.90
NS-A-PSCR 150x250	150x250	1092.00	296.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-PSCR 25x200	25x200	910.00	247.00
NS-B-PSCR 50x200	50x200	1001.00	271.70
NS-B-PSCR 75x200	75x200	1069.25	290.23
NS-B-PSCR 100x200	100x200	1101.10	298.87
NS-B-PSCR 150x250	150x250	1983.80	538.46

DECK SCRAPER



Code	Size (mm)	Breadth (mm)	AL-BR	
			AED	(US\$)
NS-A-DS380	380	38	1008.00	273.60

Code	Size (mm)	Breadth (mm)	BE-CU	
			AED	(US\$)
NS-B-DS380	380	38	1856.40	503.88

SPRAY BOOTH SCRAPER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SBS235	76X235	1260.00	342.00

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SBS235	76X235	2174.90	590.33

FLAT SCRAPER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-FS30 x 200	30 x 200	428.40	116.28
NS-A-FS30 x 300	30 x 300	546.00	148.20
NS-A-FS60 x 400	60 x 400	1582.00	429.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-FS30 x 200	30 x 200	900.90	244.53
NS-B-FS30 x 300	30 x 300	1137.50	308.75
NS-B-FS60 x 400	60 x 400	3360.00	912.00

PINCH BAR



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-PINB	Φ 25X500	1260.00	342.00

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-PINB	Φ 25X500	2320.50	629.85

CROW BAR



Code	Length (mm)	B (mm)	H (mm)	AL-BR	
				AED	(US\$)
NS-A-CRB650	650	23	20	1770.00	485.00

Code	Length (mm)	B (mm)	H (mm)	BE-CU	
				AED	(US\$)
NS-B-CRB650	650	23	20	3225.00	888.00

SHOVEL



Code	Size	AL-BR	
		AED	(US\$)
NS-A-SHVL340S	(Square) 340x175x940mm	2058.00	558.60
NS-A-SHVL420R	(Round) 420x240x990mm	2310.00	627.00
NS-A-SHVL418S	(Square) 418x240x990mm	2310.00	627.00

Code	Size	BE-CU	
		AED	(US\$)
NS-B-SHVL340S	(Square) 340x175x940mm	3731.00	1012.70
NS-B-SHVL420R	(Round) 420x240x990mm	4386.20	1190.54
NS-B-SHVL418S	(Square) 418x240x990mm	4386.20	1190.54

COMBINATION PLIER / LINEMAN PLIER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CP6	150	413.00	112.10
NS-A-CP7	175	539.00	146.30
NS-A-CP8	200	616.00	167.20
NS-A-CP10	250	699.30	189.81

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CP6	150	728.00	197.60
NS-B-CP7	175	945.00	256.50
NS-B-CP8	200	1120.00	304.00
NS-B-CP10	250	1310.40	355.68

LONG NOSE PLIER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-LNP6	150	428.40	116.28
NS-A-LNP7	175	546.00	148.20
NS-A-LNP8	200	616.00	167.20

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-LNP6	150	809.90	219.83
NS-B-LNP7	175	873.60	237.12
NS-B-LNP8	200	1120.00	304.00

DIAGONAL SIDE CUTTING PLIER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SCP6	150	445.20	120.84
NS-A-SCP8	200	616.00	167.20

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SCP6	150	864.50	234.65
NS-B-SCP8	200	1120.00	304.00

DE NEERS®

Revolution in Hand Tools


WATER PUMP PLIER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-WP10	250 (Box Joint)	739.20	200.64
NS-A-WP12	300 (Groove Joint)	831.60	225.72

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-WP10	250 (Box Joint)	1255.80	340.86
NS-B-WP12	300 (Groove Joint)	1540.00	418.00

SLIP JOINT PLIER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SJP6	150	546.00	148.20
NS-A-SJP8	200	616.00	167.20

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SJP6	150	991.90	269.23
NS-B-SJP8	200	1119.30	303.81

CIRCLIP PLIERS INTERNAL



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CRPIN8	200	483.00	131.10
NS-A-CRPIN10	250	693.00	188.10

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CRPIN8	200	875.00	237.50
NS-B-CRPIN10	250	1316.00	357.20

CIRCLIP PLIERS EXTERNAL



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CRPEX8	200	483.00	131.10
NS-A-CRPEX10	250	693.00	188.10

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CRPEX8	200	875.00	237.50
NS-B-CRPEX10	250	1316.00	357.20

WIRE STRIPPER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-WS170	170	882.00	239.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-WS170	170	1683.50	456.95

PINCERS



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-PN8	200	882.00	239.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-PN8	200	1683.50	456.95

CRIMPING PLIER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CP160	160	966.00	262.20

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CP160	160	1810.90	491.53

VICE GRIP LOCKING PLIER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-VG9	225	1134.00	307.80

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-VG9	225	2074.80	563.16

DE NEERS®

Revolution in Hand Tools

1/2 DRIVE SOCKETS



NON SPARKING

Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-N-A-S 6	6	159.60	43.32
NS-N-A-S 7	7	171.36	46.51
NS-N-A-S 8	8	176.40	47.88
NS-N-A-S 9	9	181.44	49.25
NS-N-A-S 10	10	186.48	50.62
NS-N-A-S 11	11	206.64	56.09
NS-N-A-S 12	12	221.76	60.19
NS-N-A-S 13	13	221.76	60.19
NS-N-A-S 14	14	221.76	60.19
NS-N-A-S 15	15	231.84	62.93
NS-N-A-S 16	16	246.96	67.03
NS-N-A-S 17	17	257.04	69.77
NS-N-A-S 18	18	262.08	71.14
NS-N-A-S 19	19	268.80	72.96
NS-N-A-S 20	20	302.40	82.08
NS-N-A-S 21	21	317.52	86.18
NS-N-A-S 22	22	327.60	88.92
NS-N-A-S 23	23	332.64	90.29
NS-N-A-S 24	24	347.76	94.39
NS-N-A-S 25	25	357.84	97.13
NS-N-A-S 26	26	378.00	102.60
NS-N-A-S 27	27	420.00	114.00
NS-N-A-S 28	28	436.80	118.56
NS-N-A-S 29	29	462.00	125.40
NS-N-A-S 30	30	491.40	133.38
NS-N-A-S 32	32	546.00	148.20
NS-N-A-S 1/2W	1/2 WW	630.00	171.00
NS-N-A-S 9/16W	9/16 WW	739.20	200.64

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-N-B-S 6	6	345.80	93.86
NS-N-B-S 7	7	354.90	96.33
NS-N-B-S 8	8	400.40	108.68
NS-N-B-S 9	9	409.50	111.15
NS-N-B-S 10	10	445.90	121.03
NS-N-B-S 11	11	518.70	140.79
NS-N-B-S 12	12	564.20	153.14
NS-N-B-S 13	13	564.20	153.14
NS-N-B-S 14	14	573.30	155.61
NS-N-B-S 15	15	573.30	155.61
NS-N-B-S 16	16	668.85	181.55
NS-N-B-S 17	17	668.85	181.55
NS-N-B-S 18	18	668.85	181.55
NS-N-B-S 19	19	682.50	185.25
NS-N-B-S 20	20	764.40	207.48
NS-N-B-S 21	21	782.60	212.42
NS-N-B-S 22	22	782.60	212.42
NS-N-B-S 23	23	800.80	217.36
NS-N-B-S 24	24	846.30	229.71
NS-N-B-S 25	25	855.40	232.18
NS-N-B-S 26	26	873.60	237.12
NS-N-B-S 27	27	900.90	244.53
NS-N-B-S 28	28	900.90	244.53
NS-N-B-S 29	29	964.60	261.82
NS-N-B-S 30	30	964.60	261.82
NS-N-B-S 32	32	1105.65	300.11
NS-N-B-S 1/2W	1/2 WW	1110.20	301.34
NS-N-B-S 9/16W	9/16 WW	1210.30	328.51

Code	Size (SAE)	AL-BR	
		AED	(US\$)
NS-N-A-S 5/16A	5/16	256.20	69.54
NS-N-A-S 3/8A	3/8	260.40	70.68
NS-N-A-S 7/16A	7/16	315.00	85.50
NS-N-A-S 1/2A	1/2	323.40	87.78
NS-N-A-S 9/16A	9/16	348.60	94.62
NS-N-A-S 5/8A	5/8	357.00	96.90
NS-N-A-S 3/4A	3/4	449.40	121.98
NS-N-A-S 13/16A	13/16	457.80	124.26
NS-N-A-S 7/8A	7/8	483.00	131.10
NS-N-A-S 1A	1	529.20	143.64
NS-N-A-S 1.1/8A	1.1/8	600.60	163.02
NS-N-A-S 15/16A	15/16	520.80	141.36
NS-N-A-S 1.1/4A	1.1/4	714.00	193.80

1/2 DRIVE IMPACT SOCKETS (DEEP)



Code	Length (mm)	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-N-IMP-S 8 D	80	8	210.00	57.00
NS-A-N-IMP-S 10 D	80	10	252.00	68.40
NS-A-N-IMP-S 12 D	80	12	264.60	71.82
NS-A-N-IMP-S 14 D	80	14	302.40	82.08
NS-A-N-IMP-S 17 D	80	17	336.00	91.20
NS-A-N-IMP-S 19 D	80	19	378.00	102.60
NS-A-N-IMP-S 22 D	80	22	428.40	116.28
NS-A-N-IMP-S 24 D	80	24	487.20	132.24
NS-A-N-IMP-S 27 D	80	27	588.00	159.60
NS-A-N-IMP-S 30 D	80	30	697.20	189.24
NS-A-N-IMP-S 32 D	80	32	688.80	186.96

3/4 DRIVE IMPACT SOCKETS (DEEP)



Code	Length (mm)	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-C-IMP-S24D	90	24	487.20	132.24
NS-A-C-IMP-S27D	90	27	588.00	159.60
NS-A-C-IMP-S30D	90	30	688.80	186.96
NS-A-C-IMP-S32D	90	32	747.60	202.92
NS-A-C-IMP-S36D	90	36	856.80	232.56
NS-A-C-IMP-S41D	90	41	999.60	271.32
NS-A-C-IMP-S46D	100	46	1176.00	319.20
NS-A-C-IMP-S50D	100	50	1243.20	337.44

DE NEERS®
Revolution in Hand Tools
3/4 DRIVE SOCKETS

NON SPARKING



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-C-S 17	17	332.64	90.29
NS-A-C-S 19	19	352.80	95.76
NS-A-C-S 21	21	372.96	101.23
NS-A-C-S 22	22	378.00	102.60
NS-A-C-S 23	23	382.20	103.74
NS-A-C-S 24	24	386.40	104.88
NS-A-C-S 26	26	394.80	107.16
NS-A-C-S 27	27	443.52	120.38
NS-A-C-S 28	28	487.20	132.24
NS-A-C-S 29	29	520.80	141.36
NS-A-C-S 30	30	554.80	150.48
NS-A-C-S 31	31	596.40	161.88
NS-A-C-S 32	32	630.00	171.00
NS-A-C-S 34	34	680.40	184.68
NS-A-C-S 36	36	722.40	196.08
NS-A-C-S 38	38	788.00	209.76
NS-A-C-S 41	41	856.80	232.56
NS-A-C-S 46	46	1008.00	273.60
NS-A-C-S 50	50	1092.00	296.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-C-S 17	17	832.65	226.01
NS-B-C-S 19	19	873.60	237.12
NS-B-C-S 21	21	905.45	245.77
NS-B-C-S 22	22	905.45	245.77
NS-B-C-S 23	23	905.45	245.77
NS-B-C-S 24	24	955.50	259.35
NS-B-C-S 26	26	982.80	266.76
NS-B-C-S 27	27	989.00	267.00
NS-B-C-S 28	28	999.00	270.00
NS-B-C-S 29	29	1001.00	271.70
NS-B-C-S 30	30	1043.00	283.10
NS-B-C-S 31	31	1120.00	304.00
NS-B-C-S 32	32	1155.00	313.50
NS-B-C-S 34	34	1237.60	335.92
NS-B-C-S 36	36	1260.35	342.10
NS-B-C-S 38	38	1292.20	350.74
NS-B-C-S 41	41	1428.70	387.79
NS-B-C-S 46	46	1715.00	465.50
NS-B-C-S 50	50	1801.80	489.06

1 DRIVE SOCKETS

Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-D-A-S41	41	1377.60	373.92
NS-D-A-S46	46	1709.40	463.98
NS-D-A-S50	50	1869.00	507.30
NS-D-A-S55	55	2100.00	570.00
NS-D-A-S60	60	2368.80	642.96
NS-D-A-S65	65	2629.20	713.64
NS-D-A-S70	70	2856.00	775.20
NS-D-A-S75	75	3200.40	868.68
NS-D-A-S80	80	3528.00	957.60



REVERSIBLE RATCHET



Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-B-RR	3/8	200	420.00	114.00
NS-A-N-RR	1/2	245	672.00	182.40
NS-A-C-RR	3/4	320	1344.00	364.80
NS-A-D-RR	1	500	2436.00	661.20

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-B-RR	3/8	200	1001.00	271.70
NS-B-N-RR	1/2	245	1947.40	528.58
NS-B-C-RR	3/4	320	2912.00	790.40
NS-B-D-RR	1	500	5369.00	1457.30

EXTENSION BAR



Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-N-EB5	1/2	125	319.20	86.64
NS-A-N-EB10	1/2	250	504.00	136.80
NS-A-C-EB8	3/4	200	609.00	165.30

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-N-EB5	1/2	125	928.20	251.94
NS-B-N-EB10	1/2	250	1351.35	366.80
NS-B-C-EB8	3/4	200	1587.95	431.02

SLIDING T-HANDLE



Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-N-TH10	1/2	250	498.96	135.43
NS-A-C-TH14	3/4	350	907.20	246.24
NS-A-C-TH16	3/4	400	1008.00	273.60
NS-A-D-TH16	1	400	1092.00	296.40

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-N-TH10	1/2	250	1301.30	353.21
NS-B-C-TH14	3/4	350	2083.90	565.63
NS-B-C-TH16	3/4	400	2620.80	711.36
NS-B-D-TH16	1	400	2720.90	738.53

T-TYPE WRENCH

Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-C-TW	3/4	110	739.20	200.64
NS-A-D-TW	1	132	882.00	239.40

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-C-TW	3/4	110	1638.00	444.60
NS-B-D-TW	1	132	1820.00	494.00

DE NEERS®

Revolution in Hand Tools

SPEED BRACE



Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-N-SB390	1/2	390	616.00	167.20

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-N-SB390	1/2	390	1365.00	370.50

UNIVERSAL JOINT



Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-N-UJ	1/2	80	385.00	104.50
NS-A-C-UJ	3/4	110	1008.00	273.60
NS-A-D-UJ	1	132	2234.40	606.48

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-N-UJ	1/2	80	900.90	244.53
NS-B-C-UJ	3/4	110	1965.60	533.52
NS-B-D-UJ	1	132	4777.50	1296.75

SPARK PLUG SOCKET



Code	Drive	Size (SAE)	AL-BR	
			AED	(US\$)
NS-A-B-SPS	3/8	13/16	428.40	116.28
NS-A-N-SPS	1/2	13/16	665.28	180.58

Code	Drive	Size (SAE)	BE-CU	
			AED	(US\$)
NS-B-B-SPS	3/8	13/16	900.90	244.53
NS-B-N-SPS	1/2	13/16	1225.00	332.50

L- HANDLE / OFFSET HANDLE



Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-N-LH	1/2	230	616.00	167.20
NS-A-C-LH	3/4	280	1008.00	273.60

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-N-LH	1/2	230	1085.00	294.50
NS-B-C-LH	3/4	280	1810.90	491.53

SCREW DRIVER BIT SOCKET



Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-N-SDS	1/2	52	294.00	79.80

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-N-SDS	1/2	52	591.50	160.55

SWIVEL HANDLE



Code	Drive	Size (mm)	AL-BR	
			AED	(US\$)
NS-A-SWH250	1/2	250	554.40	150.48
NS-A-SWH400	1/2	400	923.16	250.57
NS-A-SWH286	3/4	286	999.60	271.32

Code	Drive	Size (mm)	BE-CU	
			AED	(US\$)
NS-B-SWH250	1/2	250	1142.05	309.99
NS-B-SWH400	1/2	400	1979.25	537.23
NS-B-SWH286	3/4	286	2038.40	553.28

ADAPTOR



Code	Drive	AL-BR	
		AED	(US\$)
NS-A-SA 1/2F x 3/4M	1/2F x 3/4M	428.40	116.28
NS-A-SA 3/4F x 1/2M	3/4F x 1/2M	495.60	134.52
NS-A-SA 1F x 3/4M	1F x 3/4M	831.60	225.72
NS-A-SA 1M x 3/4F	1M x 3/4F	915.60	248.52

Code	Drive	BE-CU	
		AED	(US\$)
NS-B-SA 1/2F x 3/4M	1/2F x 3/4M	900.00	250.00
NS-B-SA 3/4F x 1/2M	3/4F x 1/2M	950.00	285.00
NS-B-SA 1F x 3/4M	1F x 3/4M	1650.00	500.00
NS-B-SA 1M x 3/4F	1M x 3/4F	1850.00	550.00

1/2 DRIVE SOCKET SETS

NON SPARKING



1/2 DRIVE SOCKET SET- 17 Pcs.

Code	Contents	AL-BR	
		AED	(US\$)
NS-A-N-SS17M	*Sockets : 11 Numbers: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32mm *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125mm & 250mm *Socket Box	9450.00	2565.00

Code	Contents	BE-CU	
		AED	(US\$)
NS-B-N-SS17M	*Sockets : 11 Numbers: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32mm *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125mm & 250mm *Socket Box	19110.00	5187.00

1/2 DRIVE SOCKET SET- 25 Pcs.

Code	Contents	AL-BR	
		AED	(US\$)
NS-A-N-SS25M	*Sockets : 18 Numbers: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125 mm & 250mm *Universal Joint 80 mm *Socket Box	10150.00	2755.00

Code	Contents	BE-CU	
		AED	(US\$)
NS-B-N-SS25M	*Sockets : 18 Numbers: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125 mm & 250mm *Universal Joint 80 mm *Socket Box	20930.00	5681.00

1/2 DRIVE SOCKET SET- 32 Pcs.

Code	Contents	AL-BR	
		AED	(US\$)
NS-A-N-SS32M	*Sockets : 22 Numbers: 8-24, 26-28, 30, 32 mm *13/16 Spark Plug *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125 & 250mm *Universal Joint 80 mm *Screw Driver Socket 52 mm *Offset Handle 230 mm *Socket Box	10850.00	2945.00

Code	Contents	BE-CU	
		AED	(US\$)
NS-B-N-SS32M	*Sockets : 22 Numbers: 8-24, 26-28, 30, 32 mm *13/16 Spark Plug *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125 & 250mm *Universal Joint 80 mm *Screw Driver Socket 52 mm *Offset Handle 230 mm *Socket Box	21658.00	5878.60

3/4 DRIVE SOCKET SETS



3/4 DRIVE SOCKET SET- 15 Pcs.

Code	Contents	AL-BR	
		AED	(US\$)
NS-A-C-SS15M	* Socket 11 Numbers : Sockets : 21, 24, 27, 30, 32, 34, 36, 38, 41, 46, 50 mm * Ratchet Wrench 320 mm * Sliding T-Handle 3/4 400 mm * Driver Extension 200 mm * Socket Box	11550.00	3135.00

Code	Contents	BE-CU	
		AED	(US\$)
NS-B-C-SS15M	* Socket 11 Numbers : Sockets : 21, 24, 27, 30, 32, 34, 36, 38, 41, 46, 50 mm * Ratchet Wrench 320 mm * Sliding T-Handle 3/4 400 mm * Driver Extension 200 mm * Socket Box	23660.00	6422.00

3/4 DRIVE SOCKET SET- 21 Pcs.

Code	Contents	AL-BR	
		AED	(US\$)
NS-A-C-SS21M	* Socket 17 Numbers : 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50mm * Ratchet Wrench 320 mm * Sliding T-Handle 3/4 400 mm * Driver Extension 200 mm * Socket Box	13930.00	3781.00

Code	Contents	BE-CU	
		AED	(US\$)
NS-B-C-SS21M	* Socket 17 Numbers : 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50mm * Ratchet Wrench 320 mm * Sliding T-Handle 3/4 400 mm * Driver Extension 200 mm * Socket Box	27160.00	7372.00

ROUND FILE

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-RF6	150mm-6	630.00	171.00
NS-B-RF8	200mm-8	840.00	228.00
NS-B-RF10	250mm-10	1008.00	273.60
NS-B-RF12	300mm-12	1316.00	357.20
NS-B-RF14	350mm-14	2016.00	547.20



FLAT FILE

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-FF6	150mm-6	546.00	148.20
NS-B-FF8	200mm-8	637.00	172.90
NS-B-FF10	250mm-10	728.00	197.60
NS-B-FF12	300mm-12	1183.00	321.10
NS-B-FF14	350mm-14	1820.00	494.00
NS-B-FF16	400mm-16	2002.00	543.40



HALF ROUND FILE

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-HRF6	150mm-6	546.00	148.20
NS-B-HRF8	200mm-8	637.00	172.90
NS-B-HRF10	250mm-10	728.00	197.60
NS-B-HRF12	300mm-12	1183.00	321.10
NS-B-HRF14	350mm-14	1820.00	494.00



TRIANGLE FILE

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-TF8	200mm-8	840.00	228.00
NS-B-TF10	250mm-10	1008.00	273.60
NS-B-TF12	300mm-12	1316.00	357.20
NS-B-TF14	350mm-14	2016.00	547.20



SQUARE FILE

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SF8	200mm-8	840.00	228.00
NS-B-SF10	250mm-10	1008.00	273.60
NS-B-SF12	300mm-12	1316.00	357.20
NS-B-SF14	350mm-14	2016.00	547.20



BOTTOM VALVE WRENCH



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-BVW650	650	4305.00	1168.50
NS-A-BVW800	800	5285.00	1434.50

VALVE HANDLE



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-VH 30x200	30x200	640.08	173.74
NS-A-VH 35x250	35x250	714.00	193.80
NS-A-VH 32x300	32x300	727.44	197.45
NS-A-VH 40x300	40x300	756.00	205.20
NS-A-VH 45x350	45x350	831.60	225.72
NS-A-VH 48x375	48x375	932.40	253.08
NS-A-VH 50x400	50x400	1024.80	278.16
NS-A-VH 55x450	55x450	1222.20	331.74
NS-A-VH 60x500	60x500	1310.40	355.68
NS-A-VH 70x600	70x600	1671.60	453.72
NS-A-VH 103x1200	103x1200	2814.00	763.80

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-VH 30x200	30x200	1107.40	300.58
NS-B-VH 35x250	35x250	1547.00	419.90
NS-B-VH 32x300	32x300	1310.40	355.68
NS-B-VH 40x300	40x300	1638.00	444.60
NS-B-VH 45x350	45x350	1820.00	494.00
NS-B-VH 48x375	48x375	1708.00	463.60
NS-B-VH 50x400	50x400	1929.20	523.64
NS-B-VH 55x450	55x450	2320.50	629.85
NS-B-VH 60x500	60x500	2720.90	738.53
NS-B-VH 70x600	70x600	3458.00	938.60
NS-B-VH 103x1200	103x1200	6360.90	1726.53

CRATE OPENER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CRO230	230	428.40	116.28

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CRO230	230	900.90	244.53

WRECKING BAR



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-WRB16	16X400	2100.00	570.00

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-WRB16	16X400	4550.00	1235.00

DRUM OPENER WITH BUNG WRENCH



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-DRUMBW300	300	1209.60	328.32

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-DRUMBW300	300	2548.00	691.60

DRUM OPENER WITH ANGULAR BUNG WRENCH



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-DRUMAW385	385	1209.60	328.32

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-DRUMAW385	385	2548.00	691.60

DRUM OPENER WITH CUTTER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-DRUMWC520	520	5712.00	1550.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-DRUMWC520	520	10850.00	2945.00

DRUM OPENER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-DRUM290	290	840.00	228.00

Code	Size (mm)	BRASS	
		AED	(US\$)
NS-DRUM290B	290	546.00	148.20

BOLT CUTTER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-BC10	250mm-10	1001.00	271.70
NS-A-BC14	350mm-14	2648.10	718.77
NS-A-BC18	450mm-18	3658.20	992.94
NS-A-BC24	600mm-24	4035.85	1095.45
NS-A-BC36	900mm-36	10405.85	2824.45

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-BC10	250mm-10	2156.00	585.20
NS-B-BC14	350mm-14	5488.00	1489.60
NS-B-BC18	450mm-18	7350.00	1995.00
NS-B-BC24	600mm-24	8624.00	2340.80
NS-B-BC36	900mm-36	21658.00	5878.60

TIN SNIP



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-TS280	280	1225.00	332.50

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-TS280	280	2475.20	671.84

KNIFE



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-KNI80S	80x193 (Small)	470.40	127.68
NS-A-KNI137B	137x250 (Big)	554.40	150.48

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-KNI80S	80x193 (Small)	837.20	227.24
NS-B-KNI137B	137x250 (Big)	1037.40	281.58

SCISSOR



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-SCI9	225-9	680.40	184.68

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-SCI9	225-9	1237.60	335.92

SHEAR TIN SCISSOR



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-STS12	300-12	1134.00	307.80

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-STS12	300-12	1979.25	537.23

DE NEERS®

Revolution in Hand Tools

CYLINDER KEY



Code	Size (Opening) (mm)	AL-BR	
		AED	(US\$)
NS-A-CY6S	6 (Square)	462.00	125.40
NS-A-CY8S	8 (Square)	630.00	171.00
NS-A-CY10S	10 (Square)	714.00	193.80
NS-A-CY8H	8 (Hex)	630.00	171.00
NS-A-CY10H	10 (Hex)	714.00	193.80

Code	Size (Opening) (mm)	BE-CU	
		AED	(US\$)
NS-B-CY6S	6 (Square)	846.30	229.71
NS-B-CY8S	8 (Square)	1183.00	321.10
NS-B-CY10S	10 (Square)	1378.65	374.21
NS-B-CY8H	8 (Hex)	1183.00	321.10
NS-B-CY10H	10 (Hex)	1378.65	374.21

OXYGEN BOTTLE WRENCH



Code	Size (mm)	Length (mm)	AL-BR	
			AED	(US\$)
NS-A-OW6	6	125	1050.00	285.00
NS-A-OW8	8	125	1050.00	285.00

Both Square and Hex

Code	Size (mm)	Length (mm)	BE-CU	
			AED	(US\$)
NS-B-OW6	6	125	1888.25	512.53
NS-B-OW8	8	125	1888.25	512.53

Both Square and Hex

TWEEZER



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-T150	150	294.00	79.80
NS-A-T200	200	462.00	125.40

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-T150	150	525.00	142.50
NS-B-T200	200	791.70	214.89

C-CLAMP



	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-CL60	60mm	966.00	262.20
NS-A-CL80	80mm	1302.00	353.40
NS-A-CL100	100mm	1470.00	399.00
NS-A-CL150	150mm	1722.00	467.40

	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-CL60	60mm	1965.60	533.52
NS-B-CL80	80mm	2529.80	686.66
NS-B-CL100	100mm	2757.30	748.41
NS-B-CL150	150mm	3321.50	901.55

BRUSH CUP



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-BRC100	Φ 100x14mm	1671.60	453.72

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-BRC100	Φ 100x14mm	3150.00	855.00

TUBE BRUSH



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-TBR100	Φ 20x100mm	378.00	102.60

SPARK PLUG CLEANING BRUSH



Code	Size (mm)	Rows	AL-BR	
			AED	(US\$)
NS-A-SPCB196	196mm	3x7	182.00	49.40

BRUSH



Code	Size (mm)	Rows	AL-BR	
			AED	(US\$)
NS-A-BR290	290x29	4x16	294.00	79.80

Code	Size (mm)	Rows	BE-CU	
			AED	(US\$)
NS-B-BR290	290x29	4x16	591.50	160.55

BRUSH SHOE HANDLE



Code	Size (mm)	Rows	AL-BR	
			AED	(US\$)
NS-A-BSH255	255	4x16	349.30	94.81

Code	Size (mm)	Rows	BE-CU	
			AED	(US\$)
NS-B-BSH255	255	4x16	693.00	188.10

ALLEN KEY HEX (MM)



NON SPARKING

Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-AK 1.5	1.5	113.40	30.78
NS-A-AK 2	2	130.20	35.78
NS-A-AK 2.5	2.5	131.04	35.57
NS-A-AK 3	3	131.88	35.80
NS-A-AK 4	4	132.72	36.02
NS-A-AK 5	5	138.60	37.62
NS-A-AK 6	6	139.44	37.85
NS-A-AK 7	7	155.40	42.18
NS-A-AK 8	8	163.80	44.46
NS-A-AK 9	9	184.80	50.16
NS-A-AK 10	10	197.40	53.58
NS-A-AK 11	11	210.00	57.00
NS-A-AK 12	12	239.40	64.98
NS-A-AK 13	13	264.60	71.82
NS-A-AK 14	14	323.40	87.78
NS-A-AK 15	15	331.80	90.06
NS-A-AK 16	16	373.80	101.46
NS-A-AK 17	17	390.60	106.02
NS-A-AK 18	18	415.80	112.86
NS-A-AK 19	19	441.00	119.70
NS-A-AK 20	20	529.20	143.64
NS-A-AK 21	21	477.12	129.50
NS-A-AK 22	22	516.60	140.22
NS-A-AK 24	24	882.00	239.40
NS-A-AK 27	27	999.60	271.32
NS-A-AK 30	30	1050.00	285.00
NS-A-AK 32	32	1167.60	316.92

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-AK 1.5	1.5	216.58	60.00
NS-B-AK 2	2	263.90	71.63
NS-B-AK 2.5	2.5	263.90	71.63
NS-B-AK 3	3	263.90	71.63
NS-B-AK 4	4	263.90	71.63
NS-B-AK 5	5	264.81	71.88
NS-B-AK 6	6	282.10	76.57
NS-B-AK 7	7	298.48	81.02
NS-B-AK 8	8	309.40	83.98
NS-B-AK 9	9	361.27	98.06
NS-B-AK 10	10	368.55	100.04
NS-B-AK 11	11	409.50	111.15
NS-B-AK 12	12	464.10	125.97
NS-B-AK 13	13	536.90	145.73
NS-B-AK 14	14	593.32	161.04
NS-B-AK 15	15	616.98	167.47
NS-B-AK 16	16	718.90	195.13
NS-B-AK 17	17	746.20	202.54
NS-B-AK 18	18	764.40	207.48
NS-B-AK 19	19	837.20	227.24
NS-B-AK 20	20	955.50	259.35
NS-B-AK 21	21	1011.92	274.66
NS-B-AK 22	22	1023.75	277.88
NS-B-AK 24	24	1810.90	491.53
NS-B-AK 27	27	1820.00	494.00
NS-B-AK 30	30	1947.40	528.58
NS-B-AK 32	32	2165.80	587.86

SETS			
Code	Pcs.Per Set	AL-BR	
		AED	(US\$)
NS-A-AKS9M	9 Pcs. Set (mm) 1.5,2,2.5,3,4,5,6,8,10 (Pouch Packing)	1323.00	359.10

SETS			
Code	Pcs.Per Set	BE-CU	
		AED	(US\$)
NS-B-AKS9M	9 Pcs. Set (mm) 1.5,2,2.5,3,4,5,6,8,10 (Pouch Packing)	2562.00	695.40



Revolution in Hand Tools

ALLEN KEY HEX (SAE)



NON SPARKING

Code	Size (Sae)	AL-BR	
		AED	(US\$)
NS-A-AK 1/16 A	1/16	126.00	34.20
NS-A-AK 5/64 A	5/64	132.72	36.02
NS-A-AK 3/32 A	3/32	139.44	37.85
NS-A-AK 7/64 A	7/64	141.96	38.53
NS-A-AK 1/8 A	1/8	149.52	40.58
NS-A-AK 5/32 A	5/32	166.32	45.14
NS-A-AK 9/32 A	9/32	208.32	56.54
NS-A-AK 3/16 A	3/16	183.12	49.70
NS-A-AK 7/32A	7/32	183.96	49.93
NS-A-AK 1/4 A	1/4	192.36	52.21
NS-A-AK 5/16 A	5/16	210.00	57.00
NS-A-AK3/8 A	3/8	225.12	61.10
NS-A-AK 9/64A	9/64	158.76	43.09
NS-A-AK 11/32A	11/32	218.40	59.28
NS-A-AK 11/16A	11/16	554.40	150.48
NS-A-AK3/4 A	3/4	739.20	200.64

Code	Size (Sae)	BE-CU	
		AED	(US\$)
NS-B-AK 1/16 A	1/16	236.60	64.22
NS-B-AK 5/64 A	5/64	247.52	67.18
NS-B-AK 3/32 A	3/32	252.98	68.67
NS-B-AK 7/64 A	7/64	269.36	73.11
NS-B-AK 1/8 A	1/8	283.92	77.06
NS-B-AK 5/32 A	5/32	315.77	85.71
NS-B-AK 9/32 A	9/32	376.74	102.26
NS-B-AK 3/16 A	3/16	354.90	96.33
NS-B-AK 7/32A	7/32	354.90	96.33
NS-B-AK 1/4 A	1/4	382.20	103.74
NS-B-AK 5/16 A	5/16	436.80	118.56
NS-B-AK3/8 A	3/8	464.10	125.97
NS-B-AK 9/64A	9/64	354.90	96.33
NS-B-AK 11/32A	11/32	464.10	125.97
NS-B-AK 11/16A	11/16	1137.50	308.75
NS-B-AK3/4 A	3/4	1592.50	432.25

ALLEN KEY HEX SET (SAE)



SETS			
Code	Pcs.Per Set	AL-BR	
		AED	(US\$)
NS-A-AKS10A	10 Pcs. Set (SAE) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 (Pouch Packing)	1736.00	471.20

SETS			
Code	Pcs.Per Set	BE-CU	
		AED	(US\$)
NS-B-AKS10A	10 Pcs. Set (SAE) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 (Pouch Packing)	3412.50	926.25

ALLEN KEY BALL END



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-AKBE2	2	336.00	91.20
NS-A-AKBE3	3	378.00	102.60
NS-A-AKBE4	4	390.60	106.02
NS-A-AKBE5	5	375.48	101.92
NS-A-AKBE6	6	403.20	109.44
NS-A-AKBE7	7	407.40	110.58
NS-A-AKBE8	8	428.40	116.28
NS-A-AKBE9	9	450.24	122.21
NS-A-AKBE10	10	455.28	123.58
NS-A-AKBE11	11	504.00	136.80
NS-A-AKBE12	12	523.32	142.04

T TYPE ALLEN KEY HEX



Code	Size (mm)	AL-BR	
		AED	(US\$)
NS-A-AKTH2	2	483.00	131.10
NS-A-AKTH3	3	525.00	142.50
NS-A-AKTH4	4	553.00	150.10
NS-A-AKTH5	5	579.60	157.32
NS-A-AKTH6	6	596.40	161.88
NS-A-AKTH8	8	623.00	169.10
NS-A-AKTH10	10	693.00	188.10

Code	Size (mm)	BE-CU	
		AED	(US\$)
NS-B-AKTH2	2	919.10	249.47
NS-B-AKTH3	3	955.50	259.35
NS-B-AKTH4	4	1010.10	274.17
NS-B-AKTH5	5	1073.80	291.46
NS-B-AKTH6	6	1137.50	308.75
NS-B-AKTH8	8	1253.00	340.10
NS-B-AKTH10	10	1264.90	343.33



Revolution in Hand Tools

NON SPARKING TOOLS SET 10 PCS KIT NS : A1



NON
SPARKING

Code	TOOLS	DESCRIPTION	AED	(US\$)
KIT NS : A1	ADJUSTABLE WRENCH	300mm	5250.00	1425.00
	COMBINATION PLIER	8/200mm		
	LONG NOSE PLIER	6/150mm		
	SCREW DRIVER	6x150mm & 8x200mm		
	SCREW DRIVER(Philips)	#2x150mm & 3x200mm		
	HAMMER CROSS PEIN	1000 Gms		
	KNIFE, PUTTY	50mm x 200mm		
	TOOL BOX (METAL OR PLASTIC)	F-460		



Revolution in Hand Tools

NON SPARKING TOOLS SET (29 PCS) KIT NS : B2



Code	TOOLS	DESCRIPTION	AED	(US\$)
KIT NS : B2	SLEDGE HAMMER	1800 Gms	15750.00	4275.00
	HAMMER BALL PEIN	910 Gms		
	HAMMER CLAW	450 Gms		
	PIPE WRENCH	300mm & 450mm		
	ADJUSTABLE WRENCH	200mm & 300mm		
	COMBINATION SPANNER	8, 10, 12, 14, 17, 19, 22, 24, 27, 30, 32mm		
	COMBINATION PLIER	200mm		
	LONG NOSE PLIER	200mm		
	SLIP JOINT PLIER	200mm		
	PINCH BAR	25x300mm		
	CHISEL FLAT	25x300mm		
	SCREW DRIVER	100mm & 200mm		
	SCREW DRIVER (Philips)	100mm & 200mm		
	VALVE HANDLE	400mm		
	TOOL BOX (SINDOOK / PLASTIC)	F560		

NON SPARKING TOOLS SET 16 PCS
KIT NS : C3

Code	TOOLS	DESCRIPTION	AED	(US\$)
KIT NS : C3	BRUSH SHOE HANDLE	100 x 14mm	12950.00	3515.00
	CRATE OPENER	230mm		
	CLAW HAMMER	450 Gms		
	KNIFE BIG	250mm		
	WATER PUMP PLIER	300mm		
	LONG NOSE PLIER	150mm		
	COMBINATION PLIER	200mm		
	DECK SCRAPER	380mm		
	SPRAY BOOTH SCRAPER			
	SCREW DRIVER FLATS	150mm		
	SCREW DRIVER PHILIPS	75mm		
	SHEAR TIN SCISSORS	300mm		
	ADJUSTABLE WRENCH	200 & 300mm		
	PIPE WRENCH	350mm		
	DRUM OPENER WITH BUNG WR.	300mm		
	TOOL BOX	F460		



NON SPARKING

OIL TANKER SECURITY KIT 3 PCS
KIT NS : D4

Code	TOOLS	DESCRIPTION	AED	(US\$)
KIT NS : D4	DOUBLE END SPANNER	24x26mm	1743.00	473.10
	RING SPANNER	24x26mm		
	PIPE WRENCH	300mm		

NON SPARKING TOOLS SET 12 PCS
KIT NS : E5

Code	TOOLS	DESCRIPTION	AED	(US\$)
KIT NS : E5	ADJUSTABLE WRENCH	250mm	5005.00	1358.50
	CHISEL	12x150mm		
	COMBINATION PLIER	8/200mm		
	CYLINDER KEY	8MM (SQUARE)		
	HAMMER (BALL PEIN)	450 Gms		
	PIPE WRENCH	200mm		
	SCREW DRIVER	50mm & 75mm		
	SCISSOR	225mm		
	SPRAY BOOTH SCRAPER	76x235mm		
	SLEDGE HAMMER	1000 Gms		
	TOOL BOX	F460		



NON SPARKING TOOLS SET 52 PCS + BOX KIT NS : F6



Code	TOOLS	DESCRIPTION	AED	(US\$)
KIT NS : F6	TRAY 1			
	COMBINATION SPANNERS	6,8,10,11,12,14,17 19,22,24,26,27mm		
	TRAY 2			
	ALLEN KEY	2,3,4,5,6,8,10mm		
	SOCKET 1/2 Dr.	6,8,10,11,12,14,17, 19,22,24,27,30,32m		
	SLIDING T HANDLE 1/2 Dr.	250mm		
	EXTENSION BAR	125mm		
	TRAY 3			
	DRUM OPENER	100*300mm		
	SLEDGE HAMMER	450g		
	HAMMER BALL PEIN	230g		
	BRUSH	4*19		
	PUTTY KNIFE	25*200mm		
	KNIFE	185mm		
	FLAT SCRAPER	30*200mm		
	TRAY 4			
	ADJUSTABLE WRENCH	250mm		
	COMBINATION PLIER	150mm		
	CYLINDER KEY	150mm		
	SIDE CUTTING PLIER	150mm		
	FLAT FILE	150mm		
	SCREW DRIVER PHILIPS	1*100mm		
	SCREW DRIVER PUNCH	6*12*150mm		
	CHISEL ROUND	14x160m		
	SCREW DRIVER FLAT	4x75mm		
	TOOL BOX	5x100mm F-560	17570.00	4769.00



Injection Moulding is better for engineered parts that have significant loads and require tight tolerances.



1000V

**Manufactured
according to
IEC 60900
Standard**

Dip Moulding is better if physical requirements aren't demanding and close tolerances aren't required.



Δ 1000V

**Manufactured
according to
IEC 60900
Standard**

Parameters		Aluminum Bronze				
		Cu	Al	Ni	Fe	Mn
Chemical Properties	Min. %	86	9	4	1	-
	Max. %	93	12	6	3	1.5
Physical Properties	Density	8.10 g/cm³				
	Weight Magnetic Properties	1.1				
	Dilation Coefficient	0.000015%				
	Electricity Conductivity	8/12				
Mechanical Properties	Strength N/mm²	782-989				
	Yield PointN/mm²	450-550				
	Hardness Brinell	229/291				

**THE BASE MATERIAL
MENTIONED IN
THE INSULATED NON
SPARKING TOOLS
IS AL-BR**

SINGLE OPEN END SPANNER

Code	Size (mm)	Injection	
		AED	(US\$)
NSI-SE6I	6	277.55	75.34
NSI-SE7I	7	277.55	75.34
NSI-SE8I	8	277.55	75.34
NSI-SE9I	9	313.95	85.22
NSI-SE10I	10	313.95	85.22
NSI-SE11I	11	391.30	106.21
NSI-SE12I	12	391.30	106.21
NSI-SE13I	13	459.55	124.74
NSI-SE14I	14	459.55	124.74
NSI-SE15I	15	573.30	155.61
NSI-SE16I	16	573.30	155.61
NSI-SE17I	17	573.30	155.61
NSI-SE18I	18	707.07	191.92
NSI-SE19I	19	707.07	191.92
NSI-SE20I	20	841.75	228.48
NSI-SE21I	21	841.75	228.48
NSI-SE22I	22	841.75	228.48
NSI-SE23I	23	1084.72	294.42
NSI-SE24I	24	1150.00	300.00
NSI-SE25I	25	1207.57	327.77
NSI-SE26I	26	1207.57	327.77
NSI-SE27I	27	1250.00	350.00
NSI-SE28I	28	1334.06	362.10
NSI-SE30I	30	1350.00	385.00
NSI-SE32I	32	1400.00	399.00



Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-SE6D	6	268.45	72.87
NSI-SE7D	7	268.45	72.87
NSI-SE8D	8	268.45	72.87
NSI-SE9D	9	286.65	77.81
NSI-SE10D	10	286.65	77.81
NSI-SE11D	11	384.02	104.23
NSI-SE12D	12	384.02	104.23
NSI-SE13D	13	455.00	123.50
NSI-SE14D	14	455.00	123.50
NSI-SE15D	15	542.36	147.21
NSI-SE16D	16	542.36	147.21
NSI-SE17D	17	542.36	147.21
NSI-SE18D	18	664.30	180.31
NSI-SE19D	19	664.30	180.31
NSI-SE20D	20	798.07	216.62
NSI-SE21D	21	798.07	216.62
NSI-SE22D	22	798.07	216.62
NSI-SE23D	23	908.18	246.51
NSI-SE24D	24	908.18	246.51
NSI-SE25D	25	1178.45	319.87
NSI-SE26D	26	1178.45	319.87
NSI-SE27D	27	1200.00	300.00
NSI-SE28D	28	1292.00	350.74
NSI-SE30D	30	1300.00	360.00
NSI-SE32D	32	1335.00	370.00





SINGLE OPEN END SPANNER SET

Code	Size (mm)	Injection	
		AED	(US\$)
NSI-I-SES20I	6-32	12530.00	3401.00

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-D-SES20D	6-32	11893.00	3228.10

SINGLE RING END SPANNER SET

Code	Size (mm)	Injection	
		AED	(US\$)
NSI-I-SR20	6-32	18550.00	5035.00

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-D-SR20	6-32	17780.00	4826.00

SINGLE DEEP OFFSET RING SPANNER SET

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-D-SDR20	6-32	24495.00	6650.00

SINGLE RING END SPANNER

Code	Size (mm)	Injection	
		AED	(US\$)
NSI-SR6I	6	395.85	107.45
NSI-SR7I	7	395.85	107.45
NSI-SR8I	8	395.85	107.45
NSI-SR9I	9	532.35	144.50
NSI-SR10I	10	532.35	144.50
NSI-SR11I	11	707.07	191.92
NSI-SR12I	12	707.07	191.92
NSI-SR13I	13	798.07	216.62
NSI-SR14I	14	798.07	216.62
NSI-SR15I	15	841.75	228.48
NSI-SR16I	16	841.75	228.48
NSI-SR17I	17	841.75	228.48
NSI-SR18I	18	973.70	264.29
NSI-SR19I	19	973.70	264.29
NSI-SR20I	20	1160.25	314.93
NSI-SR21I	21	1160.25	314.93
NSI-SR22I	22	1160.25	314.93
NSI-SR23I	23	1264.90	343.33
NSI-SR24I	24	1264.90	343.33
NSI-SR25I	25	1519.70	412.49
NSI-SR26I	26	1519.70	412.49
NSI-SR27I	27	1519.70	412.49
NSI-SR28I	28	1669.85	453.25
NSI-SR30I	30	1669.85	453.25
NSI-SR32I	32	1983.80	538.46

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-SR6D	6	384.02	104.23
NSI-SR7D	7	384.02	104.23
NSI-SR8D	8	384.02	104.23
NSI-SR9D	9	518.70	140.79
NSI-SR10D	10	518.70	140.79
NSI-SR11D	11	664.30	180.31
NSI-SR12D	12	664.30	180.31
NSI-SR13D	13	755.30	205.01
NSI-SR14D	14	755.30	205.01
NSI-SR15D	15	791.70	214.89
NSI-SR16D	16	791.70	214.89
NSI-SR17D	17	791.70	214.89
NSI-SR18D	18	910.00	247.00
NSI-SR19D	19	910.00	247.00
NSI-SR20D	20	1128.40	306.28
NSI-SR21D	21	1128.40	306.28
NSI-SR22D	22	1128.40	306.28
NSI-SR23D	23	1205.75	327.28
NSI-SR24D	24	1205.75	327.28
NSI-SR25D	25	1474.20	400.14
NSI-SR26D	26	1474.20	400.14
NSI-SR27D	27	1474.20	400.14
NSI-SR28D	28	1606.15	435.96
NSI-SR30D	30	1606.15	435.96
NSI-SR32D	32	1920.10	521.17



SINGLE DEEP OFFSET RING SPANNER



Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-SDR6D	6	700.70	190.19
NSI-SDR7D	7	700.70	190.19
NSI-SDR8D	8	714.35	193.90
NSI-SDR9D	9	714.35	193.90
NSI-SDR10D	10	714.35	193.90
NSI-SDR11D	11	923.65	250.71
NSI-SDR12D	12	973.00	264.10
NSI-SDR13D	13	1001.00	271.70
NSI-SDR14D	14	1043.00	283.10
NSI-SDR15D	15	1110.20	301.34
NSI-SDR16D	16	1110.20	301.34
NSI-SDR17D	17	1176.00	319.20

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-SDR18D	18	1210.30	328.51
NSI-SDR19D	19	1316.00	357.20
NSI-SDR20D	20	1392.30	377.91
NSI-SDR21D	21	1392.30	377.91
NSI-SDR22D	22	1505.00	408.50
NSI-SDR23D	23	1688.05	458.19
NSI-SDR24D	24	1855.00	503.50
NSI-SDR25D	25	2054.78	577.63
NSI-SDR27D	27	2054.50	557.73
NSI-SDR28D	28	2054.78	577.63
NSI-SDR30D	30	2093.00	568.10
NSI-SDR32D	32	2120.30	575.51

HAMMER BALL PEIN



Code	Weight (Gms.)	Dipped	
		AED	(US\$)
NSI-HBP230	230	553.00	150.10
NSI-HBP340	340	693.00	188.10
NSI-HBP450	450	903.00	245.10
NSI-HBP680	680	1246.00	338.20
NSI-HBP910	910	1645.00	446.50
NSI-HBP1130	1130	1953.00	530.10

DE NEERS®

Revolution in Hand Tools

ADJUSTABLE WRENCH



Code	Size (mm)	Injection	
		AED	(US\$)
NSI-AW18I	18x150	1005.55	272.94
NSI-AW24I	24x200	1342.25	364.33
NSI-AW30I	30x250	1683.50	456.95
NSI-AW36I	36x300	2011.10	545.87

SCREW DRIVER ⊖



Code	Blade Size (mm)	Injection	
		AED	(US\$)
NSI-SDF50I	3x50	209.30	56.81
NSI-SDF75I	3x75	283.50	76.95
NSI-SDF75I(4)	4x75	283.50	76.95
NSI-SDF100I	4x100	339.50	92.15
NSI-SDF100I(5)	5x100	339.50	92.15
NSI-SDF125I	6x125	354.90	96.33
NSI-SDF150I	6x150	441.00	119.70
NSI-SDF150I(7)	7x150	441.00	119.70
NSI-SDF200I	8x200	465.50	126.35
NSI-SDF250I	9x250	618.80	167.96

SCREW DRIVER - PHILLIPS PATTERN ⊕



Code	Blade Size (mm)	Injection	
		AED	(US\$)
NSI-SD50PI	PH0 x 50	209.30	56.81
NSI-SD75PI	PH1 x 75	283.50	76.95
NSI-SD100PI	PH1 x 100	339.50	92.15
NSI-SD125PI	PH2 x 125	354.90	96.33
NSI-SD150PI	PH2 x 150	441.00	119.70
NSI-SD200PI	PH3 x 200	465.50	126.35
NSI-SD250PI	PH3 x 250	618.80	167.96

COMBINATION PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
NSI-CP6I	150mm-6	1178.45	319.87
NSI-CP7I	175mm-7	1444.17	391.99
NSI-CP8I	200mm-8	1577.94	428.30

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-CP6D	150mm-6	1132.95	307.52
NSI-CP7D	175mm-7	1401.40	380.38
NSI-CP8D	200mm-8	1535.17	416.69

LONG NOSE PLIER / SNIPE NOSE PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
NSI-LNP6I	150mm-6	1274.00	345.80
NSI-LNP8I	200mm-8	1410.50	382.85

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-LNP6D	150mm-6	1205.75	327.28
NSI-LNP8D	200mm-8	1383.20	375.44

DIAGONAL SIDE CUTTING PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
NSI-SCP6I	150mm-6	1310.40	355.68
NSI-SCP8I	200mm-8	1444.17	391.99

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-SCP6D	150mm-6	1243.06	337.40
NSI-SCP8D	200mm-8	1376.83	373.71

DE NEERS®

Revolution in Hand Tools

WIRE STRIPPER



Code	Size (mm)	Injection	
		AED	(US\$)
NSI-WS7I	170	1715.00	465.50

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-WS7D	170	1647.10	447.07

ROUND NOSE PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
NSI-RNP6I	150mm-6	1376.83	373.71

BENT NOSE PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
NSI-BNP6I	150mm-6	1444.17	391.99

WATER PUMP PLIER (SLIP JOINT)



Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-WPP10D	250	1783.60	484.12

SOCKET 3/8 SQUARE DRIVE

Code	Size (mm)	Injection	
		AED	(US\$)
NSI-B-S8I	8	313.95	85.22
NSI-B-S9I	9	336.70	91.39
NSI-B-S10I	10	459.55	124.74
NSI-B-S11I	11	482.30	130.91
NSI-B-S12I	12	518.70	140.79
NSI-B-S13I	13	542.36	147.21
NSI-B-S14I	14	573.30	155.61
NSI-B-S15I	15	585.13	158.82
NSI-B-S16I	16	597.87	162.28
NSI-B-S17I	17	639.73	173.64
NSI-B-S19I	19	664.30	180.31
NSI-B-S20I	20	682.50	185.25



SOCKET 3/8 SQUARE DRIVE



Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-B-S8D	8	304.85	82.75
NSI-B-S9D	9	332.15	90.16
NSI-B-S10D	10	450.45	122.27
NSI-B-S11D	11	473.20	128.44
NSI-B-S12D	12	509.60	138.32
NSI-B-S13D	13	532.35	144.50
NSI-B-S14D	14	542.36	147.21
NSI-B-S15D	15	560.56	152.15
NSI-B-S16D	16	579.67	157.34
NSI-B-S17D	17	616.07	167.22
NSI-B-S19D	19	639.73	173.64
NSI-B-S20D	20	664.30	180.31

SOCKET 1/2 SQUARE DRIVE



NON
SPARKING
INSULATED

Code	Size (mm)	Injection	
		AED	(US\$)
NSI-N-S10I	10	459.55	124.74
NSI-N-S11I	11	482.30	130.91
NSI-N-S12I	12	514.15	139.56
NSI-N-S13I	13	542.36	147.21
NSI-N-S14I	14	573.30	155.61
NSI-N-S15I	15	603.33	163.76
NSI-N-S16I	16	639.73	173.64
NSI-N-S17I	17	664.30	180.31
NSI-N-S18I	18	682.50	185.25
NSI-N-S19I	19	714.35	193.90
NSI-N-S20I	20	750.75	203.78
NSI-N-S21I	21	768.95	208.72
NSI-N-S22I	22	773.50	209.95
NSI-N-S23I	23	841.75	228.48
NSI-N-S24I	24	910.00	247.00
NSI-N-S25I	25	973.70	264.29
NSI-N-S26I	26	1060.15	287.76
NSI-N-S27I	27	1110.20	301.34
NSI-N-S28I	28	1196.65	324.81
NSI-N-S29I	29	1264.90	343.33
NSI-N-S30I	30	1328.60	360.62
NSI-N-S32I	32	1478.65	401.38

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-N-S10D	10	441.35	119.80
NSI-N-S11D	11	463.19	125.72
NSI-N-S12D	12	495.95	134.62
NSI-N-S13D	13	524.16	142.27
NSI-N-S14D	14	548.73	148.94
NSI-N-S15D	15	585.13	158.82
NSI-N-S16D	16	609.70	165.49
NSI-N-S17D	17	639.73	173.64
NSI-N-S18D	18	659.75	179.08
NSI-N-S19D	19	682.50	185.25
NSI-N-S20D	20	718.90	195.13
NSI-N-S21D	21	732.55	198.84
NSI-N-S22D	22	746.20	202.54
NSI-N-S23D	23	805.35	218.60
NSI-N-S24D	24	864.50	234.65
NSI-N-S25D	25	955.50	259.35
NSI-N-S26D	26	1001.00	271.70
NSI-N-S27D	27	1073.80	291.46
NSI-N-S28D	28	1146.60	311.22
NSI-N-S29D	29	1210.30	328.51
NSI-N-S30D	30	1274.00	345.80
NSI-N-S32D	32	1401.40	380.38

T TYPE SOCKET

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-TTS7D	7	254.80	69.16
NSI-TTS9D	9	282.10	76.57
NSI-TTS11D	11	318.50	86.45
NSI-TTS14D	14	441.35	119.80
NSI-TTS17D	17	509.60	138.32
NSI-TTS19D	19	841.75	228.48



T TYPE WRENCH



Code	Drive	Length (mm)	Injection	
			AED	(US\$)
NSI-B-TTW	3/8	140	791.70	214.89
NSI-N-TTW	1/2	140	1310.40	355.68

EXTENSION BAR

Code	Drive	Length (mm)	Dipped	
			AED	(US\$)
NSI-B-EB3	3/8	75	456.82	123.99
NSI-B-EB6	3/8	150	578.76	157.09
NSI-N-EB5	1/2	125	852.67	231.44
NSI-N-EB10	1/2	250	1178.45	319.87



T-HANDLE



Code	Drive	Length (mm)	Dipped	
			AED	(US\$)
NSI-N-TH10	1/2	250	1337.70	363.09
NSI-B-TH6	3/8	160	873.60	237.12

RATCHET SOCKET WRENCH

Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-RSW14X17D	14x17	2347.80	637.26
NSI-RSW17X19D	17x19	2548.00	691.60
NSI-RSW19X22D	19x22	2616.25	710.13
NSI-RSW22X24D	22x24	2748.20	745.94



ALLEN KEY HEX



Code	Size (mm)	Dipped	
		AED	(US\$)
NSI-AK3D	3	518.70	140.79
NSI-AK4D	4	536.90	145.73
NSI-AK5D	5	564.20	153.14
NSI-AK6D	6	582.40	158.08
NSI-AK8D	8	641.55	174.14
NSI-AK10D	10	709.80	192.66
NSI-AK12D	12	841.75	228.48

RATCHET HANDLE

Code	Drive	Dipped	
		AED	(US\$)
NSI-N-RR	1/2	2030.00	551.00



L-HANDLE / OFFSET HANDLE



Code	Drive	Length (mm)	Dipped	
			AED	(US\$)
NSI-B-LH8	3/8	200	841.75	228.48
NSI-N-LH10	1/2	230	978.25	265.53

NON SPARKING INSULATED TOOLS SET 25 PCS



Code	TOOLS	DESCRIPTION	AED	(US\$)
NSI-TS25	SINGLE OPEN END SPANNER	10, 11, 12, 13, 14, 17 & 19mm	18620.00	5054.00
	COMBINATION PLIER	8/200mm		
	SIDE CUTTING PLIER	6/150mm		
	SCREW DRIVER	3x50, 4x100 & 5x100mm		
	SCREW DRIVER PHILIPS	#0x50, #1x75, #2x150 & #1x100mm		
	SOCKET 1/2	10, 11, 12, 13, 14, 17 & 19mm		
	T TYPE WRENCH	1/2 Drive		
	TOOL BOX (L x W x H)	400x290x90mm		

DE NEERS®

Best Ever Tools

STAINLESS STEEL TOOLS

Austenitic Stainless Steel is the largest family of Stainless Steels. The best known grade of Austenitic Stainless Steel is Type 304, for its austenitic micro structure exclusively by Nickel & Chromium alloying. It is less electrically & thermally conductive than Carbon Steel & is essentially Non Magnetic. It has Higher Corrosion resistance than regular steel.

USED IN :-

- ➡ CONSTRUCTION INDUSTRIES
- ➡ FOOD INDUSTRIES
- ➡ AIRCRAFTS
- ➡ MEDICAL DEVICES
- ➡ PHARMACEUTICAL INDUSTRIES, ETC.



Chemical Composition, Mechanical & Physical Properties of Stainless Steel Anti Magnetic Tools (304QF) ANTIMAGNETIC

	Parameters	Stainless Steel Tools
Chemical Properties	Min.%	C: ≤0.08%
	Max.%	Si: ≤0.85%
		Mn: ≤1.8%
		Cr: 18-20%
		Ni: 8.0-10.5%
		S: ≤0.03%
		P: ≤0.045%
		N: ≤0.2%
Physical Properties	Density	7.93g/cm ³
	Weight	<30nT
	Magnetic Conductivity	1398-1454
	Melting Point (°C)	HV 235-351
	Hardness	δ ≥40%
Mechanical Properties	Yield Strength	σ _{0.2} (MPa)=205MPa
	Tensile Strength	σ _b =520 MPa
	Reduction of Area	ψ=60%

Chemical Composition, Mechanical & Physical Properties of Stainless Steel Magnetic Tools (420QF) MAGNETIC

	Parameters	Stainless Steel Tools
Chemical Properties	Min.%	C : 0.16%-0.25%
	Max.%	Si : ≤1.00%
		Mn : ≤1.00%
		Cr : 12.0%-14.0%
		Ni : 0.6%
		S : ≤0.03%
		P : ≤0.04%
Physical Properties	Density	7.75 g/cm ³
	Weight	δ ≥20%
	Magnetic Properties	1427
Mechanical Properties	Melting Point (°C)	
	Hardness	HV 235-351
	Yield Strength	σ _{0.2} (MPa)=440MPa
	Tensile Strength	σ _b =365 MPa
	Reduction of Area	ψ=50%

www.deneerstools.com

DOUBLE OPEN END SPANNER



Code	Size (mm)	AED	(US\$)
SS-DE6x7	6x7	112.00	30.40
SS-DE8x9	8x9	124.67	33.84
SS-DE10x11	10x11	136.50	37.05
SS-DE12x13	12x13	180.18	48.91
SS-DE14x15	14x15	233.86	60.76
SS-DE16x17	16x17	242.06	65.70
SS-DE18x19	18x19	341.25	92.63
SS-DE19x22	19x22	391.30	106.21
SS-DE20x22	20x22	404.04	109.67
SS-DE21x23	21x23	434.98	118.07
SS-DE21x26	21x26	491.40	133.38
SS-DE22x24	22x24	527.80	143.26
SS-DE24x27	24x27	658.00	178.60
SS-DE25x28	25x28	714.35	193.90
SS-DE27x30	27x30	875.42	237.61
SS-DE30x32	30x32	987.35	268.00
SS-DE32x34	32x34	1082.90	293.93
SS-DE32x36	32x36	1119.30	303.81
SS-DE34x36	34x36	1173.90	319.00
SS-DE36x38	36x38	1283.10	350.00
SS-DE36x41	36x41	1319.50	370.00
SS-DE41x46	41x46	1719.90	468.00
SS-DESET 12/12M	SET OF 12 PCS (6x7 - 30x32mm) (Pouch Packing)	4585.00	1244.50

RING SPANNER



Code	Size (mm)	AED	(US\$)
SS-RS6x7	6x7	111.93	30.38
SS-RS8x9	8x9	136.50	37.05
SS-RS10x11	10x11	155.61	42.24
SS-RS12x13	12x13	192.92	52.36
SS-RS14x15	14x15	248.43	67.43
SS-RS16x17	16x17	285.74	77.56
SS-RS18x19	18x19	332.15	90.16
SS-RS19x22	19x22	409.50	111.15
SS-RS20x22	20x22	422.24	114.61
SS-RS21x23	21x23	434.98	118.07
SS-RS21x26	21x26	500.50	135.85
SS-RS22x24	22x24	527.80	143.26
SS-RS24x27	24x27	664.30	180.31
SS-RS25x28	25x28	714.35	193.90
SS-RS27x30	27x30	891.80	242.06
SS-RS30x32	30x32	987.35	268.00
SS-RS32x34	32x34	1210.30	328.51
SS-RS32x36	32x36	1292.20	350.74
SS-RS34x36	34x36	1355.90	368.03
SS-RS36x41	36x41	1865.50	506.35
SS-RS41x46	41x46	2566.20	696.54
SS-RSSET13/12M	SET OF 12 PCS (6x7 - 30x32mm) (Pouch Packing)	4725.00	1282.50

COMBINATION SPANNER



Code	Size (mm)	AED	(US\$)
SS-CS6	6	161.07	43.72
SS-CS7	7	180.18	48.91
SS-CS8	8	204.75	55.58
SS-CS9	9	235.69	63.97
SS-CS10	10	248.43	67.43
SS-CS11	11	266.63	72.37
SS-CS12	12	292.11	79.29
SS-CS13	13	298.48	81.02
SS-CS14	14	310.31	84.23
SS-CS15	15	335.79	91.14
SS-CS16	16	353.99	96.08
SS-CS17	17	366.73	99.54
SS-CS18	18	378.56	102.75
SS-CS19	19	384.93	104.48
SS-CS20	20	404.04	109.67
SS-CS21	21	453.18	123.01
SS-CS22	22	472.29	128.19
SS-CS23	23	515.06	139.80
SS-CS24	24	546.91	148.45
SS-CS25	25	621.53	168.70
SS-CS26	26	683.41	185.50
SS-CS27	27	807.17	219.09
SS-CS28	28	931.84	252.93
SS-CS30	30	1047.41	284.30
SS-CS32	32	1061.97	288.25
SS-CS34	34	1229.41	333.70
SS-CS36	36	1466.01	397.92
SS-CS38	38	1565.20	424.84
SS-CS41	41	1844.57	500.97
SS-CS46	46	2154.88	584.90
SS-CS50	50	2310.49	627.13
SS-CS55	55	2521.61	684.44
SS-CS60	60	2732.73	741.74
SS-CS65	65	3005.73	815.84
SS-CSSET14/12M	SET OF 12 PCS (6-14,17,19,22mm) (Pouch Packing)	3493.00	948.10

CONSTRUCTION SINGLE RING WRENCH



Code	Size (mm)	AED	(US\$)
SS-CSRW14	14	453.18	123.01
SS-CSRW17	17	490.49	133.13
SS-CSRW19	19	540.54	146.72
SS-CSRW22	22	652.48	177.10
SS-CSRW24	24	738.92	200.56
SS-CSRW27	27	931.84	252.93
SS-CSRW30	30	1018.29	276.39
SS-CSRW32	32	1081.08	293.44
SS-CSRW36	36	1477.84	401.13
SS-CSRW41	41	1782.69	483.87
SS-CSRW46	46	1969.24	534.51
SS-CSRW50	50	2391.48	649.12

CONSTRUCTION SINGLE OPEN WRENCH WITH PIN



Code	Size (mm)	AED	(US\$)
SS-CSOW17	17	323.05	87.69
SS-CSOW19	19	373.10	101.27
SS-CSOW22	22	434.98	118.07
SS-CSOW24	24	490.49	133.13
SS-CSOW27	27	589.68	160.06
SS-CSOW30	30	664.30	180.31
SS-CSOW32	32	800.80	217.36
SS-CSOW36	36	863.59	234.40
SS-CSOW41	41	1173.90	318.63
SS-CSOW46	46	1285.83	349.01

SINGLE END SPANNER



Code	Size (mm)	AED	(US\$)
SS-SE8	8	154.70	41.99
SS-SE10	10	172.90	46.93
SS-SE12	12	209.30	56.81
SS-SE14	14	245.70	66.69
SS-SE17	17	309.40	83.98
SS-SE19	19	382.20	103.74
SS-SE22	22	445.90	121.03
SS-SE24	24	509.60	138.32

Code	Size (mm)	AED	(US\$)
SS-SE27	27	573.30	155.61
SS-SE30	30	618.80	167.96
SS-SE32	32	682.50	185.25
SS-SE34	34	728.00	197.60
SS-SE36	36	746.20	202.54
SS-SE38	38	784.00	212.80
SS-SE41	41	819.00	222.30
SS-SE46	46	1019.20	276.64

SINGLE RING SPANNER



Code	Size (mm)	AED	(US\$)
SS-SRS8	8	211.12	57.30
SS-SRS10	10	298.48	81.02
SS-SRS12	12	373.10	101.27
SS-SRS14	14	434.98	118.07
SS-SRS17	17	453.18	123.01
SS-SRS19	19	515.06	139.80
SS-SRS22	22	639.73	173.64
SS-SRS24	24	683.41	185.50
SS-SRS27	27	838.11	227.49

Code	Size (mm)	AED	(US\$)
SS-SRS30	30	894.53	242.80
SS-SRS32	32	1074.71	291.71
SS-SRS36	36	1334.97	362.35
SS-SRS41	41	1428.70	387.79
SS-SRS46	46	1670.76	453.49
SS-SRS50	50	2018.38	547.85
SS-SRS55	55	2117.57	574.77
SS-SRS60	60	2310.49	627.13
SS-SRS65	65	2620.80	711.36

SLOGGING OPEN END SPANNER



Code	Size (mm)	AED	(US\$)
SS-SO17	17	300.30	81.51
SS-SO19	19	318.50	86.45
SS-SO22	22	336.70	91.39
SS-SO24	24	382.20	103.74
SS-SO27	27	455.00	123.50
SS-SO30	30	555.10	150.67
SS-SO32	32	655.20	177.84

Code	Size (mm)	AED	(US\$)
SS-SO36	36	800.80	217.36
SS-SO41	41	1001.00	271.70
SS-SO46	46	1137.50	308.75
SS-SO50	50	1274.00	345.80
SS-SO55	55	1501.50	407.55
SS-SO60	60	1810.90	491.53
SS-SO65	65	2174.90	590.33

SLOGGING RING SPANNER



Code	Size (mm)	AED	(US\$)
SS-SR17	17	318.50	86.45
SS-SR19	19	336.70	91.39
SS-SR22	22	364.00	98.80
SS-SR24	24	436.80	118.56
SS-SR27	27	455.00	123.50
SS-SR30	30	573.30	155.61
SS-SR32	32	618.80	167.96
SS-SR34	34	682.50	185.25
SS-SR36	36	746.20	202.54
SS-SR38	38	882.70	239.59

Code	Size (mm)	AED	(US\$)
SS-SR41	41	1082.90	293.93
SS-SR46	46	1237.60	335.92
SS-SR50	50	1410.50	382.85
SS-SR55	55	1710.80	464.36
SS-SR60	60	1810.90	491.53
SS-SR65	65	1947.40	528.58
SS-SR70	70	2138.50	580.45
SS-SR75	75	2447.90	664.43
SS-SR80	80	2739.10	743.47

SCREW DRIVER SLOTTED ⊖

Code	Blade Size (mm)	AED	(US\$)
SS-SD3 x 50	3 x 50	118.30	32.11
SS-SD3 x 75	3 x 75	145.60	39.52
SS-SD4 x 75	4 x 75	145.60	39.52
SS-SD4 x 100	4 x 100	154.70	41.99
SS-SD6 x 125	6 x 125	172.90	46.93
SS-SD6 x 150	6 x 150	218.40	59.28
SS-SD8 x 200	8 x 200	245.70	66.69
SS-SD9 x 250	9 x 250	345.80	93.86
SS-SD10 x 300	10 x 300	418.60	113.62
SS-SD11 x 350	11 x 350	509.60	138.32
SS-SD12 x 400	12 x 400	600.60	163.02



SCREW DRIVER - PHILIPS ⊕

Code	Blade Size (mm)	AED	(US\$)
SS-SDP 0 x 50	PH0 x 50	118.30	32.11
SS-SDP 1 x 75	PH1 x 75	145.60	39.52
SS-SDP 1 x 100	PH1 x 100	154.70	41.99
SS-SDP 2 x125	PH2 x125	172.90	46.93
SS-SDP 2 x 150	PH2 x 150	218.40	59.28
SS-SDP 3 x 200	PH3 x 200	245.70	66.69
SS-SDP 3 x 250	PH3 x 250	345.80	93.86
SS-SDP 4 x 300	PH4 x 300	418.60	113.62
SS-SDP 4 x 350	PH4 x 350	509.60	138.32
SS-SDP 4 x 400	PH4 x 400	600.60	163.02
SS-SDP 4 x 450	PH4 x 450	627.90	170.43



NUT DRIVER (HEX)

Code	Size (mm)	AED	(US\$)
SS-NDH6	6	490.49	133.13
SS-NDH8	8	509.60	138.32
SS-NDH10	10	515.06	139.80
SS-NDH12	12	584.22	158.57
SS-NDH14	14	615.16	166.97
SS-NDH17	17	677.04	183.77
SS-NDH19	19	738.92	200.56
SS-NDH22	22	800.80	217.36



ADJUSTABLE WRENCH



Code	Size (mm)	AED	(US\$)
SS-AW4	100 x 13	436.80	118.56
SS-AW6	150 x 18	555.10	150.67
SS-AW8	200 x 24	746.20	202.54
SS-AW10	250 x 30	910.00	247.00
SS-AW12	300 x 36	1173.90	318.63
SS-AW15	375 x 46	1783.60	484.12
SS-AW18	450 x 55	2275.00	617.50
SS-AW24	600 x 65	4004.00	1086.80

PIPE WRENCH



Code	Size (mm)	AED	(US\$)
SS-PW8	200 x 25	800.80	217.36
SS-PW10	250 x 30	1001.00	271.70
SS-PW12	300 x 40	1274.00	345.80
SS-PW14	350 x 50	1510.60	410.02
SS-PW18	450 x 60	2520.70	684.19
SS-PW24	600 x 75	3630.90	985.53
SS-PW36	900 x 85	5541.90	1504.23
SS-PW48	1200 x 110	8626.80	2341.56

HOOK WRENCH



Code	Size (mm)	AED	(US\$)
SS-HW30-32	30-32	373.10	101.27
SS-HW34-36	34-36	472.29	128.19
SS-HW45-50	45-50	652.47	177.10
SS-HW52-55	52-55	738.92	200.56
SS-HW68-75	68-75	832.65	226.01
SS-HW95-100	95-100	1081.08	293.44
SS-HW110-115	110-115	1173.90	318.63
SS-HW135-145	135-145	1503.32	408.04

HOOK WRENCH (ADJUSTABLE)

Code	Size (mm)	AED	(US\$)
SS-HW 20-35A	20-35 Adj.	677.04	183.77
SS-HW 30-60A	35-60 Adj.	776.23	210.69
SS-HW 60-90A	60-90 Adj.	1173.90	318.63
SS-HW 90-155A	90-155 Adj.	1906.45	517.47
SS-HW 155-230A	155-230 Adj.	3036.67	824.24

CHAIN PIPE WRENCH



Code	Size (mm)	Length (mm)	AED	(US\$)
SS-CPW4	100	600	4167.80	1131.26
SS-CPW8	200	600	5396.30	1464.71
SS-CPW12	300	900	7856.94	2132.60
SS-CPW16	400	900	9086.35	2466.30

COMBINATION PLIER

Code	Size (mm)	AED	(US\$)
SS-CP6	150mm-6	655.20	177.84
SS-CP7	175mm-7	800.80	217.36
SS-CP8	200mm-8	873.60	237.12
SS-CP10	250mm-10	1082.90	293.93

DIAGONAL SIDE CUTTING PLIER

Code	Size (mm)	AED	(US\$)
SS-SCP6	150mm-6	718.90	195.13
SS-SCP8	200mm-8	800.80	217.36

LONG NOSE PLIER / SNIPE NOSE PLIER

Code	Size (mm)	AED	(US\$)
SS-LN6	150mm-6	700.70	190.19
SS-LN8	200mm-8	800.80	217.36

WATER PUMP PLIER (SLIP JOINT)



Code	Size (mm)	AED	(US\$)
SS-WP8	200mm-8	809.90	219.83
SS-WP10	250mm-10	987.35	268.00
SS-WP12	300mm-12	1503.32	408.04

GRIP LOCK PLIER



Code	Size (mm)	AED	(US\$)
SS-VG	225mm-9	1266.72	343.82

PINCER



Code	Size (mm)	AED	(US\$)
SS-PN7	175mm-7	928.20	251.94

ALLEN KEY (HEX) (MM)



Code	Size (mm)	AED	(US\$)
SS-AK1.5	1.5	172.90	46.93
SS-AK2	2	200.20	54.34
SS-AK2.5	2.5	209.30	56.81
SS-AK3	3	213.85	58.05
SS-AK4	4	218.40	59.28
SS-AK5	5	222.95	60.52
SS-AK6	6	227.50	61.75
SS-AK7	7	245.70	66.69
SS-AK8	8	254.80	69.16
SS-AK9	9	291.20	79.04
SS-AK10	10	300.30	81.51
SS-AK11	11	323.05	87.69
SS-AK12	12	373.10	101.27
SS-AK13	13	404.04	109.67
SS-AK14	14	490.49	133.13
SS-AK15	15	503.23	136.59
SS-AK16	16	558.74	151.66
SS-AK17	17	589.68	160.06
SS-AK18	18	621.53	168.70
SS-AK19	19	677.04	183.77
SS-AK21	21	714.35	193.90
SS-AK22	22	776.23	210.69
SS-AK24	24	894.53	242.80
SS-AK25	25	943.67	256.14
SS-AK26	26	987.35	268.00
SS-AK27	27	1037.40	281.58
SS-AK30	30	1266.72	343.82
SS-AK32	32	1571.57	426.57
SS-AKSET9M	1.5 -10mm (9 Pcs Set) (Pouch Packing)	2093.00	568.10



Revolution in Hand Tools

ALLEN KEY (HEX) (SAE)



Code	Size (Sae)	AED	(US\$)
SS-AK1/16	1/16	441.00	119.70
SS-AK5/64	5/64	448.00	121.60
SS-AK3/32	3/32	455.00	123.50
SS-AK1/8	1/8	490.00	133.00
SS-AK5/32	5/32	497.00	134.90
SS-AK3/16	3/16	504.00	136.80
SS-AK7/32	7/32	518.00	140.60
SS-AK1/4	1/4	595.00	161.50
SS-AK5/16	5/16	616.00	167.20
SS-AK3/8	3/8	693.00	188.10

ALLEN KEY (HEX) SET (SAE)



Code	Size (Sae)	AED	(US\$)
SS-AKSET10A	1/16 - 3/8A (10 Pcs Set) (Pouch Packing)	5285.00	1434.50

T TYPE ALLEN KEY



Code	Size (mm)	AED	(US\$)
SS-AKT1.5	1.5	404.04	109.67
SS-AKT2	2	415.87	112.88
SS-AKT2.5	2.5	422.24	114.61
SS-AKT3	3	434.98	118.07
SS-AKT4	4	441.35	119.80
SS-AKT5	5	459.55	124.74
SS-AKT6	6	490.49	133.13
SS-AKT8	8	527.80	143.26
SS-AKT10	10	564.20	153.14

ALLEN KEY HEX WITH INK BALL END



Code	Size (mm)	AED	(US\$)
SS-AKIBE2	2	235.69	63.97
SS-AKIBE3	3	248.43	67.43
SS-AKIBE4	4	254.80	69.16
SS-AKIBE5	5	261.17	70.89
SS-AKIBE6	6	266.70	72.37
SS-AKIBE7	7	298.48	81.02

Code	Size (mm)	AED	(US\$)
SS-AKIBE8	8	303.94	82.50
SS-AKIBE9	9	323.05	87.69
SS-AKIBE10	10	347.62	94.35
SS-AKIBE11	11	373.10	101.27
SS-AKIBE12	12	434.98	118.07
SS-AKIBE14	14	546.00	148.20

HAMMER BALL PEIN



Code	Weight (Gms)	AED	(US\$)
SS-HB230	230	204.75	55.58
SS-HB340	340	309.40	83.98
SS-HB450	450	391.30	106.21
SS-HB680	680	600.60	163.02
SS-HB910	910	800.80	217.36
SS-HB1130	1130	955.50	259.35

SLEDGE HAMMER



Code	Weight (Gms)	AED	(US\$)
SS-SH4	450	364.00	98.80
SS-SH10	1000	746.20	202.54
SS-SH14	1400	1055.60	286.52
SS-SH15	1500	1128.40	306.28
SS-SH18	1800	1319.50	358.15
SS-SH20	2000	1446.90	392.23
SS-SH22	2200	1592.50	432.25
SS-SH25	2500	1810.90	491.53
SS-SH30	3000	2350.00	640.00



Revolution in Hand Tools

CLAW HAMMER



Code	Weight (Gms)	AED	(US\$)
SS-CH2	230	273.00	74.10
SS-CH4	450	404.04	109.67
SS-CH6	680	577.85	156.85


NYLON HAMMER



Code	Weight (Gms)	AED	(US\$)
SS-NH150	150	552.37	149.93
SS-NH250	250	776.23	210.69
SS-NH350	350	955.50	259.35
SS-NH500	500	1228.50	333.45
SS-NH1000	1000	2086.63	566.37

HACKSAW FRAME

Code	Size (mm)	AED	(US\$)
SS-HF	500mm	955.50	259.35



SHOVEL



Code	Size	AED	(US\$)
SS-SHOVEL(S)	270x175x1400mm (Square)	1472.38	399.65
SS-SHOVEL(R)	418x240x1450mm (Round)	1950.13	529.32

PUTTY SCRAPER

Code	Size (mm)	AED	(US\$)
SS-PS25x200	25x200	242.06	65.70
SS-PS50x200	50x200	341.25	92.63
SS-PS65x200	65x200	434.98	118.07



WEDGE FLANGE



Code	Size (mm)	AED	(US\$)
SS-WF100	100x50 (10-0)	161.07	43.72
SS-WF150	150x25 (13-0)	329.42	89.41
SS-WF200	200x40 (40-0)	1037.40	281.58
SS-WF250	250x40 (30-0)	1037.40	281.58
SS-WF300	300x50 (40-0)	1925.56	522.65

SOCKET 3/8 SQUARE DRIVE

Code	Size (mm)	AED	(US\$)
SS-B-S5	5	130.13	35.32
SS-B-S6	6	155.61	42.24
SS-B-S7	7	161.07	43.72
SS-B-S8	8	167.44	45.45
SS-B-S9	9	186.55	50.64
SS-B-S10	10	248.43	67.43
SS-B-S11	11	266.63	72.37
SS-B-S12	12	285.74	77.56
SS-B-S13	13	303.94	82.50
SS-B-S14	14	309.40	83.98
SS-B-S15	15	323.05	87.69
SS-B-S16	16	329.42	89.41
SS-B-S17	17	341.25	92.63
SS-B-S19	19	354.90	96.33
SS-B-S20	20	373.10	101.27



SOCKET 1/2 SQUARE DRIVE

Code	Size (mm)	AED	(US\$)
SS-N-S6	6	198.38	53.85
SS-N-S7	7	204.75	55.58
SS-N-S8	8	223.86	60.76
SS-N-S9	9	236.60	64.22
SS-N-S10	10	248.43	67.43
SS-N-S11	11	261.17	70.89
SS-N-S12	12	285.74	77.56
SS-N-S13	13	298.48	81.02
SS-N-S14	14	309.40	83.98
SS-N-S15	15	329.42	89.41
SS-N-S16	16	341.25	92.63
SS-N-S17	17	360.36	97.81
SS-N-S18	18	373.10	101.27
SS-N-S19	19	384.93	104.48
SS-N-S20	20	404.04	109.67
SS-N-S21	21	409.50	111.15
SS-N-S22	22	409.50	111.15
SS-N-S23	23	459.55	124.74
SS-N-S24	24	496.86	134.86
SS-N-S25	25	527.80	143.26
SS-N-S26	26	571.48	155.12
SS-N-S27	27	615.16	166.97
SS-N-S28	28	639.73	173.64
SS-N-S29	29	677.04	183.77
SS-N-S30	30	720.72	195.62
SS-N-S32	32	807.17	219.09



SOCKET 3/4 SQUARE DRIVE

Code	Size (mm)	AED	(US\$)
SS-C-S17	17	441.35	119.80
SS-C-S19	19	446.81	121.28
SS-C-S21	21	496.86	134.86
SS-C-S22	22	503.23	136.59
SS-C-S24	24	558.74	151.66
SS-C-S26	26	652.47	177.10
SS-C-S27	27	695.27	188.71
SS-C-S29	29	763.49	207.23
SS-C-S30	30	813.54	220.82
SS-C-S32	32	910.00	247.00
SS-C-S34	34	987.35	268.00
SS-C-S36	36	1049.23	284.79
SS-C-S38	38	1130.22	306.77
SS-C-S41	41	1228.50	333.45
SS-C-S46	46	1465.10	397.67
SS-C-S50	50	1608.88	436.70



1/2 DRIVE SOCKET SET- 13 Pcs.

Code	Contents	AED	(US\$)
SS-SS13M	Sockets : 10 Numbers: 8, 10, 11, 12, 14, 17, 19, 22, 24, 27mm Ratchet Wrench 245 mm Swivel Handle 250 mm Socket Box	6930.00	1881.00

1/2 DRIVE SOCKET SET- 17 Pcs.

Code	Contents	AED	(US\$)
SS-SS17M	Sockets : 11 Numbers: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32 mm Ratchet Wrench 245 mm Sliding T-Handle 250 mm Speed Brace 400 mm Driver Extension 125 mm & 250 mm Socket Box	10465.00	2840.50

1/2 DRIVE SOCKET SET- 25 Pcs.

Code	Contents	AED	(US\$)
SS-SS25M	Sockets : 18 Numbers: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm Ratchet Wrench 245 mm Sliding T-Handle 250 mm Speed Brace 400 mm Driver Extension 125 mm & 250 mm Universal Joint 80 mm Socket Box	14105.00	3828.50



EXTENSION BAR

Code	Drive	Length (mm)	AED	(US\$)
SS-B-EB3	3/8	75	279.37	75.83
SS-N-EB5	1/2	125	521.43	141.53
SS-N-EB10	1/2	250	700.70	190.19
SS-C-EB8	3/4	200	987.35	268.00



SLIDING T HANDLE



Code	Drive	Length (mm)	AED	(US\$)
SS-N-TH10	1/2	250	738.92	200.56
SS-C-TH14	3/4	350	1130.22	306.77
SS-C-TH16	3/4	400	1365.00	370.50
SS-D-TH16	1	400	1608.88	436.70

SWIVEL HANDLE / HINGED HANDLE

Code	Drive	Length (mm)	AED	(US\$)
SS-B-WS190	3/8	190	391.30	106.21
SS-N-WS250	1/2	250	540.54	146.72
SS-N-WS400	1/2	400	950.04	257.87
SS-C-WS286	3/4	286	987.35	268.00
SS-D-WS304	1	304	1403.22	380.87



RATCHET WRENCH



Code	Drive	Length (mm)	AED	(US\$)
SS-B-RR200	3/8	200	677.95	184.02
SS-N-RR245	1/2	245	1081.08	293.44
SS-C-RR320	3/4	320	2154.88	584.90
SS-D-RR550	1	550	3862.95	1048.52

UNIVERSAL JOINT

Code	Drive	Length (mm)	AED	(US\$)
SS-N-UJ	1/2	80	446.81	121.28
SS-C-UJ	3/4	110	1081.08	293.44
SS-D-UJ	1	132	2184.00	592.80



SPEED BRACE



Code	Drive	Length (mm)	AED	(US\$)
SS-B-SB300	3/8	300	677.95	184.02
SS-N-SB390	1/2	390	800.80	217.36

L-HANDLE / OFFSET HANDLE

Code	Drive	Length (mm)	AED	(US\$)
SS-B-LH200	3/8	200	491.40	133.38
SS-N-LH230	1/2	230	552.37	149.93
SS-C-LH280	3/4	280	1000.09	271.45



BUNG WRENCH



Code	Size (mm)	AED	(US\$)
SS-BW385	385	1228.50	333.45

SHEAR SCISSOR

Code	Size (mm)	AED	(US\$)
SS-SSC120	120	955.50	259.35
SS-SSC140	140	1019.20	276.64
SS-SSC160	160	1105.65	300.11
SS-SSC180	180	1205.75	327.28
SS-SSC200	200	1260.35	342.10



KNIFE



Code	Size (mm)	AED	(US\$)
SS-KNIFE190	80x190 (Small)	465.92	126.46
SS-KNIFE250	137x250 (Big)	558.74	151.66

TWEEZER (FLAT NOSE)

Code	Size (mm)	AED	(US\$)
SS-TWR150	150	309.40	83.98
SS-TWR200	200	496.86	134.86



ROTARY PUMP

Code	Size (mm)	AED	(US\$)
SS-ROP	100	2450.00	665.00

CHISEL



Code	Size (mm)	AED	(US\$)
SS-CSL160x14	160x14	204.75	55.58
SS-CSL160x16	160x16	227.50	61.75
SS-CSL160x18	160x18	263.90	71.63
SS-CSL200x18	200x18	327.60	88.92
SS-CSL200x20	200x20	409.50	111.15
SS-CSL250x24	250x24	682.50	185.25
SS-CSL300x24	300x24	864.50	234.65
SS-CSL300x25	300x25	1082.90	293.93
SS-CSL400x25	400x25	1228.50	333.45
SS-CSL500x25	500x25	1547.00	419.90
SS-CSL500x30	500x30	2229.50	605.15

C-CLAMP



Code	Size (mm)	AED	(US\$)
SS-CLP50	50	1521.52	412.98
SS-CLP75	75	1708.07	463.62
SS-CLP100	100	2030.00	550.00
SS-CLP150	150	2701.79	735.00
SS-CLP200	200	3291.47	893.40
SS-CLP250	250	3882.06	1053.70
SS-CLP300	300	4277.00	1160.90

FLAT FILE (HEAVY DUTY)

Code	Size	AED	(US\$)
SS-FF200	200mm	745.00	203.00
SS-FF250	250mm	888.00	244.00



TRIANGLE FILE



Code	Size	AED	(US\$)
SS-TF200	200mm	745.00	203.00
SS-TF250	250mm	888.00	244.00

HALF ROUND FILE

Code	Size	AED	(US\$)
SS-HRF200	200mm	745.00	203.00
SS-HRF250	250mm	888.00	244.00



ROUND FILE



Code	Size	AED	(US\$)
SS-RF200	200mm	745.00	203.00
SS-RF250	250mm	888.00	244.00

STAINLESS STEEL TOOLS SET (27 PCS)

Code	TOOLS	DESCRIPTION	AED	(US\$)
SS-TS27	ALLEN KEY	5 & 6mm	13650.00	3705.00
	REVERSIBLE RATCHET	1/2 DRIVE		
	SOCKET (1/2 Drive)	12, 14 & 16mm		
	COMBINATION SPANNER	13mm		
	RING SPANNER	12x13mm		
	SCREWDRIVER	5x100 & 8x150mm		
	SCREWDRIVER PHILIPS	PH 100, 150, 250mm		
	SLIDING T HANDLE	1/2 Drive (12.7mm)		
	SIDE CUTTING PLIER	150mm		
	LONG NOSE PLIER	150mm		
	PIPE WRENCH	350mm		
	CHISEL	18x200mm		
	SLOGGING OPEN SPANNER	36mm		
	SLOGGING RING SPANNER	36mm		
	COMBINATION PLIER	200mm		
	SLEDGE HAMMER	1000 Gms		
	ADJUSTABLE WRENCH	250mm		
	SINGLE END SPANNER	24mm		
	WATER PUMP PLIER	250mm		
	DOUBLE END SPANNER	12x13mm		
	TOOL BOX			



TOOL BOX WITH COMPARTMENTS ANTIMAGNETIC



**SS
304**

» Easy to Handle

» Convenient to Move

Code	Set No.	Weight in Gms	AED	(US\$)
SS-TB19-3	475mm = 3 Trays	3800	693.00	188.10
SS-TB21-5	525mm = 5 Trays	5900	805.00	218.50



DE NEERS®

Revolution in Hand Tools

INSULATED STEEL TOOLS

Insulated Steel Tools belongs to the Safety protection product and can work normally under 1000 Volts. It is widely used in power facilities, precision instruments, electronic instruments, electric utensils, automatic switches and other Installation and Maintenance work which can achieve the ideal effect of Safety, comfort, dexterity and durability. Insulated tools are used by electricians to protect and reduce electrical related incidents such as: electrocution, arc flash, and arc blasts.

**MANUFACTURED
TO IEC 60900 STANDARD**

**Stands normally
under 1000 V**



www.deneerstools.com



/DeNeersTools

DE NEERS®

Revolution in Hand Tools

INSULATED STEEL TOOLS

INJECTION MOULDED SLEEVES



△ 1000V

- Manufactured according to IEC 60900 Standard

DIPPED INSULATED SLEEVES



△ 1000V

- Manufactured according to IEC 60900 Standard

Quality Assurance

Flame Retardant

After 10 Seconds of exposure to flame, the insulation prove not to be easily inflammable.

Adhesion Test

After being exposed to temp. of +70 C, the handle must not be dropped within 3 minutes after a pull of 500N

High Voltage Test

Every Sleeve of DE NEERS Pliers in the VDE category is tested individually at 10,000 volts and is confirmed for under 1000 volts according to IEC 60900 Standard

Pressure Test

After being subjected to a pressure of 20N, a temperature of +70°C and current at 5,000 volts for 3 minutes, no pressure marks of lift-off must appear on the insulation

High & Low Temperature test oven

The temperature range :
+70°C-40°C

Cold Shock Test

After being exposed to a temp. of -25°C for 2 hours, the insulation does not show any cracks or other damage when struck sharply.

SINGLE OPEN END SPANNER

INSULATED
STEEL
TOOLS

Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-S/E 6	6	114.73	31.14
IST-I-S/E 7	7	114.73	31.14
IST-I-S/E 8	8	119.35	32.40
IST-I-S/E 9	9	119.35	32.40
IST-I-S/E10	10	123.20	33.44
IST-I-S/E11	11	127.05	34.49
IST-I-S/E12	12	127.05	34.49
IST-I-S/E13	13	134.75	36.58
IST-I-S/E14	14	134.75	36.58
IST-I-S/E15	15	142.45	38.67
IST-I-S/E16	16	142.45	38.67
IST-I-S/E17	17	142.45	38.67
IST-I-S/E18	18	166.32	45.14
IST-I-S/E19	19	166.32	45.14
IST-I-S/E20	20	202.51	54.97
IST-I-S/E21	21	202.51	54.97
IST-I-S/E22	22	210.21	57.06
IST-I-S/E23	23	261.80	71.06
IST-I-S/E24	24	261.80	71.06
IST-I-S/E25	25	341.11	92.59
IST-I-S/E26	26	348.04	94.47
IST-I-S/E27	27	357.28	96.98
IST-I-S/E28	28	420.42	114.11
IST-I-S/E30	30	420.42	114.11
IST-I-S/E32	32	420.42	114.11



Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-S/E 6	6	83.16	22.57
IST-D-S/E 7	7	83.16	22.57
IST-D-S/E 8	8	87.01	23.62
IST-D-S/E 9	9	87.01	23.62
IST-D-S/E 10	10	90.86	24.66
IST-D-S/E 11	11	90.86	24.66
IST-D-S/E 12	12	95.48	25.92
IST-D-S/E 13	13	99.33	26.96
IST-D-S/E 14	14	99.33	26.96
IST-D-S/E 15	15	103.18	28.01
IST-D-S/E 16	16	107.03	29.05
IST-D-S/E 17	17	110.88	30.10
IST-D-S/E 18	18	119.35	32.40
IST-D-S/E 19	19	119.35	32.40
IST-D-S/E 20	20	147.09	39.92
IST-D-S/E 21	21	147.09	39.92
IST-D-S/E 22	22	147.09	39.92
IST-D-S/E 23	23	221.76	60.19
IST-D-S/E 24	24	221.76	60.19
IST-D-S/E 25	25	277.97	75.45
IST-D-S/E 26	26	277.97	75.45
IST-D-S/E 27	27	277.97	75.45
IST-D-S/E 28	28	316.47	85.90
IST-D-S/E 30	30	316.47	85.90
IST-D-S/E 32	32	316.47	85.90

SINGLE DEEP OFFSET RING SPANNER

Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-SDR6	6	123.20	33.44
IST-I-SDR7	7	127.05	34.49
IST-I-SDR8	8	130.90	35.53
IST-I-SDR9	9	134.75	36.58
IST-I-SDR10	10	138.60	37.62
IST-I-SDR11	11	142.45	38.67
IST-I-SDR12	12	147.07	39.92
IST-I-SDR13	13	150.92	40.96
IST-I-SDR14	14	154.77	42.01
IST-I-SDR15	15	158.62	43.05
IST-I-SDR16	16	162.47	44.10
IST-I-SDR17	17	166.32	45.14
IST-I-SDR18	18	170.17	46.19
IST-I-SDR19	19	182.49	49.53
IST-I-SDR20	20	206.36	56.01
IST-I-SDR21	21	230.23	62.49
IST-I-SDR22	22	254.10	68.97
IST-I-SDR23	23	277.97	75.45
IST-I-SDR24	24	333.41	90.50
IST-I-SDR25	25	372.68	101.16
IST-I-SDR26	26	372.68	101.16
IST-I-SDR27	27	380.38	103.25
IST-I-SDR28	28	547.47	148.60
IST-I-SDR30	30	547.47	148.60
IST-I-SDR32	32	547.47	148.60



Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-SDR 6	6	83.16	22.57
IST-D-SDR 7	7	90.86	24.66
IST-D-SDR 8	8	95.48	25.92
IST-D-SDR 9	9	102.41	27.80
IST-D-SDR 10	10	110.11	29.89
IST-D-SDR 11	11	119.35	32.40
IST-D-SDR 12	12	127.05	34.49
IST-D-SDR 13	13	134.75	36.58
IST-D-SDR 14	14	134.75	36.58
IST-D-SDR 15	15	138.60	37.62
IST-D-SDR 16	16	138.60	37.62
IST-D-SDR 17	17	142.45	38.67
IST-D-SDR 18	18	150.92	40.96
IST-D-SDR 19	19	154.77	42.01
IST-D-SDR 20	20	174.79	47.44
IST-D-SDR 21	21	174.79	47.44
IST-D-SDR 22	22	178.64	48.49
IST-D-SDR 23	23	198.66	53.92
IST-D-SDR 24	24	198.66	53.92
IST-D-SDR 25	25	237.16	64.37
IST-D-SDR 26	26	261.80	71.06
IST-D-SDR 27	27	261.80	71.06
IST-D-SDR 28	28	348.81	94.68
IST-D-SDR 30	30	348.81	94.68
IST-D-SDR 32	32	348.81	94.68



RING GEAR WRENCH

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-RGW10	10	119.35	32.40
IST-D-RGW11	11	123.20	33.44
IST-D-RGW12	12	127.05	34.49
IST-D-RGW13	13	130.90	35.53
IST-D-RGW14	14	134.75	36.58
IST-D-RGW15	15	144.76	39.29
IST-D-RGW16	16	146.30	39.71
IST-D-RGW17	17	154.00	41.80
IST-D-RGW18	18	165.55	44.94
IST-D-RGW19	19	173.25	47.03



ADJUSTABLE WRENCH



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-AW6	150mm-6	380.38	103.25
IST-I-AW8	200mm-8	523.60	142.12
IST-I-AW10	250mm-10	697.62	189.35
IST-I-AW12	300mm-12	951.72	258.32
IST-I-AW15	375mm-15	1094.17	296.99

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-AW6	150mm-6	277.97	75.45
IST-D-AW8	200mm-8	357.28	96.98
IST-D-AW10	250mm-10	468.16	127.07
IST-D-AW12	300mm-12	626.78	170.13
IST-D-AW15	375mm-15	697.62	189.35

CLAMP (INJECTION)



Code	Length (mm)	Injection	
		AED	(US\$)
IST-I-CLP6	150	92.40	25.08

T-ALLEN KEY (HEX)

Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-AK2.5	2.5	196.00	53.20
IST-I-AK3	3	210.00	57.00
IST-I-AK4	4	224.00	60.80
IST-I-AK5	5	238.00	64.60
IST-I-AK6	6	252.00	68.40
IST-I-AK8	8	273.00	74.10

DE NEERS®
Revolution in Hand Tools
ALLEN KEY (HEX)



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-AK1.5	1.5	161.70	43.89
IST-I-AK2	2	161.70	43.89
IST-I-AK2.5	2.5	161.70	43.89
IST-I-AK3	3	147.00	39.90
IST-I-AK4	4	154.70	41.99
IST-I-AK5	5	162.40	44.08
IST-I-AK6	6	193.90	52.63
IST-I-AK8	8	249.90	67.83
IST-I-AK10	10	315.00	85.50
IST-I-AK12	12	441.00	119.70

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-AK3	3	71.61	19.44
IST-D-AK4	4	79.31	21.53
IST-D-AK5	5	87.01	23.62
IST-D-AK6	6	95.48	25.92
IST-D-AK8	8	142.45	38.67
IST-D-AK10	10	174.79	47.44
IST-D-AK12	12	285.67	77.54

ALLEN KEY SET (HEX)



Code	Size (mm)	Injection	
		AED	(US\$)
IST-KIT O-1	ALLEN KEY SET 7 Pcs (6+1) (3MM TO 10MM)	1222.90	331.93
IST-KIT P-1	ALLEN KEY SET 8 Pcs (7+1) (3MM TO 12MM)	1663.90	451.63
IST-KIT W-1	ALLEN KEY SET 10 Pcs (9+1) (1.5MM TO 10MM)	1708.00	463.60

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-KIT O-2	ALLEN KEY SET 7 Pcs (6+1) (3MM TO 10MM)	650.65	176.61
IST-KIT P-2	ALLEN KEY SET 8 Pcs (7+1) (3MM TO 12MM)	935.55	253.94

SCREW DRIVER- FLAT SLOTTED ⊖

Fasten & Unload Slotted Bolts (Screw Nails) under 1000V of Electricity

Code	Length (mm)	Injection	
		AED	(US\$)
IST-I-SD50	3x50	40.04	10.87
IST-I-SD60	3x60	40.04	10.87
IST-I-SD75	3x75	55.44	15.05
IST-I-SD80	3x80	55.44	15.05
IST-I-SD100	4x100	63.14	17.14
IST-I-SD125	5.5x125	71.61	19.44
IST-I-SD150	6.5x150	78.54	21.32
IST-I-SD175	8x175	83.16	22.57
IST-I-SD200	8x200	90.86	24.66
IST-I-SD250	10x250	102.41	27.80



SCREW DRIVER - PHILIPS PATTERN ⊕

Fasten & Unload Philips Bolts (Ph. Screw nails) under 1000V of Electricity

Code	Length (mm)	Injection	
		AED	(US\$)
IST-I-SD50P	Ph0x50	40.04	10.87
IST-I-SD60P	Ph0x60	40.04	10.87
IST-I-SD75P	Ph1x75	55.44	15.05
IST-I-SD80P	Ph1x80	55.44	15.05
IST-I-SD100P	Ph2x100	63.14	17.14
IST-I-SD125P	Ph2x125	71.61	19.44
IST-I-SD150P	Ph3x150	78.54	21.32
IST-I-SD175P	Ph3x175	83.16	22.67
IST-I-SD200P	Ph3x200	90.86	24.66
IST-I-SD250P	Ph3x250	102.41	27.80



SCREW DRIVER - POZI DRIVE ⊕⊗

Fasten & Unload Pozi Drive Bolts (Pz Screw Nails) under 1000V of Electricity

Code	Specification	Injection	
		AED	(US\$)
IST-I-SD80PZ	PZ 1x80	61.60	16.72
IST-I-SD100PZ	PZ 2x100	73.15	19.86
IST-I-SD150PZ	PZ 3x150	88.55	24.04
IST-I-SD175PZ	PZ 4x175	103.95	28.22
IST-I-SD200PZ	PZ 5x200	127.05	34.49



T-HANDLE NUT DRIVER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-THND 4x130	4x130	134.75	36.77
IST-I-THND 5x130	5x130	142.45	38.67
IST-I-THND 6x130	6x130	150.92	40.96
IST-I-THND 7x130	7x130	158.62	43.05
IST-I-THND 8x130	8x130	162.47	44.10
IST-I-THND 9x130	9x130	166.32	45.14
IST-I-THND 10x130	10x130	174.79	47.44
IST-I-THND 12x130	12x130	182.49	49.53
IST-I-THND 13x130	13x130	186.34	50.58
IST-I-THND 14x130	14x130	190.19	51.62

SCREWDRIVER NUT DRIVER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-SDND 5x125	5x125	59.29	16.09
IST-I-SDND 6x125	6x125	71.61	19.44
IST-I-SDND 7x125	7x125	75.46	20.48
IST-I-SDND 8x125	8x125	79.31	21.53
IST-I-SDND 9x125	9x125	87.01	23.62
IST-I-SDND 10x125	10x125	107.03	29.05
IST-I-SDND 12x125	12x125	119.35	32.40
IST-I-SDND 13x125	13x125	123.20	33.44
IST-I-SDND 14x125	14x125	130.90	35.53

DE NEERS®

Revolution in Hand Tools

SCREW DRIVER SET (11 Pcs) (10 PCS + 1 TOOL BOX) (KIT-A)

Code	Contents	AED	(US\$)
IST-KIT-A	Screw Driver Flat : 75, 100, 150, 175mm Screw Driver Philips : 60, 80, 100, 150mm Screw Driver Pozi Drive : 100, 150mm	875.00	237.50

KIT-A



INTERCHANGEABLE SCREWDRIVER SET



Code	Contents :	AED	(US\$)
IST-ISDS12	12 Pcs Set Slotted : 0.4*2.0*100, 0.4*2.5*100, 0.5*3.0*100, 0.6*3.5*100, 0.8*4.0*100, 1.0*5.5*100, 1.2*6.5*100 Philips : PH0*100, PH1*100, PH2*100 Voltage Tester : 3.0*70 mm Handle : 31*105mm	476.00	129.20

VOLTAGE TESTER



Code	Size (mm)	Voltage	AED	(US\$)
IST-VT60	60	10-250	19.25	5.23
IST-VT70	70	10-250	19.25	5.23
IST-VT105	105	10-250	19.25	5.23

INSULATED VOLTAGE TESTER



Code	Size (mm)	Voltage	AED	(US\$)
IST-IVT	3.00x140	100-500V	35.00	9.50

TEST PENCIL



Code	Size (mm)	Voltage	AED	(US\$)
IST-PEN100	158	12-1000V	105.00	28.50

HACKSAW FRAME (DIPPED)



Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-HF470	470mm	921.69	250.17

HACKSAW FRAME (INJECTION)



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-HF150J	150mm (Junior)	903.98	245.37
IST-I-HF300S	300mm (Senior)	1467.62	398.35

PRECISION TWEEZER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-TWZ160 WT	6x160 (with Teeth)	413.00	112.10
IST-I-TWZ135 WOT	6x135 (without Teeth)	413.00	112.10

HAMMER Mallet



Code	Mallet Dia (mm)	Dipped	
		AED	(US\$)
IST-D-HM30	30	847.00	229.90

INSULATED GLOVES



Code	Class of Gloves	Length (mm)	Hand Size	AC Proof Test Voltage rms,V	Maximum AC Use Voltage ac rms,V	DC Proof Test Voltage avg,V	Maximum DC Use Voltage avg,V	AED	(US\$)
IST-IG1	1	410	9	10000	7500	40000	11250	1505.00	408.50
IST-IG2	2	410	9	20000	17000	50000	25500	2226.00	604.20
IST-IG3	3	410	9	30000	26500	60000	39750	3423.00	929.10
IST-IG4	4	410	9	40000	36000	70000	54000	4893.00	1330.00

COMBINATION PLIER / LINEMAN PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-CP6	150mm-6	150.50	40.85
IST-I-CP7	175mm-7	254.10	68.97
IST-I-CP8	200mm-8	206.50	56.05

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-CP6	150mm-6	129.50	35.15
IST-D-CP7	175mm-7	226.38	61.45
IST-D-CP8	200mm-8	178.50	48.45

LONG NOSE PLIER / SNIPE NOSE PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-LNP6	150mm-6	150.50	40.85
IST-I-LNP7	175mm-7	231.00	62.70
IST-I-LNP8	200mm-8	266.00	72.20

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-LNP6	150mm-6	129.50	35.15
IST-D-LNP7	175mm-7	203.00	55.10
IST-D-LNP8	200mm-8	231.00	62.70

DIAGONAL SIDE CUTTING PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-SCP6	150mm-6	198.66	53.92
IST-I-SCP7	175mm-7	234.08	63.54
IST-I-SCP8	200mm-8	259.00	70.30

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-SCP6	150mm-6	174.79	47.44
IST-D-SCP7	175mm-7	206.50	56.05
IST-D-SCP8	200mm-8	224.00	60.80

PLIER PRO SERIES



Code	Item	Size (mm)	Dipped	
			AED	(US\$)
IST-D-CP8PP	Combination Plier	200mm-8	192.50	52.25
IST-D-LNP6PP	Long Nose Plier	150mm-6	140.00	38.00
IST-D-SCP6PP	Diagonal/ Side Cutting Plier	150mm-6	189.00	51.30

FLAT NOSE PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-FNP6	150mm-6	206.36	56.01
IST-I-FNP8	200mm-8	222.53	60.40

ROUND NOSE PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-RNP6	150mm-6	182.00	49.40

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-RNP6	150mm-6	168.00	45.60

BENT NOSE PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-BNP6	150mm-6	231.00	62.70
IST-I-BNP8	200mm-8	276.50	75.05

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-BNP6	150mm-6	217.00	58.90

WATER PUMP PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-WPP8	200mm-8	231.00	62.70
IST-I-WPP10	250mm-10	245.00	66.50
IST-I-WPP12	300mm-12	276.50	75.05

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-WPP8	200mm-8	206.50	56.05
IST-D-WPP10	250mm-10	227.50	61.75
IST-D-WPP12	300mm-12	241.50	65.55

WIRE STRIPPER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-WS6	150mm-6	129.50	35.15

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-WS6	150mm-6	108.50	29.45

DE NEERS®

Revolution in Hand Tools

CABLE CUTTING PLIER



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-CCP6	150mm-6	251.02	68.13
IST-I-CCP8	200mm-8	267.19	72.52
IST-I-CCP9	225mm-9	291.06	79.00
IST-I-CCP10	250mm-10	461.23	125.19

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-CCP6	150mm-6	202.51	54.97
IST-D-CCP8	200mm-8	234.85	63.75
IST-D-CCP9	225mm-9	258.72	70.22
IST-D-CCP10	250mm-10	412.72	112.02

CABLE CUTTER (JUMBO SIZES)



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-CC24J	600mm-24	2730.00	741.00
IST-I-CC32J	800mm-32	3430.00	931.00

SCISSOR



Code	Length (mm)	Injection	
		AED	(US\$)
IST-I-SCI150	150	523.60	142.12

STICK TAPE VDE



Code	Size (mm)	AED	(US\$)
IST-STV20	10x20mm	24.50	6.65

SOCKET 1/4 SQUARE DRIVE



Code	Size (mm)	INJECTION	
		AED	(US\$)
IST-I-A4	4	126.00	34.20
IST-I-A5	5	126.00	34.20
IST-I-A6	6	126.00	34.20
IST-I-A7	7	129.50	35.15
IST-I-A8	8	143.50	38.95
IST-I-A9	9	143.50	38.95
IST-I-A10	10	147.00	39.90
IST-I-A11	11	154.00	41.80
IST-I-A12	12	161.00	43.70
IST-I-A13	13	168.00	45.60
IST-I-A14	14	182.00	49.40

SOCKET DEEP 1/4 SQUARE DRIVE

Code	Size (mm)	INJECTION	
		AED	(US\$)
IST-I-A6D	6	385.00	104.50
IST-I-A7D	7	399.00	108.30
IST-I-A8D	8	413.00	112.10

2 LAYER INSULATED ADAPTOR

Code	Size (mm)	INJECTION	
		AED	(US\$)
IST-I-ADP1/2x3/8	1/2Fx3/8M	1113.00	302.10
IST-I-ADP3/8x1/2	3/8Fx1/2M	1113.00	302.10
IST-I-ADP3/8x1/4	3/8Fx1/4M	1113.00	302.10
IST-I-ADP1/4x3/8	1/4Fx3/8M	1113.00	302.10

SOCKET 3/8 SQUARE DRIVE



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-B8	8	103.18	28.01
IST-I-B9	9	110.88	30.10
IST-I-B10	10	119.35	32.40
IST-I-B11	11	127.05	34.49
IST-I-B12	12	134.75	36.58
IST-I-B13	13	134.75	36.58
IST-I-B14	14	142.45	38.67
IST-I-B15	15	142.45	38.67
IST-I-B16	16	147.07	39.92
IST-I-B17	17	150.92	40.96
IST-I-B18	18	154.77	42.01
IST-I-B19	19	158.62	43.05
IST-I-B20	20	166.32	45.14
IST-I-B21	21	170.17	46.19
IST-I-B22	22	182.49	49.53

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-B8	8	78.54	21.32
IST-D-B9	9	93.00	24.66
IST-D-B10	10	99.33	26.96
IST-D-B11	11	99.33	26.96
IST-D-B12	12	107.03	29.05
IST-D-B13	13	107.03	29.05
IST-D-B14	14	114.73	31.14
IST-D-B15	15	114.73	31.14
IST-D-B16	16	123.20	33.44
IST-D-B17	17	123.20	33.44
IST-D-B18	18	127.05	34.49
IST-D-B19	19	130.90	35.53
IST-D-B20	20	134.75	36.58
IST-D-B21	21	130.90	35.53
IST-D-B22	22	138.60	37.62

RATCHETING GEAR SOCKET WRENCH



Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-RW13x17	13x17	637.00	172.90
IST-D-RW14x17	14x17	644.00	174.80
IST-D-RW17x19	17x19	651.00	176.70
IST-D-RW19x22	19x22	679.00	184.30
IST-D-RW19x24	19x24	945.00	256.50
IST-D-RW22x24	22x24	973.00	264.10

SOCKET 1/2 SQUARE DRIVE



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-N10	10	119.35	32.40
IST-I-N11	11	123.20	33.44
IST-I-N12	12	123.20	33.44
IST-I-N13	13	130.90	35.53
IST-I-N14	14	130.90	35.53
IST-I-N15	15	138.60	37.62
IST-I-N16	16	147.07	39.92
IST-I-N17	17	150.92	40.96
IST-I-N18	18	150.92	40.96
IST-I-N19	19	154.77	42.01
IST-I-N20	20	158.62	43.05
IST-I-N21	21	162.47	44.10
IST-I-N22	22	178.64	48.49
IST-I-N23	23	198.66	53.92
IST-I-N24	24	198.66	53.92
IST-I-N25	25	202.51	54.97
IST-I-N26	26	206.36	56.01
IST-I-N27	27	221.76	60.19
IST-I-N28	28	324.94	88.20
IST-I-N29	29	348.81	94.68
IST-I-N30	30	380.38	103.25
IST-I-N32	32	428.12	116.20

Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-N10	10	90.86	24.66
IST-D-N11	11	95.48	25.92
IST-D-N12	12	99.33	26.96
IST-D-N13	13	103.18	28.01
IST-D-N14	14	103.18	28.01
IST-D-N15	15	110.88	30.10
IST-D-N16	16	114.73	31.14
IST-D-N17	17	114.73	31.14
IST-D-N18	18	119.35	32.40
IST-D-N19	19	123.20	33.44
IST-D-N20	20	127.05	34.49
IST-D-N21	21	130.90	35.53
IST-D-N22	22	142.45	38.67
IST-D-N23	23	158.62	43.05
IST-D-N24	24	158.62	43.05
IST-D-N25	25	162.47	44.10
IST-D-N26	26	166.32	45.14
IST-D-N27	27	174.79	47.44
IST-D-N28	28	254.10	68.97
IST-D-N29	29	273.35	74.20
IST-D-N30	30	305.69	82.97
IST-D-N32	32	337.26	91.54

1/4 DRIVE ALLEN SOCKET (HEXAGONAL)



Code	Size (mm)	Injection	
		AED	(US\$)
IST-D-A-AS3	3	101.50	27.55
IST-D-A-AS4	4	108.50	29.45
IST-D-A-AS5	5	115.50	31.35
IST-D-A-AS6	6	122.50	33.25
IST-D-A-AS8	8	129.50	35.15

3/8 DRIVE ALLEN SOCKET (HEXAGONAL)



Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-B-AS4	4	108.50	29.45
IST-D-B-AS5	5	115.50	31.35
IST-D-B-AS6	6	122.50	33.25
IST-D-B-AS8	8	129.50	35.15
IST-D-B-AS10	10	143.50	38.95

1/2 DRIVE ALLEN SOCKET (HEXAGONAL)



Code	Size (mm)	Dipped	
		AED	(US\$)
IST-D-N-AS4	4	108.50	29.45
IST-D-N-AS5	5	115.50	31.35
IST-D-N-AS6	6	122.50	33.25
IST-D-N-AS8	8	129.50	35.15
IST-D-N-AS10	10	143.50	38.95

INSULATION BITS SOCKET HEX



Code	Size (mm)	Injection	
		AED	(US\$)
IST-I-IBS4x75	4x75	249.48	67.72
IST-I-IBS4x120	4x120	226.38	61.45
IST-I-IBS5x75	5x75	273.35	74.20
IST-I-IBS5x120	5x120	234.08	63.54
IST-I-IBS6x75	6x75	281.82	76.49
IST-I-IBS6x120	6x120	245.63	66.67
IST-I-IBS8x75	8x75	285.67	77.54
IST-I-IBS8x120	8x120	254.10	68.97
IST-I-IBS10x120	10x120	241.78	65.63

TORX SOCKET (3/8 DRIVE)



Code	Size	Length (mm)	Injection	
			AED	(US\$)
IST-I-BTST10	T10	75	277.97	75.45
IST-I-BTST15	T15	75	281.82	76.49
IST-I-BTST15L	T15	157	281.82	76.49
IST-I-BTST20	T20	75	285.67	77.54
IST-I-BTST20L	T20	157	285.67	77.54
IST-I-BTST25	T25	75	309.54	84.02
IST-I-BTST25L	T25	157	309.54	84.02
IST-I-BTST30	T30	75	341.11	92.59
IST-I-BTST30L	T30	157	341.11	92.59
IST-I-BTST40	T40	75	348.81	94.68
IST-I-BTST40L	T40	157	348.81	94.68
IST-I-BTST45	T45	75	357.28	96.98
IST-I-BTST45L	T45	157	357.28	96.98

T-TYPE SOCKET

Code	Size (mm)	Length (mm)	Dipped	
			AED	(US\$)
IST-D-TTS10	10	200	107.03	29.05
IST-D-TTS12	12	200	113.19	30.72
IST-D-TTS13	13	200	121.66	33.02
IST-D-TTS14	14	200	129.36	35.11
IST-D-TTS16	16	200	133.21	36.16
IST-D-TTS17	17	200	137.83	37.41
IST-D-TTS18	18	200	145.53	39.50
IST-D-TTS19	19	200	157.85	42.85
IST-D-TTS10D	10	300	133.21	36.16
IST-D-TTS12D	12	300	141.68	38.46
IST-D-TTS13D	13	300	149.38	40.55
IST-D-TTS14D	14	300	157.85	42.85
IST-D-TTS16D	16	300	161.70	43.89
IST-D-TTS17D	17	300	177.87	48.28
IST-D-TTS18D	18	300	197.89	53.71
IST-D-TTS19D	19	300	230.23	62.49



T TYPE WRENCH



Code	Drive	Length (mm)	Injection	
			AED	(US\$)
IST-I-B-TTW	3/8	200	396.55	107.64
IST-I-N-TTW	1/2	200	477.40	129.58



Code	Drive	Length (mm)	Dipped	
			AED	(US\$)
IST-D-B-TTW	3/8	200	357.00	96.90
IST-D-N-TTW	1/2	200	427.00	115.90

T HANDLE



Code	Drive	Length (mm)	Dipped	
			AED	(US\$)
IST-D-B-TH	3/8	160	242.55	65.84
IST-D-N-TH	1/2	250	343.00	93.10

INSULATED Z TYPE ADAPTER 3/8 DRIVE

For Use under the special position.

Chrome Vanadium Steel.

Each tool individual tested at 10,000 Voltage

Code	Drive	A/F Size	Injection	
			AED	(US\$)
IST-I-B-TA	3/8	10	1260.00	342.00

EXTENSION BAR



Code	Drive	Length (mm)	Injection	
			AED	(US\$)
IST-I-B-EB3	3/8	75	174.02	47.23
IST-I-B-EB5	3/8	125	230.23	62.49
IST-I-B-EB6	3/8	150	238.70	64.79
IST-I-B-EB10	3/8	250	287.21	77.96
IST-I-A-EB4	1/4	100	210.00	57.00
IST-I-A-EB6	1/4	150	245.00	66.50
IST-I-N-EB5	1/2	125	319.55	86.74
IST-I-N-EB10	1/2	250	481.25	130.63

Code	Drive	Length (mm)	Dipped	
			AED	(US\$)
IST-D-B-EB3	3/8	75	141.68	38.46
IST-D-B-EB5	3/8	125	181.72	49.32
IST-D-B-EB6	3/8	150	197.89	53.71
IST-D-B-EB10	3/8	250	230.23	62.49
IST-D-N-EB5	1/2	125	287.00	77.90
IST-D-N-EB10	1/2	250	427.00	115.90

L HANDLE / OFFSET HANDLE

Code	Drive	Length (mm)	Dipped	
			AED	(US\$)
IST-D-B-LH8	3/8	200	315.70	85.69
IST-D-N-LH9	1/2	230	396.55	107.64



RATCHET



Code	Drive	Length (mm)	Injection	
			AED	(US\$)
IST-I-A-RR	1/4	150	1200.00	330.00
IST-I-B-RR	3/8	200	1447.60	392.92
IST-I-N-RR	1/2	250	1447.60	392.92



Code	Drive	Length (mm)	Dipped	
			AED	(US\$)
IST-D-N-RR	1/2	250	1270.50	344.85

TORQUE WRENCH



Code	N.m	Drive	Injection	
			AED	(US\$)
IST-I-B-TW25	5-25 N.m	3/8	5005.00	1358.50
IST-I-B-TW50	10-50 N.m	3/8	3570.00	969.00
IST-I-N-TW50	10-50 N.m	1/2	3570.00	969.00
IST-I-N-TW100	20-100 N.m	1/2	9047.50	2455.75
IST-I-N-TW200	40-200 N.m	1/2	12050.50	3270.85

INSULATED SOCKET SET 21 PCS (1/4 DRIVE) (20 Pcs + 1 Tool Box) (KIT-T)

KIT-T

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-T	RATCHET WRENCH	145mm	3927.00	1065.90
	EXTENSION BAR	100, 150mm		
	1/4 INSULATED HEXAGON SOCKETS	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm		
	1/4 INSULATED BIT SOCKET FOR HEXAGON SCREWS	H3, H4, H5, H6, H8		
	TOOL BOX	DOUBLE COLOR PLASTIC BOX		

INSULATED SOCKET SET 19 PCS (3/8 DRIVE) (18 Pcs + 1 Tool Box) (KIT-U)

KIT-U

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-U	RATCHET WRENCH	200mm	4970.00	1349.00
	EXTENSION BAR	250mm		
	T HANDLE	200mm		
	3/4 INSULATED HEXAGON SOCKETS	10, 11, 12, 13, 14, 16, 17, 18, 19, 21 & 22mm		
	3/8 INSULATED BIT SOCKET FOR HEXAGON SCREWS	H4, H5, H6, H8		
	TOOL BOX	DOUBLE COLOR PLASTIC BOX		

INSULATED SOCKET SET 21 PCS (1/2 DRIVE) (20 Pcs + 1 Tool Box) (KIT-S)

KIT-S

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-S	RATCHET WRENCH	250mm	5985.00	1624.50
	EXTENSION BAR	250mm		
	T HANDLE WRENCH	200mm		
	1/2 INSULATED HEXAGON SOCKETS	10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27mm		
	1/2 INSULATED BIT SOCKET FOR HEXAGON SCREWS	H4, H5, H6, H8		
	TOOL BOX	DOUBLE COLOR PLASTIC BOX		

INSULATED CHANGEABLE CABLE KNIFE

Code	Size (mm)	Injection	
		AED	(US\$)
IST-CCK180	50x180	385.00	104.50



INSULATED SEMI CIRCLE KNIFE

Code	Size (mm)	Injection	
		AED	(US\$)
IST-SCK180	50x180	385.00	104.50



INSULATED HALF MOON LONG HOOK KNIFE

Code	Size (mm)	Injection	
		AED	(US\$)
IST-HMK180	50x180	385.00	104.50



INSULATED STRAIGHT KNIFE

Code	Size (mm)	Injection	
		AED	(US\$)
IST-SK180	50x180	385.00	104.50



INSULATED GUARD CABLE KNIFE

Code	Size (mm)	Injection	
		AED	(US\$)
IST-GCK180	50x180	385.00	104.50



INSULATED DISMANTLING & SHEATHING KNIFE

Code	Size (mm)	Injection	
		AED	(US\$)
IST-DSK180	50x180	385.00	104.50



INSULATED KNIFE SET OF 7 PC (6 Pcs. + 1) (KIT-V)



Code	Description	Injection	
		AED	(US\$)
IST-KIT-V	SET OF 7 PCS	2310.00	627.00



SINGLE DEEP OFFSET RING SPANNER 20 PCS SET (POUCH PACKING) (KIT-C-1)

Code	Item Details	Dipped	
		AED	(US\$)
IST-D-KIT-C1	(6-32MM) 20 PCS SET (Dipped)	3212.44	871.95

KIT-C-1



SINGLE DEEP OFFSET RING SPANNER 20 PCS SET (POUCH PACKING) (KIT-C-2)



KIT-C-2

Code	Item Details	Injection	
		AED	(US\$)
IST-I-KIT-C2	(6-32MM) 20 PCS SET (Injection)	4560.71	1237.91

SINGLE DEEP OFFSET RING SPANNER (KIT-D-1) 20 PCS SET

(IN SPECIAL POWDER COATED STEEL TOOL BOX)

KIT-D-1



Code	Item Details	Dipped	
		AED	(US\$)
IST-D-KIT-D1	(6-32MM) 20 PCS SET (Dipped)	3371.06	915.00

SINGLE DEEP OFFSET RING SPANNER (KIT-D-2) 20 PCS SET

(IN SPECIAL POWDER COATED STEEL TOOL BOX)

KIT-D-2



Code	Item Details	Injection	
		AED	(US\$)
IST-I-KIT-D2	(6-32MM) 20 PCS SET (Injection)	4719.33	1280.96



Revolution in Hand Tools

SINGLE OPEN END SPANNER SET
20 PCS SET (POUCH PACKING)
(KIT-E-1)

Code	Item Details	Dipped	
		AED	(US\$)
IST-D-KIT-E1	(6-32MM) 20 PCS SET (Dipped)	3053.82	828.89

KIT-E-1



SINGLE OPEN END SPANNER SET
20 PCS SET (POUCH PACKING)
(KIT-E-2)



KIT-E-2

Code	Item Details	Injection	
		AED	(US\$)
IST-I-KIT-E2	(6-32MM) 20 PCS SET (Injection)	4084.85	1108.75

INSULATED TOOLS SET 25 PCS (24 Pcs + 1 Tool Box) (KIT-F)



KIT-F

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-F	COMBINATION PLIER	200mm	3331.02	904.13
	DIAGONAL CUTTING PLIER	150mm		
	SLOTTED SCREWDRIVER	75, 100, 125mm		
	PHILIPS SCREWDRIVER	#60, #80, #100mm		
	Knife	Straight, Semi Circle		
	SINGLE OPEN END SPANNER	10, 11, 12, 13, 14, 17, 19mm		
	SOCKETS 1/2 DR.	10, 11, 12, 13, 14, 17, 19mm		
	TOOL BOX	F-460		

INSULATED TOOLS SET 22 PCS (KIT-G) (21 Pcs + 1 Special Powder Coated Steel Tool Box)



KIT-G



Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-G	COMBINATION PLIER	200mm	2736.58	742.79
	WIRE STRIPPER	160mm		
	CABLE CUTTER	225mm		
	DIAGONAL CUTTING PLIER	175mm		
	SLOTTED SCREWDRIVER	75, 100, 125, 175mm		
	PHILIPS SCREWDRIVER	#80, #150mm		
	SINGLE OPEN END SPANNER	12, 13, 14, 17mm		
	SINGLE DEEP OFFSET SPANNER	10, 13, 14, 17, 19, 22, 24mm		
	TOOL BOX	Powder Coated Steel Tool Box 21" (5 Tray)		

INSULATED PLIER SET OF 6 PCS (5 PCS + 1 ALUMINUM TOOL BOX) (KIT-H)



KIT-H

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-H	COMBINATION PLIER	200mm	959.42	260.41
	WIRE STRIPPER	160mm		
	WATER PUMP PLIER	250mm		
	LONG NOSE PLIER	200mm		
	SIDE CUTTING PLIER	150mm		
	TOOL BOX	Aluminum		

INSULATED TOOLS SET OF 8 PCS (7 PCS + 1 ALUMINUM TOOL BOX) (KIT-I)



KIT-I

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-I	SCREW DRIVER POZI DR.	100mm	785.40	213.18
	SCREW DRIVER FLAT	75mm		
	VOLTAGE TESTER	60mm		
	WIRE STRIPPER	160mm		
	LONG NOSE PLIER	150mm		
	COMBINATION PLIER	150mm		
	SIDE CUTTING PLIER	150mm		
	TOOL BOX	Aluminum		

DE NEERS®

Revolution in Hand Tools

INSULATED TOOLS SET OF 9 PCS (8 PCS + 1 ALUMINUM TOOL BOX) (KIT-J)



KIT-J

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-J	SCREW DRIVER POZI DR. SCREW DRIVER FLAT SCREW DRIVER PHILIPS VOLTAGE TESTER WIRE STRIPPER LONG NOSE PLIER SIDE CUTTING PLIER TOOL BOX	80mm 75, 150mm 150mm 60mm 160mm 200mm 150mm Aluminium	785.40	213.18

INSULATED SCREW DRIVER & PLIER SET 13 PCS (12 PCS + 1 TOOL BOX) (KIT-K)



KIT-K

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-K	COMBINATION PLIER WIRE STRIPPER WATER PUMP PLIER SLOTTED SCREWDRIVER PHILIPS SCREWDRIVER POZI DRIVE SCREWDRIVER TOOL BOX	200mm 160mm 250mm 3x50, 3x75, 4x75, 4x100mm #0x60, #1x80, #1x80 Pz 1x80 Plastic Tool Box	1229.69	333.77

INSULATED TOOL SET SET 13 PCS (12 PCS + 1 TOOL BOX) (KIT-L)

KIT-L

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-L	INSULATING TAPE	20mmx10m	1071.07	290.72
	COMBINATION PLIER	200mm		
	WIRE STRIPPER	160mm		
	WATER PUMP PLIER	250mm		
	SLOTTED SCREWDRIVER	3x75, 4x75, 4x100, 125mm		
	PHILIPS SCREWDRIVER	#0x60MM		
	POZI DRIVE SCREWDRIVER	Pz 80, 100mm		
	VOLTAGE TESTER			
	TOOL BOX	Aluminum		



INSULATED TOOLS SET 21 PCS (20 Pcs + 1 Aluminum Case) (KIT-M)

KIT-M

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-M	VOLTAGE TESTER		2736.58	742.79
	STICK TAPE VDE			
	COMBINATION PLIER	150mm		
	COMBINATION PLIER	200mm		
	LONG NOSE PLIER	150mm		
	LONG NOSE PLIER	200mm		
	DIAGONAL CUTTING PLIER	150mm		
	WIRE STRIPPER	160mm		
	WATER PUMP PLIER	250mm		
	CABLE CUTTER	150mm		
	ADJUSTABLE WRENCH	200mm		
	SLOTTED SCREWDRIVER	3x75, 4x100, 5x150, 8x175mm		
	PHILIPS SCREWDRIVER	#0x60, #2x100, #3x150mm		
	POZI SCREWDRIVER	2x100 & 3x150		
	TOOL BOX (LxWxH)	400x290x90mm		



INSULATED TOOLS SET 26 PCS (25 Pcs + 1 Tool Box) (KIT-N)

KIT-N



Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-N	COMBINATION PLIER	200mm	3846.92	1044.16
	DIAGONAL CUTTING PLIER	150mm		
	SLOTTED SCREWDRIVER	75, 100, 125mm		
	PHILIPS SCREWDRIVER	#60, #80, #100mm		
	Knife	Straight, Semi Circle		
	SINGLE OPEN END SPANNER	10, 11, 12, 13, 14, 17, 19mm		
	SOCKETS 1/2 DR.	10, 11, 12, 13, 14, 17, 19mm		
	T TYPE WRENCH 1/2 DR.	200mm		
	TOOL BOX (LxWxH)			

INSULATED TOOLS SET 41 PCS (40 Pcs + 1 Tool Box) (KIT-R)



Code	TOOLS	DESCRIPTION	DIPPED	
			AED	(US\$)
IST-KIT-R1	SINGLE OPEN END SPANNER	6-32mm	6503.42	1765.21
	SINGLE RING SPANNER	6-32mm		
	TOOL BOX (LxWxH)			
Code	TOOLS	DESCRIPTION	INJECTION	
			AED	(US\$)
IST-KIT-R2	SINGLE OPEN END SPANNER	6-32mm	8803.41	2389.50
	SINGLE RING SPANNER	6-32mm		
	TOOL BOX (LxWxH)			

KIT-R-1

KIT-R-2

INSULATED TOOLS SET 54 PCS (53 Pcs + 1 Tools Case) KIT-Q



KIT-Q



Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-Q	Tray A :			
	Cable Cutter	150mm		
	Water Pump Plier	250mm		
	Combination Plier	175mm		
	Long Nose Plier	200mm		
	Diagonal Cutting Plier	150mm		
	Wire Stripper	150mm		
	Tray B:			
	Screw Driver (Phillips)	PH0x60, PH1x80, PH2x100, PH3x150		
	Screw Driver (Slotted)	2.5x75, 3x100, 4x100, 5.5x125, 6.5x150		
	Straight Knife	180mm		
	Voltage Tester	105mm		
	Tray C:			
	Socket Bits	4,5,6,8mm		
	Sockets	10,11,12,13,14,16,17,18,19,21,22,24,27mm		
	Extension Bar	125 & 250mm		
	T Handle	250mm		
	Ratchet Handle	250mm		
	Tray D:			
	Adjustable Wrench	200mm		
	Single Open End Spanner	8,9,10,11,12,13,14,15,16,17,18,19,22,24mm		
			11592.00	3146.40



Revolution in Hand Tools

INSULATED SOCKET SET 10 PCS (KIT - T9)

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-T9	TORQUE WRENCH	5-25NM - 3/8 DR.	6370.00	1729.00
	SOCKET 3/8 Dr.	8, 10, 12mm		
	RATCHET 3/8 Dr.	200mm		
	T HANDLE 3/8 Dr.	200mm		
	EXT BAR 3/8 Dr.	125mm		
	TORX SOCKET 3/8 Dr.	T-25X75mm		
	SCREW DRIVER FLAT	100mm		
	TOOL BOX	PTB-17		

INSULATED SOCKET SET (KIT - T-72)

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-T-72	Combination Plier	200mm	29400.00	8000.00
	Long Nose Plier	160mm		
	Diagonal Cutting Plier	160mm		
	Wire Stripper	160mm		
	Screw Driver (Slotted)	75,100,150mm		
	Screw Driver (Phillips)	PH0x60, PH2x100, PH3x150		
	Socket 3/8 (Dr.)	8,10,11,12,13,14,16,17, 18,19,21,22		
	Allen Key Hex	3,4,5,6,8,10,12		
	Extension Bar (3/8 Dr.)	125 & 250mm		
	T Handle	3/8 Dr. - 200mm		
	Ratchet Handle	3/8 Dr. - 200mm		
	Single Open End Spanner	8,10,12,13,14,17,19mm		
	Torque Wrench (1/2 Dr.)	10-50NM 40-200NM		
	Single Deep Ring Spanner	7,8,9,10,11,12,13,14,15 16,17,18,19,21,22,24mm		
	Hammer Mallet	30mm		
	Straight Knife	180mm		
	Adjustable Wrench	250mm		
	Torx Screw Driver	T5x75, T6x75, T7x75, T8x75, T9x75, T10x100, T15x125, T20x125, T25x150, T30x175mm		
	Tool Trolley	7 Drawer		



Revolution in Hand Tools

INSULATED SOCKET SET (KIT - JBM)

Code	TOOLS	DESCRIPTION	AED	(US\$)
IST-KIT-JBM	Part - I			
	Tray A :			
	Cable Cutter	150mm		
	Water Pump Plier	250mm		
	Combination Plier	175mm		
	Long Nose Plier	200mm		
	Diagonal Cutting Plier	150mm		
	Wire Stripper	150mm		
	Tray B:			
	Screw Driver (Phillips)	PH0x60,PH1x80, PH2x100,PH3x150		
	Screw Driver (Slotted)	2.5x75,3x100,4x100, 5.5x125, 6.5x150		
	Straight Knife	180mm		
	Voltage Tester	105mm		
	Tray C:			
	Socket Bits	4,5,6,8mm		
	Sockets	10,11,12,13,14,16,17,18 19,21,22,24,27mm		
	Extension Bar	125 & 250mm		
	T Handle	200mm		
	Ratchet Handle (1/2 Dr.)	250mm		
	Tray D:			
	Adjustable Wrench	200mm		
	Single Open End Spanner	8,10,11,12,13,14,15, 16,17,18,19,22,24mm	31500.00	8550.00
	Part - II			
	Torque Wrench 1/2 Dr.	10-50NM		
	Single Deep Offset Ring Spanner	6,7,8,9,10,11,12,13,14 15,16,17,18,19,21,22, 24,27,30,32mm		
	Allen Key	3,4,5,6,8,10,12mm		
	Interchangeable Screw Driver Set	50 Pcs.		
	Adjustable Wrench	300mm		
	Cable Cutter	250mm		
	L Handle (1/2 Dr.)	200mm		
	Plastic Clamp			
	Single Open End Spanner	6,7,27,30,32mm		
	Tweezer	130mm		
	Sockets 1/2 Dr.	30,32mm		
	Knife	Straight		
	Insulated Hex Socket (1/2 Dr.)	4x120mm 5x120mm 6x120mm 8x120mm		
	Insulated Ratcheting Cable Cutter	10x120mm 380mm		

DE NEERS[®]

Revolution in Hand Tools



Terms & Conditions :

1. The Prices and specification may Change without prior notice.
2. This Cancels our Previous Price List.
3. All Orders will be dispatched in Standard packing.

Website : www.deneerstools.com